


# **Restoration Plan For Dade County's Pine Rockland Forests Following Hurricane Andrew**



**August 1995**

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

Plant taxa are listed by habit and origin.

"N" indicates native to South Florida rocklands.

"R" indicates ruderal (including taxa of undetermined origin).

"E" indicates exotic to South Florida rocklands (includes native taxa naturalized outside of historic range).

➤ indicates that the species is considered *endangered* by the United States Fish and Wildlife Service.

◦ indicates that the species is considered *threatened* by the United States Fish and Wildlife Service.

▪ indicates that the species is a *candidate* for listing by the United States Fish and Wildlife Service.

GRAMINOIDS (Grasses and Sedges)

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Abildgaardia ovata</u> ( <u>A. monostachya</u> )	Flat-spiked Sedge	N
<u>Andropogon glomeratus</u> var. <u>pumilus</u>	a Bushy Bluestem	R
<u>Andropogon gyrans</u> var. <u>gyrans</u>	a Bluestem	N
<u>Andropogon longiberbis</u>	a Bluestem	N
<u>Andropogon ternarius</u> var. <u>cabanisii</u>	Southern Splitbeard Bluestem	N
<u>Andropogon tracyi</u>	Tracy's Bluestem	N
<u>Andropogon virginicus</u> var. <u>virginicus</u>	Virginia Bluestem	N
<u>Aristida condensata</u>	Big Threeawn	N
<u>Aristida purpurascens</u>	Arrowfeather	N
<u>Aristida beyrichiana</u> ( <u>A. strica</u> of authors)	Wiregrass	N
<u>Arundo donax</u>	Giant Reed	E
<u>Bothriochloa pertusa</u>	Two-hole Grass	E
<u>Bouteloua hirsuta</u>	Hairy Grama	N
<u>Brachiaria mutica</u> ( <u>Panicum purpurascens</u> )	Paragrass	E
<u>Bulbostylis barbata</u>	a Sedge	E
<u>Bulbostylis ciliatifolia</u>	a Hair Sedge	N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Cenchrus incertus</u>	Coastal Sandspur	R
<u>Cenchrus echinatus</u>	Southern Sandspur	
<u>Cenchrus gracillimus</u>	Slender Sandspur	N
<u>Chrysopogon pauciflorus</u>	Florida Rhaphis	N
<u>Cladium jamaicensis</u>	Sawgrass	N
<u>Cynodon dactylon</u>		
var. <u>dactylon</u>	Co. Bermudagrass	E
<u>Cyperus filiculmis</u>	a Sedge	N
<u>Cyperus ligularis</u>	Silver Sedge	R
<u>Dichanthelium aciculare</u>	a Panicgrass	N
<u>Dichanthelium acuminatum</u>		
var. <u>acuminatum</u>	a Panicgrass	N
<u>Dichanthelium commutatum</u>	a Panicgrass	N
<u>Dichanthelium ensifolium</u>		
var. <u>unciphyllum</u>	a Panicgrass	N
<u>Dichanthelium ovale</u>	a Panicgrass	N
<u>Dichanthelium strigosum</u>		
var. <u>glabrescens</u>	a Panicgrass	N
( <u>D. leucoblepharis</u>		
var. <u>glabrescens</u> )		
<u>Digitaria ciliaris</u>	Southern Crabgrass	R
<u>Digitaria dolichophylla</u>	Pineland Crabgrass	N
<u>Digitaria villosa</u>	a Crabgrass	N
( <u>D. filiformis</u> of authors)		
<u>Eleusine indica</u>	Goosegrass	E
<u>Elyonurus tripsacoides</u>	Pan-American Balsamscale	N
<u>Eragrostis campestris</u>	Elliott's Lovegrass	N
( <u>E. elliotii</u> )		
<u>Eragrostis spectabilis</u>	Purple Lovegrass	N
<u>Eremochloa ophiuroides</u>	Centipedegrass	E
<u>Eustachys petraea</u>	Pineland Fingergrass	N
( <u>Chloris petraea</u> )		

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Fimbristylis cymosa</u>		
var. <u>spathacea</u>	Hurricane Sedge	R
<u>Gymnopogon ambiguus</u>	Bearded Skeletongrass	N
<u>Hackelochloa granularis</u>	a Grass	E
<u>Heteropogon contortus</u>	Tanglehead	N
<u>Imperata brasiliensis</u>	Silver Plume	N
<u>Juncus megacephallus</u>	a Rush	N
<u>Melinis minutiflora</u>	Molasses grass	E
<u>Muhlenbergia capillaris</u>		
var. <u>filipes</u>	a Muhly-grass	N
<u>Neyraudia reynaudiana</u>	Burma-reed	E
<u>Panicum maximum</u>	Guinea-grass	E
<u>Panicum tenerum</u>	a Panicgrass	N
<u>Panicum virgatum</u>		
var. <u>cubense</u>	Cuban Switchgrass	N
<u>Panicum virgatum</u>		
var. <u>virgatum</u>	Co. Switchgrass	N
<u>Paspalum blodgettii</u>	Coral Paspalum	N
<u>Paspalum conjugatum</u>	a Paspalum	R
<u>Paspalum caespitosum</u>	Blue Paspalum	N
<u>Paspalum fimbriatum</u>	Winged Paspalum	E
<u>Paspalum monostachyum</u>	Gulfdune Paspalum	N
<u>Paspalum notatum</u>	Bahiagrass	E
<u>Paspalum sauguetii</u>	a Paspalum	N
<u>Paspalum setaceum</u>		
var. <u>ciliatifolium</u>	Ciliate Thin Paspalum	N
<u>Pennisetum purpureum</u>	Napiergrass	E
<u>Rhynchelytrum repens</u>	Natalgrass	E
<u>Rhynchospora colorata</u>	a White-top Sedge	N
(Dichromena colorata)		
<u>Rhynchospora floridensis</u>	Fla. Whitetop Sedge	N
(Dichromena floridensis)		
<u>Rhynchospora globularis</u>	Pineland Beakrush	N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Rhynchospora grayi</u>	Gray's Beakrush	N
<u>Rhynchospora intermedia</u>	a Beakrush	N
<u>Rhynchospora plumosa</u>	Feather Beakrush	N
<u>Rottboellia cochinchinensis</u> ( <u>R. exaltata</u> )	Itchgrass	E
<u>Schizachyrium gracile</u>	Thinleaved Bluestem	N
<u>Schizachyrium rhizomatum</u>	South Fla. Bluestem	N
<u>Schizachyrium sanguineum</u> var. <u>sanguineum</u> ( <u>S. semiberbe</u> )	a Bluestem	N
<u>Setaria lutescens</u>	Yellow Foxtail	E
<u>Setaria parviflora</u> ( <u>Setaria geniculata</u> )	Knotroot Foxtail	N
<u>Sorghastrum secundum</u>	Lopsided Indiangrass	N
<u>Sporobolus indicus</u>	Smutgrass	R
<u>Sporobolus junceus</u>	Pineywoods Dropseed	N
<u>Sporobolus pyramidalis</u> var. <u>jacquemontii</u> ( <u>S. indicus</u> of authors)	West Indian Rushgrass	R
<u>Tripsacum floridanum</u> *	Florida Gamagrass	N

FORBS AND WOODY GROUNDCOVERS

<u>Acalypha chamaedrifolia</u>	Threeseeded Mercury	N
<u>Aeschynomene viscidula</u>	Shy-leaf	N
<u>Agalinis fasciculata</u> ( <u>Gerardia fasciculata</u> )	a False Foxglove	N
<u>Agalinis purpurea</u> ( <u>Gerardia purpurea</u> )	Purple False Foxglove	N
<u>Argemone mexicana</u>	Mexican Poppy	R
<u>Aletris bracteata</u>	a Colicroot	N
<u>Alysicarpus vaginalis</u>	Alice-clover	E
<u>Amaranthus spinosus</u>	Spiny Amaranth	E

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Amorpha herbacea</u>		
var. <u>crenulata</u> >	Crenulate Lead-plant	N
( <u>A. crenulata</u> )		
<u>Ambrosia artemisiifolia</u>	Co. Ragweed	R
<u>Anemia adiantifolia</u>	Pine Fern	N
<u>Angadenia berterii</u>	Pineland-allamanda	N
<u>Argythamnia blodgettii</u> ■	Blodgett's Wild Mercury	N
<u>Arnoglossum ovatum</u>		N
<u>Asclepias tuberosa</u>		
ssp. <u>rolfsii</u>	Butterfly Weed	N
<u>Asclepias verticillata</u>	a Milkweed	N
<u>Asclepias viridis</u>	Green Milkweed	N
<u>Asparagus densiflorus</u>		
cv. <u>Sprengeri</u>	Asparagus-fern	E
( <u>A. sprengeri</u> )		
<u>Aster adnatus</u>	Clasping Aster	N
<u>Aster concolor</u>		
var. <u>concolor</u>	an Aster	N
<u>Aster concolor</u>		
var. <u>simulatus</u>	an Aster	N
<u>Aster dumosus</u>	an Aster	N
<u>Ayenia euphrasiifolia</u>		N
<u>Bacopa monnieri</u>	Water Hyssop	N
<u>Balduina angustifolia</u>	Yellow-buttons	N
<u>Basiphyllaea corallicola</u>	Carter's Orchid	N
<u>Berlandiera subcaulis</u>	Green-eyes	N
<u>Bidens alba</u>		
var. <u>radiata</u>	Spanish-needles	R
( <u>B. pilosa</u> )		
<u>Blechnum brownei</u>	Green Shrimp Plant	E
<u>Blechnum serrulatum</u>	Swamp Fern	N
<u>Bletia purpurea</u>	Pinepink	N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Brickellia eupatorioides</u> var. <u>floridana</u> * ( <u>B. mosieri</u> ; <u>Kuhnia eupatorioides</u> )	False Boneset	N
<u>Buchnera floridana</u>	a Blueheart	N
<u>Capraria biflora</u>	Goatweed	R
<u>Catharanthus roseus</u>	Madagascar Periwinkle	E
<u>Chamaecrista deeringiana</u> ( <u>Cassia deeringiana</u> )	Deering Partridge-pea	N
<u>Chamaecrista fasciculata</u> var. <u>brachiata</u> ( <u>Cassia brachiata</u> )	Coastal Partridge-pea	N
<u>Chamaecrista nictitans</u> var. <u>aspera</u> ( <u>Cassia aspera</u> )	Hairy Partridge-pea	N
<u>Chamaesyce adenopectera</u> ssp. <u>pergamena</u>	a Spurge	N
<u>Chamaesyce blogettii</u>	Blogett's Spurge	N
<u>Chamaesyce conferta</u>	a Spurge	N
<u>Chamaesyce deltoidea</u> ssp. <u>adhaerens</u> ( <u>C. adhaerens</u> )	Hairy Deltoid Spurge	N
<u>Chamaesyce deltoidea</u> ssp. <u>deltoidea</u> > ( <u>C. deltoidea</u> )	Smooth Deltoid Spurge	N
<u>Chamaesyce deltoidea</u> ssp. <u>pinetorum</u> ( <u>C. pinetorum</u> )	Erect Deltoid Spurge	N
<u>Chamaesyce garberi</u> °	Garber's Spurge	N
<u>Chamaesyce hirta</u>	Hairy Spurge	R
<u>Chamaesyce hypericifolia</u>	a Spurge	R
<u>Chamaesyce hyssopifolia</u>	a Spurge	R

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Chamaesyce lasiocarpa</u>	a Spurge	R
<u>Chamaesyce ophthalmica</u>	a Spurge	E
<u>Chamaesyce porteriana</u>		
var. <u>porteriana</u> *	Co. Porter's Spurge	N
<u>Chaptalia dentata</u>	Sunbonnet	N
<u>Chiococca parvifolia</u>	Pineland Snowberry	N
<u>Cirsium horridulum</u>	Purple Thistle	N
<u>Clematis baldwinii</u>		
var. <u>baldwinii</u>	Co. Pine Hyacinth	N
<u>Cnidoscopus stimulosus</u>	Stinging-nettle	N
<u>Commelina erecta</u>		
var. <u>angustifolia</u>	Thin-leaved Dayflower	N
<u>Commelina diffusa</u>	Baby Dayflower	R
<u>Complaya trilobata</u>	Creeping Wedelia	E
( <u>Wedelia trilobata</u> )		
<u>Conoclinium coelestinum</u>	Mistflower	N
( <u>Eupatorium coelestinum</u> )		
<u>Conyza canadensis</u>		
var. <u>pusilla</u>	Dwarf Horseweed	R
<u>Cordia bahamensis</u>	Granny Bush	N
<u>Crossopetalum ilicifolium</u>	Quailberry	N
<u>Crotalaria incana</u>	a Rattlebox	E
<u>Crotalaria pallida</u>		
var. <u>obovata</u>	a Rattlebox	E
( <u>C. mucronata</u> )		
<u>Crotalaria pumila</u>	Pineland Rattlebox	N
<u>Crotalaria retusa</u>	a Rattlebox	E
<u>Crotalaria rotundifolia</u>		
var. <u>rotundifolia</u>	Rabbit-bells	N
( <u>C. maritima</u> , in part)		
<u>Crotalaria spectabilis</u>	Showy Rattlebox	E
<u>Crotalaria vurrucosa</u>	Purple Rattlebox	R



Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Croton glandulosus</u>		
var. <u>arenicola</u>	a Glandular Croton	N
<u>Croton glandulosus</u>		
var. <u>glandulosus</u>	Co. Glandular Croton	N
<u>Croton glandulosus</u>		
var. <u>simpsonii</u>	Simpson's Glandular Croton	N
<u>Croton linearis</u>	Pineland Croton	N
<u>Cyrtipodium paramaense</u>	Yellow Cowhorn Orchid	E
<u>Dalea carnea</u>		
var. <u>carnea</u>	Prairie-clover	N
( <u>Petalostomum carneum</u> )		
<u>Dalea carthagenensis</u>		
var. <u>floridana</u>	False Lead-plant	N
<u>Desmodium incanum</u>	a Beggarticks	N
( <u>Desmodium canum</u> )		
<u>Desmodium lineatum</u>		N
<u>Desmodium obtusum</u>		N
<u>Desmodium marilandicum</u>		N
( <u>D. ciliare</u> of authors)		
<u>Desmodium paniculatum</u>		N
<u>Desmodium scopiurus</u>		E
<u>Desmodium strictum</u>		N
<u>Desmodium tortuosum</u>	Tick-trefoil	R
<u>Desmodium triflorum</u>		R
<u>Desmodium viridiflorum</u>		N
<u>Dyschoriste angusta</u>	Twinflower	N
( <u>D. oblongifolia</u>		
var. <u>angusta</u> )		
<u>Eclipta prostrata</u>		R
( <u>E. alba</u> )		
<u>Emilia fosbergii</u>	a Tasselflower	E
<u>Emilia sonchifolia</u>	a Tasselflower	E
<u>Erechtites hieracifolia</u>	Fireweed	R

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Eryngium baldwinii</u>	Button Snakeroot	N
<u>Elytraria caroliniensis</u> var. <u>angustifolia</u>		N
<u>Ernodea cokeri</u>		N
<u>Ernodea littoralis</u> var. <u>angusta</u>	Pineland Goldencreeper	N
<u>Eupatorium capillifolium</u>	a Dog-fennel	R
<u>Eupatorium compositifolium</u>		N
<u>Eupatorium leptophyllum</u>	a Dog-fennel	N
<u>Eupatorium mikanioides</u>	Semaphoreplant	N
<u>Eupatorium recurvans</u>		N
<u>Eupatorium serotinum</u>	Late Thoroughwort	R
<u>Euphorbia cyathophora</u> ( <u>Poinsettia cyathophora</u> )	Wild Poinsettia	R
<u>Euphorbia heterophylla</u> ( <u>Poinsettia heterophylla</u> )	Fiddler's Poinsettia	R
<u>Euphorbia pinetorum</u> ( <u>Poinsettia pinetorum</u> )	Pineland Poinsettia	N
<u>Euphorbia polyphylla</u>	Pineland Euphorbia	N
<u>Evolvulus sericeus</u> var. <u>averyi</u>	Avery's Creeping Morning-glory	N
<u>Evolvulus sericeus</u> var. <u>glaberrimus</u>	Glabrous Creeping Morning-glory	N
<u>Evolvulus sericeus</u> var. <u>sericeus</u>	Co. Creeping Morningglory	N
<u>Flaveria linearis</u>	Yellowtop	N
<u>Galactia floridana</u>	Florida Milkpea	N
<u>Galactia pinetorum</u> *	Pineland Milkpea	N
<u>Galactia smallii</u> > ( <u>G. prostrata</u> )	Small's Milkpea	N
<u>Galium hispidulum</u>	a Bedstraw	N
<u>Gaura angustifolia</u>		N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Gaura simulans</u>		N
<u>Gnaphalium obtusifolium</u>	a Cudweed	R
<u>Glandularia maritima</u> ▪ ( <u>Verbena maritima</u> )	Beach Verbena	N
<u>Habenaria quinqueseta</u> var. <u>quinqueseta</u>	an Orchid	N
<u>Hedyotis procumbens</u>	Innocence	N
<u>Helianthus annuus</u>	Annual Sunflower	N
<u>Heliotropium polyphyllum</u> var. <u>leavenworthii</u>	Pineland Heliotrope	R
<u>Heterotheca subaxillaris</u>	Camphorweed	N
<u>Hieracium megacephalon</u> ( <u>H. gronovii</u> of authors)	a Hawkweed	N
<u>Houstonia nigricans</u> var. <u>floridana</u> ( <u>Hedyotis nigricans</u> var. <u>filifolia</u> of authors)	Fla. Diamondflowers	N
<u>Hymenocallis palmeri</u>	Alligator Lily	N
<u>Hypericum hypericoides</u> var. <u>hypericoides</u>	St. Andrew's Cross	N
<u>Hypoxis wrightii</u>		N
<u>Hyptis alata</u> var. <u>stenophylla</u>	Musky Mint	N
<u>Indigofera caroliniana</u>	Carolina Indigo	N
<u>Indigofera hirsuta</u>	Hairy Indigo	E
<u>Indigofera miniata</u> var. <u>floridana</u>	Fla. Scarlet Indigo	N
<u>Indigofera spicata</u> ( <u>I. endecaphylla</u> ; <u>I. hendacaphylla</u> of authors)	Creeping Indigo	E
<u>Indigofera suffruticosa</u>	Shrub Indigo	R
<u>Iresine diffusa</u> ( <u>I. canescens</u> )	Bloodleaf	N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Jacquemontia curtissii</u> *	Pineland Clustervine	N
<u>Juncus megacephalus</u>	a Rush	N
<u>Justicia angusta</u> ( <i>J. ovata</i> var. <i>angusta</i> )	Waterwillow	N
<u>Lantana depressa</u> var. <i>depressa</i> *	Pineland Lantana	N
<u>Lechea cernua</u> *	Nodding Pinweed	N
<u>Lechea deckertii</u>	a Pinweed	N
<u>Lechea divaricata</u>	a Pinweed	N
<u>Lechea sessiliflora</u>	a Pinweed	N
<u>Lechea torreyi</u>	a Pinweed	N
<u>Lepidium virginicum</u>	Poorman's-pepper	R
<u>Liatris chapmanii</u>	a Blazing-star	N
<u>Liatris gracilis</u>	a Blazing-star	N
<u>Liatris tenuiflora</u> var. <i>quadriflora</i> ( <i>L. t.</i> var. <i>laevigata</i> )	a Blazing-star	N
<u>Licania michauxii</u>	Gopher-apple	N
<u>Linum arenicola</u> *	Sand Flax	N
<u>Linum carteri</u> var. <i>carteri</i> *	Carter's Small-flowered Flax	N
<u>Linum carteri</u> var. <i>smallii</i> *	Carter's Large-flowered Flax	N
<u>Lobelia paludosa</u>	White Lobelia	N
<u>Macroptilium lathyroides</u> ( <i>Phaseolus lathyroides</i> )	Wild Bush Bean	E
<u>Malvastrum corchorifolium</u>		R
<u>Mecardonia acuminata</u>		N
<u>Melanthera angustifolia</u>		N
<u>Melanthera aspera</u> var. <i>aspera</i>		N
<u>Melanthera parvifolia</u> *	Small-leaved Cat Tounge	N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Mimosa quadrivalvis</u>		
var. <u>angustata</u>	Sensitive-briar	N
( <u>Shrankia microphylla</u> )		
<u>Mitreola sessilifolia</u>	a Mitrewort	N
( <u>Cynoctonum sessilifolium</u> ;		
<u>C. angustifolium</u> )		
<u>Morinda royoc</u>	Yellowroot	N
<u>Myrica cerifera</u>		
var. <u>pumila</u>	Dwarf Wax-myrtle	N
<u>Nephrolepis exaltata</u>	Co. Boston Fern	R
<u>Nephrolepis cordifolia</u>	Tuberous Boston Fern	E
<u>Nephrolepis multiflora</u>	a Boston Fern	E
<u>Neptunia pubescens</u>		
var. <u>pubescens</u>		N
( <u>N. floridana</u> )		
<u>Oeceoclades maculata</u>	African Ground Orchid	R
( <u>Eulophidium maculatum</u> )		
<u>Ocimum micranthum</u>	Wild Basil	N
<u>Opuntia humifusa</u>		
var. <u>austrina</u>	a Prickly-pear Cactus	N
<u>Palafoxia integrifolia</u>		N
<u>Parthenium hysterophorus</u>	Santa Maria	E
<u>Pectis glaucescens</u>	a Teablinkum	N
( <u>P. leptcephala</u> )		
<u>Pectis prostrata</u>	a Teablinkum	N
<u>Penstemon multiflorus</u>	Beardtongue	N
<u>Phyla nodiflora</u>	Capeweed	R
<u>Phyllanthus amarus</u>		R
<u>Phyllanthus caroliniensis</u>		
var. <u>saxicola</u>		N
<u>Phyllanthus pentaphyllus</u>		
ssp. <u>pentaphyllus</u>		
var. <u>floridana</u> *	Fla. 5-petalled Leafflower	N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Phyllanthus tenellus</u>		E
<u>Phyllanthus urinaria</u>		E
<u>Physalis viscosa</u>		
var. <u>walteri</u>	Elliott's Ground-cherry	N
( <u>P. viscosa</u> var. <u>elliottii</u> )		
<u>Phytolacca rigida</u>	a Pokeweed	R
<u>Pilea microphylla</u>	Artillery Plant	R
<u>Piloblephis rigida</u>	Pennyroyal	N
( <u>Satureja rigida</u> )		
<u>Piriqueta caroliniana</u>		
var. <u>tomentosa</u>	Hairy Piriqueta	N
<u>Pityopsis graminifolia</u>		
var. <u>tracyi</u>	Tracy's Silkgrass	N
( <u>Heterotheca graminifolia</u> var. <u>tracyi</u> )		
<u>Pluchea rosea</u>	Marsh Fleabane	N
<u>Polanisia tenuifolia</u>		N
( <u>Aldenella tenuifolia</u> )		
<u>Polygala boykinii</u>		
var. <u>sparsifolia</u> *	a Boykin's Milkwort	N
<u>Polygala grandiflora</u>		
var. <u>angustifolia</u>	Thin-leaved Candyweed	N
<u>Polygala incarnata</u>	Procession-flower	N
<u>Polygala smallii</u> >	Small's Milkwort	N
<u>Polygonella ciliata</u>		
var. <u>ciliata</u>	Co. Wireweed	N
<u>Polygonella polygama</u>		
var. <u>brachystachya</u>	Southern Jointweed	N
<u>Polypremum procumbens</u>	Rustweed	N
<u>Psilotum nudum</u>	Whisk Fern	N
<u>Pteridium aquilinum</u>		
var. <u>caudatum</u>	Southern Braken	N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Pteris bahamensis</u>	Bahama Ladder Brake	N
<u>Pteris vittata</u>	China Brake	E
<u>Pteris X delchampsii</u>	Delchamp's Brake	E
<u>Pterocaulon virgatum</u> ( <u>P. pycnostachyum</u> )	Rabbit-tobacco	N
<u>Pteroglossaspis ecristata</u> ( <u>Eulophia ecristata</u> )	an Orchid	N
<u>Quercus minima</u>	Dwarf Live Oak	N
<u>Quercus pumila</u>	Running Oak	N
<u>Richardia grandiflora</u>	Large-flowered Peavyweed	N
<u>Rhynchosia cinerea</u>		N
<u>Rhynchosia michauxii</u>		N
<u>Rhynchosia reniformis</u>	Dollar-weed	N
<u>Ruellia caroliniensis</u> ssp. <u>caroliniensis</u> var. <u>succulenta</u>	a Wild-petunia	N
<u>Ruellia caroliniensis</u> ssp. <u>ciliosa</u> var. <u>heteromorpha</u>	a Wild-petunia	N
<u>Russelia equisetiformis</u>	Firecracker Plant	N
<u>Sabatia stellaris</u>	a Marsh-pink	N
<u>Sachsia polycephala</u> ( <u>S. bahamensis</u> )		N
<u>Samolus ebracteatus</u>	Water Pimpernel	N
<u>Scutellaria havanensis</u>	Havana Skullcap	N
<u>Selaginella arenicola</u> ssp. <u>arenicola</u>	a Sand Spike-moss	N
<u>Senna mexicana</u> var. <u>chapmanii</u> ( <u>Cassia bahamensis</u> ; <u>C. chapmanii</u> )	Bahama Senna	N
<u>Senna obtusifolia</u>	Sicklepod	R
<u>Seymeria pectinata</u>		N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Sida acuta</u>	Broomweed	R
<u>Sida elliotii</u>		N
<u>Sida rhombifolia</u>	Teaweed	R
<u>Sisyrinchium miamiensis</u> ( <u>S. atlanticum</u> of authors)	Miami Blue-eyed-grass	N
<u>Solanum donianum</u> ( <u>Solanum blodgettii</u> )	Blogett's Potato	N
<u>Solidago leavenworthii</u>	a Goldenrod	N
<u>Solidago odora</u> var. <u>chapmanii</u> ( <u>S. chapmanii</u> )	Chapman's Goldenrod	N
<u>Solidago stricta</u>	a Goldenrod	N
<u>Sonchus oleraceus</u>	Co. Sow Thistle	E
<u>Spermacoce assurgens</u> ( <u>Borreria laevis</u> of authors)		R
<u>Spermacoce prostrata</u> ( <u>Borreria ocimoides</u> of authors)		N
<u>Spermacoce terminalis</u> ( <u>S. verticillata</u> of authors)		N
<u>Spermacoce verticillata</u>		E
<u>Spigelia anthelmia</u>	West Indian Pinkroot	N
<u>Spiranthes torta</u> ( <u>S. tortilis</u> )	a Ladie's tresses	N
<u>Stachytarpheta jamaicensis</u>	Blue Porterweed	R
<u>Stenandrium dulce</u> var. <u>floridanum</u>	Pinklet	N
<u>Stillingia sylvatica</u> ssp. <u>tenuis</u>	Queen's delight	N
<u>Stylosanthes calcicola</u>	a Pencilflower	N
<u>Stylosanthes hamata</u>	a Pencilflower	R



Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Tephrosia angustissima</u>		
var. <u>angustissima</u>		N
<u>Tephrosia angustissima</u>		
var. <u>corallicola</u>		N
<u>Tephrosia florida</u>	Hoary-pea	N
<u>Tephrosia spicata</u>		N
<u>Thelypteris kunthii</u>	Woods Fern	N
( <u>T. normalis</u> )		
<u>Tragia saxicola</u> *	Pineland-noseburn	N
<u>Traia urens</u>		
var. <u>linearifolia</u>		N
<u>Tragia urens</u>		
var. <u>urens</u>		N
<u>Tridax procumbens</u>	Brittleweed	E
<u>Trichostema suffruticosa</u>	Southern Blue-curls	N
( <u>T. dichotomum</u> , in part)		
<u>Urena lobata</u>	Cesar's weed	R
<u>Vaccinium myrsinites</u>	Shiny Blueberry	N
<u>Verbesina virginica</u>		
var. <u>laciniata</u>	Lobed Crownbeard	N
<u>Vernonia blodgettii</u>	Blodgett's Ironweed	N
<u>Vernonia cinerea</u>	Asian Ironweed	N
<u>Waltheria indica</u>		R
<u>Warea carteri</u>		N
<u>Youngia japonica</u>	Rocketweed	E
<u>Zamia integrifolia</u>	Co. Coontie	N
( <u>Z. pumila</u> ssp. <u>pumila</u> , in part)		
<u>Zeuxine strateumatica</u>	Lawn Orchid	E

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

VINES AND SCANDENT SHRUBS

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Abrus precatorius</u>	Rosary-pea	E
<u>Ampelopsis arborea</u>	Pepper Vine	N
<u>Cassytha filiformis</u>	Love Vine	N
<u>Centrosema virginianum</u>	Butterfly-pea	N
<u>Chiococca alba</u>	Co. Snowberry	N
<u>Cissus verticillata</u> ( <u>C. cicyoides</u> )	Poosum-grape	R
<u>Clitoria ternatea</u>	Blue-peas	E
<u>Cynanchum blodgettii</u>	Vine-milkweed	N
<u>Dioscorea alata</u>	White yam	E
<u>Dioscorea bulbifera</u>	Air-potato	E
<u>Echites umbellata</u> var. <u>umbellata</u>	Devil's potato	N
<u>Eupatorium odoratum</u> ( <u>Chromolaena odorata</u> )	Bitter Eupatorium	R
<u>Galactia parvifolia</u>	a Milk-pea	N
<u>Ipomoea indica</u> ( <u>I. acuminata</u> )	Purple Morning-glory	R
<u>Ipomoea microdactyla</u>	Man-in-the-ground	N
<u>Ipomoea sagittata</u>	Everglades Morning-glory	N
<u>Ipomoea tenuissima</u>	Rockland Morning-glory	N
<u>Jacquemontia curtissii</u>	Rockland Clustervine	N
<u>Jasminum dichotomum</u>	Gold Coast Jasmine	E
<u>Jasminum fluminense</u>	Trifoliolate Jasmine	E
<u>Macfadyena unguis-cati</u>	Claw Vine	E
<u>Melothria pendula</u>	Creeping-cucumber	R
<u>Merremia dissecta</u>	White Wood-rose	R
<u>Merremia tuberosa</u>	Yellow Wood-rose	E
<u>Mikania scandens</u>	Climbing Hempweed	N
<u>Momordica charantia</u>	Wild Balsam-apple	R
<u>Mucuna pruriens</u> var. <u>pruriens</u>	Cow-itch	E

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Mucuna pruriens</u>		
var. <u>utilis</u>		E
( <u>M. deeringiana</u> )		
<u>Paederia cruddasiana</u>		
ssp. <u>cruddasiana</u>	Sewervine	E
<u>Parthenocissus quinquefolia</u>	Virginia Creeper	R
<u>Passiflora edulis</u>	Passionfruit	E
<u>Passiflora suberosa</u>	Corky-stemmed Passion-flower	N
<u>Pueraria montana</u>		
var. <u>lobata</u>	Kudzu	E
<u>Rhynchosia parvifolia</u>		N
<u>Rhynchosia minima</u>		R
<u>Smilax auriculata</u>	a Greenbrier	R
<u>Smilax bona-nox</u>	a Greenbrier	N
<u>Smilax havanensis</u>	Havana Greenbrier	N
<u>Stylisma villosa</u>		N
<u>Toxicodendron radicans</u>		
ssp. <u>radicans</u>	Poison-ivy	R
<u>Urechites lutea</u>		
var. <u>sericea</u>	Hairy-leaved Wild-allamanda	N
<u>Vigna luteola</u>	Cowpea	R
<u>Vitis aestivalis</u>	Summer Grape	N
<u>Vitis rotundifolia</u>	Muscadine	R
<u>Zornia bractiata</u>	Shy Vine	N

TREES AND SHRUBS

<u>Acacia auriculiformis</u>	Earleaf Acacia	E
<u>Acacia farnesiana</u>	Sweet Acacia	R
<u>Acacia pinetorum</u>	Pineland Acacia	N
<u>Agave decipiens</u>	False Sisal	R
<u>Agave sisalana</u>	Sisalhemp	E
<u>Albizia lebeck</u>	Rattlepod	E

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Alvaradoa amorphioides</u>	Mexican Alvaradoa	N
<u>Ardisia elliptica</u> ( <u>A. solanacea</u> of authors)	Shoebutton Ardisia	E
<u>Ardisia escallonoides</u>	Marlberry	N
<u>Baccharis halimifolia</u> var. <u>angustior</u>	a Groundsel	N
<u>Baccharis glomeruliflora</u>	a Groundsel	N
<u>Baccharis dioica</u>	a Groundsel	N
<u>Bischofia javonica</u>	Bishopwood	E
<u>Bourreria cassinifolia</u>	Little Strongback	N
<u>Brassaia actinophylla</u> ( <u>Shefflera actinophylla</u> )	Umbrella Tree	E
<u>Bumelia reclinata</u> var. <u>reclinata</u>	Co. Reclined Buckthorn	N
<u>Bursera simaruba</u>	Gumbo limbo	N
<u>Byrsonima lucida</u>	Locustberry	N
<u>Callicarpa americana</u>	American Beautyberry	N
<u>Carica papaya</u>	Papaya	E
<u>Casuarina glauca</u>	Suckering Australian pine	E
<u>Casuarina litorea</u> ( <u>C. equisetifolia</u> )	Co. Australian pine	E
<u>Cestrum diurnum</u>	Day Jessamine	E
<u>Chrysobalanus icaco</u>	Cocoplum	N
<u>Citharexylum fruticosum</u>	Fiddlewood	N
<u>Coccothrinax argentata</u>	Silver Palm	N
<u>Colobrina cubensis</u> var. <u>floridana</u>	Florida Colubrina	N
<u>Crossopetalum rhacoma</u>	Rhacoma	N
<u>Delonix regia</u>	Royal Ponciana	E
<u>Dipholis salicifolia</u>	Willow bustic	N
<u>Dodonaea viscosa</u> var. <u>linearis</u>	Thin-leaved Varnishleaf	N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Erythrina herbacea</u>	Coralbean	N
<u>Eugenia axillaris</u>	White Stopper	N
<u>Eupatorium villosum</u>	Shrub Eupatorium	N
<u>Ficus altissima</u>	Lofty Fig	E
<u>Ficus aurea</u>	Strangler Fig	N
<u>Ficus benghalensis</u>	Banyan Fig	E
<u>Ficus citrifolia</u>	Short-leaf Fig	N
<u>Ficus microcarpa</u> var. <u>nitida</u> ( <u>F. nitida</u> ; <u>F. retusa</u> var. <u>nitida</u> )	Laurel Fig	E
<u>Flacourtia indica</u>	Governor's plum	E
<u>Forestiera segregata</u> var. <u>pinetorum</u>	Pineland privet	N
<u>Guapira discolor</u> var. <u>longifolia</u>	Narrow-leaved Blolly	N
<u>Guettarda elliptica</u>	Everglades Velvetseed	N
<u>Guettarda scabra</u>	Rough Velvetseed	N
<u>Ilex cassine</u>	Dahoon Holly	N
<u>Ilex krugiana</u>	Krug's Holly	N
<u>Lantana camara</u> var. <u>aculeata</u>	Spiny Shrub Verbena	E
<u>Lantana camara</u> var. <u>camara</u>	a Shrub Verbena	R
<u>Lantana camara</u> var. <u>mista</u>	a Shrub Verbena	E
<u>Lantana camara</u> var. <u>mutabilis</u>	a Shrub Verbena	E
<u>Lantana canescens</u> ( <u>L. microcephala</u> )	Hammock Lantana	N
<u>Lantana involucrata</u>	Wild sage	N
<u>Leucaena leucocephala</u>	Leadwood	R
<u>Lyonia fruticosa</u>	Staggerbush	N

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Lysiloma latisiliquum</u> ( <u>L. bahamensis</u> )	Wild tamarind	N
<u>Metopium toxiferum</u>	Poisonwood	N
<u>Myrica cerifera</u> var. <u>cerifera</u>	Co. Waxmyrtle	N
<u>Myrsine floridana</u> ( <u>M. guianensis</u> ; <u>Rapanea</u> <u>guianensis</u> )	Myrsine	N
<u>Neurolaena lobata</u> ( <u>Pluchea</u> <u>symphytifolia</u> )	Bushy Fleabane	N
<u>Persea borbonia</u>	Redbay	N
<u>Pinus elliotii</u> var. <u>densa</u>	South Florida Slash Pine	N
<u>Psidium guajava</u>	Guava	E
<u>Psidium longipes</u>	Longstalked Stopper	N
<u>Psychotria nervosa</u>	Shiny-leaved Wildcoffee	N
<u>Quercus virginiana</u> var. <u>virginiana</u>	Co. Live Oak	N
<u>Randia aculeata</u>	White Indigoberry	N
<u>Rhus copallina</u> var. <u>leucantha</u>	Southern Sumac	N
<u>Ricinus communis</u>	Castor-bean	E
<u>Sabal palmetto</u>	Cabbage Palm	N
<u>Serenoa repens</u>	Saw Palmetto	N
<u>Schinus terebinthifolius</u>	Brazilian-pepper	E
<u>Swietenia mahagony</u>	West Indian Mahogany	E
<u>Tabebuia caraiba</u> ( <u>T. argentata</u> of authors)	Silver Trumpet Tree	E
<u>Tabebuia heterophylla</u> ( <u>T. rosea</u> of authors)	Pink Trumpet Tree	E
<u>Tecoma stans</u>	Yellow-elder	R

Appendix 2. Plant Taxa of Dade County Pine Rocklands, August 1995.

<u>Scientific Name</u>	<u>Common Name</u>	<u>Origin</u>
<u>Tetrazygia bicolor</u>	West Indian-lilac	N
<u>Trema lamarkiana</u>	West Indian Trema	N
<u>Trema micranthum</u> ( <u>T. floridanum</u> )	Florida Trema	N

EPIPHYTES

<u>Catopsis berteroniana</u>	Powdery Catopsis	N
<u>Encyclia tampensis</u> ( <u>Epidendrum tampensis</u> )	Butterfly Orchid	N
<u>Phlebodium aureum</u> ( <u>Polypodium aureum</u> )	Golden Polypody	N
<u>Tillandsia balbisiana</u>	Reflexed Wild-pine	N
<u>Tillandsia fasciculata</u> var. <u>densispica</u>	a Stiff-leaved Wild-pine	N
<u>Tillandsia setacea</u>	Needle-leaved Wild-pine	N
<u>Tillandsia utriculata</u>	Giant Wild-pine	N

This inventory is the combined effort of Keith Bradley and George Gann (Institute for Regional Conservation), and Roger Hammer (Natural Areas Management) of Dade County Parks and Recreation Department. Further observations have been contributed by George Avery, Edwin Bridges (Fairchild Tropical Garden), Alan Herndon, and members of the Dade County Native Plant Workshop.

**Appendix 3: Exotic plants, from the EPPC's List of Florida's Most Invasive Species (EPPC 1995), that are found in pine rocklands.**

**Scientific Name**

**Common Name**

**Category I:**

*Abrus precatorius*  
*Acacia auriculiformis*  
*Casuarina glauca*  
*Casuarina equisetifolia*  
*Neyraudia reynaudiana*  
*Schinus terebinthifolius*

Rosary pea  
Earleaf acacia  
Australian pine  
Australian pine  
Burma reed  
Brazilian pepper

**Category II**

*Agave sisalana*  
*Albizia lebeck*  
*Leucaena leucocephala*  
*Melinis minutiflora*  
*Rhynchelytrum repens*  
*Urena lobata*

Sisal hemp  
Woman's tongue  
Lead tree  
Molasses grass  
Natal grass  
Caesar's weed