

**Table 9:**  
**The Vascular Plants of**  
**Muscara**  
**By Habitat**

A1A Hutchinsonson Island, Jensen Beach, Florida

Field Data Compiled By:

Steven W. Woodmansee and Sandra A. Vardaman  
 The Institute for Regional Conservation  
 Miami, FL

Various dates 1998-2002

Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Beach Dune	Coastal Interdunal Swale	Roadside	Shell Mound	Spoil (Coastal Berm)	Tidal Swamp
<i>Acrostichum danaeifolium</i>	Giant leather fern	N							X				
<i>Ambrosia artemisiifolia</i>	Common ragweed	N							X				
<i>Ammania latifolia</i>	Pink redstem, toothcup	N							X				
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem	N							X				
<i>Ardisia escallonioides</i>	Marberry	N									X		
<i>Aster elliotii</i>	Elliott's aster	N											
<i>Avicennia germinans</i>	Black mangrove	N							X				
<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle	N							X				
<i>Bacopa monnina</i>	Water hyssop, Herb-of-grace	N							X				
<i>Batis maritima</i>	Saltwort, Turtleweed	N							X				
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles	N							X				
<i>Borrichia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye	N							X				
<i>Bursera simaruba</i>	Gumbo-limbo	N						X					
<i>Caesalpinia bonduc</i>	Gray nicker-bean	N							X				
<i>Callitriche lanceolata</i>	Coastal searocket	N							X				
<i>Canavalia rosea</i>	Beach-bean, Baybean, Seaside jackbean	N							X				
<i>Capparis flexuosa</i>	Limber caper, Bayleaf capertree	N							X				

Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Beach Dune	Coastal Interdunal Swale	Roadside	Shell Mound	Spoil (Coastal Berm)	Tidal Swamp
<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina	Y							X		X	X	
<i>Cathartinus roseus</i>	Madagascar-periwinkle	Y								X			
<i>Cellis laevigata</i>	Sugarberry, Hackberry	Y							X		X		
<i>Cenchrus echinatus</i>	Southern sandbur	N							X				
<i>Cenchrus incertus</i>	Coastal sandbur	N							X				
<i>Centrosema virginianum</i>	Spurred butterfly pea	N							X				
<i>Chamaesyce bomboensis</i>	Sand-dune spurge, Dixie sandmat	N						X					
<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat	N							X				
<i>Chamaesyce hypnifolia</i>	Eyebane, Graceful sandmat	N							X				
<i>Chamaesyce hyssopifolia</i>	Eyebane, Hyssopleaf sandmat	N							X				
<i>Chamaesyce maculata</i>	Milk-purslane, Spotted sandmat	N							X				
<i>Chamaesyce mendezii</i>	Mendez's sandmat	N						X					
<i>Chamaesyce mesembryanthemifolia</i>	Seaside spurge, Coastal beach sandmat	Y						X					
<i>Chenopodium ambrosioides</i>	Mexican tea	Y							X				
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietongue	N							X		X	X	
<i>Coccoloba uvifera</i>	Seagrape	N							X				
<i>Cocos nucifera</i>	Coconut palm	Y							X				
<i>Commelina diffusa</i>	Common dayflower	Y							X				
<i>Commelina erecta</i>	Whitemouth dayflower	N						X					
<i>Conyza canadensis</i> var. <i>pustilla</i>	Dwarf Canadian horseweed	N						X					
<i>Cnrum asiaticum</i>	Poison bulb	Y						X					
<i>Croton punctatus</i>	Beach-tea, Gulf croton	N						X					
<i>Cupaniopsis anacardioides</i>	Carrotwood	Y							X				
<i>Cuscuta pentagona</i>	Fiveangled dodder	N							X				
<i>Cyperus croceus</i>	Baldwin's flatsedge	N							X				
<i>Cyperus ligularis</i>	Swamp flatsedge	N							X				
<i>Cyperus odoratus</i>	Fragrant flatsedge	N							X				
<i>Cyperus polystachyos</i>	Manyspike flatsedge	N							X				
<i>Cyperus retrorsus</i>	Pinebarren flatsedge	N							X				
<i>Cyperus surinamensis</i>	Tropical flatsedge	N							X				
<i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass	Y							X				
<i>Dalbergia ecastaphyllum</i>	Coinvine	N							X				
<i>Desmodium incanum</i>	Beggar's-ticks	N							X				
<i>Dichiptera sexangularis</i>	False-mint, Sixangle foldwing	N							X				
<i>Emilia fosbergii</i>	Florida tasselflower	Y							X				
<i>Eragrostis atrovirens</i>	Thalia love grass	Y							X				
<i>Eragrostis eliotii</i>	Elliott's love grass	N							X				

Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Beach Dune	Coastal Interdunal Swale	Roadside	Shell Mound	Spoil (Coastal Berm)	Tidal Swamp
<i>Erechtites hieracifolia</i>	Fireweed, American burnweed	N							X				
<i>Eugenia axillaris</i>	White stopper	N									X		
<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper	N									X		
<i>Eupatorium capillifolium</i>	Dog-fennel	N							X				
<i>Eupatorium serotinum</i>	Lateflowering thoroughwort	N							X				
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass	N							X				
<i>Ficus aurea</i>	Strangler fig, Golden fig	N							X				
<i>Ficus microcarpa</i>	Laurel fig, Indian laurel	N							X				
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass	N							X				
<i>Forestiera segregata</i>	Florida privet, Florida swampprivet	N							X				
<i>Galactia volubilis</i>	Downy milkpea	N							X				
<i>Gaura angustifolia</i>	Southern gaura, Southern beeblossum	N							X				
<i>Gomphrena serrata</i>	Globe-amaranth	N							X				
<i>Helianthus debilis</i>	East Coast dune sunflower	N						X					
<i>Heliotropium angiospermum</i>	Scorpionstail	N							X				
<i>Heliotropium curassavicum</i>	Seaside heliotrope, Salt heliotrope	N							X				
<i>Hibiscus tiliaceus</i>	Seaside mahoe, Sea hibiscus, mahoe	N				II			X				
<i>Hydrocotyle verticillata</i>	Whorled marshpennywort	N							X				
<i>Hymenocallis latifolia</i>	Mangrove spiderlily, Perfumed spiderlily	N							X				
<i>Indigofera spicata</i>	Creeping indigo, Trailing indigo	N							X				
<i>Ipomoea indica var. acuminata</i>	Ocean-blue morningglory	N							X				
<i>Ipomoea pes-caprae subsp. Brasilensis</i>	Railroadvine, Bayhops	N							X				
<i>Ipomoea violacea</i>	Coastal morningglory	N							X				
<i>Iva imbricata</i>	Beach-elder, Seacoast marshelder	N							X				
<i>Kosteletzkya virginica</i>	Virginia saltmarsh mallow	N							X				
<i>Laguncularia racemosa</i>	White mangrove	N							X				
<i>Lepidium virginicum</i>	Poor-man's-pepper, Virginia pepperweed	N							X				
<i>Ludwigia octovalvis</i>	Mexican primrosewillow	N							X				
<i>Ludwigia peruviana</i>	Peruvian primrosewillow	N							X				
<i>Macropitium lathyroides</i>	Wild-bean, Wild bushbean	N							X				
<i>Melothra pendula</i>	Creeping-cucumber	N							X				
<i>Mikania scandens</i>	Climbing hempweed, Climbing hempvine	N							X				
<i>Momordica charantia</i>	Wild balsam-apple, Balsampear	N							X				
<i>Monarda punctata</i>	Horsemint, Spotted beebalm	N							X				
<i>Morenia odorata</i>	Lateplant	N							X				
<i>Opuntia stricta</i>	Erect pricklypear	N							X				
<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow woodsorrel	N							X				

Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Beach Dune	Coastal Interdunal Swale	Roadside	Shell Mound	Spoil (Coastal Berm)	Tidal Swamp
<i>Panicum amarum</i>	Beachgrass, Bitter panicgrass	N						X					
<i>Panicum repens</i>	Torpedo grass	N						X					
<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine	N						X				X	
<i>Paspalum notatum</i>	Bahia grass	N						X					
<i>Paspalum setaceum</i>	Thin paspalum	N						X					
<i>Paspalum vaginatum</i>	Seashore paspalum	N						X					
<i>Passiflora suberosa</i>	Corkystem passionflower	N						X				X	
<i>Phlebotium aureum</i>	Golden polypody	N						X			X		
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed	N						X					
<i>Physalis cordata</i>	Heartleaf groundcherry	N						X					
<i>Physalis walteri</i>	Walter's groundcherry	N						X				X	
<i>Phytolacca americana</i>	American pokeweed	N						X			X		
<i>Pisonia aculeata</i>	Devil's claws, Pullback	N						X					
<i>Pithecha odorata</i>	Sweetcent	N						X					
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain	N						X					
<i>Portulaca oleracea</i>	Purslane, Little hogweed	N						X					
<i>Portulaca pilosa</i>	Pink purslane, Kiss-me-quick	N						X					
<i>Quercus virginiana</i>	Virginia live oak	N						X			X		
<i>Randia aculeata</i>	White indigoberry	N						X					
<i>Rapanea punctata</i>	Myrsine, Collicwood	N						X					
<i>Rhabdadenia biflora</i>	Mangrove rubbervine, Mangrovevine	N						X					
<i>Rhizophora mangle</i>	Red mangrove	N						X					
<i>Richardia grandiflora</i>	Largeflower Mexican clover	N						X					
<i>Rivina humilis</i>	Rougeplant	N						X					
<i>Sabal palmetto</i>	Cabbage palm	N						X					
<i>Salix caroliniana</i>	Coastal Plain willow	N						X					
<i>Samolus valerandi</i> subsp. <i>parviflorus</i>	Pineland pimpernel, Seaside brookweed	N						X					
<i>Sarcostemma clausum</i>	Whitevine, White twinevine	N						X					
<i>Scaevola plumieri</i>	Inkberry, Beachberry, Gullfeed	N						X					
<i>Scaevola sericea</i>	Beach napuka	N						X					
<i>Schefflera actinophylla</i>	Australian umbrella-tree	N						X					
<i>Schinus terebinthifolius</i>	Brazilian-pepper	N						X					
<i>Senna occidentalis</i>	Coffee senna, Septicweed	N						X					
<i>Senna pendula</i> var. <i>glabrata</i> , X	Valamuento	N						X					
<i>Serenoa repens</i>	Saw palmetto	N						X					
<i>Sesuvium portulacastrum</i>	Perennial sea-purslane, Shoreline seapurslane	N						X					
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass	N						X					



*Table 10:*  
 The Rare Vascular Plants of  
**Muscara**

A1A Hutchinson Island, Jensen Beach, Florida

Field Data Compiled By:  
 Steven W. Woodmansee and Sandra A. Vardaman  
 The Institute for Regional Conservation  
 Miami, FL

Various dates 1998-2002

Scientific Name	Common Names	Federal Status	State Status	FNAI Status	IRC Status	Population Size Range
<i>Opuntia stricta</i>	Erect pricklypear		T			2-10
<i>Scaevola plumieri</i>	Inkberry, Beachberry, Guilfeed		T			2-10
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	Stiff-leaved wild-pine, Cardinal airplant		E			11-100
<b>Federal Status</b>	<b>FNAI Status</b>					
T = Threatened	S1 = Critically Imperiled in Florida					
E = Endangered	S2 = Imperiled in Florida					
<b>State Status</b>	S3 = Very rare or local throughout its range in Florida					
T = Threatened	<b>IRC status</b>					
E = Endangered	SF1 = Critically Imperiled in South Florida (SF)					

Table 11:

The Vascular Plants of  
Peck Lake Park

8108 Gomez Ave., Hobe Sound, Florida

Field Data Compiled By:  
Steven W. Woodmansee, Keith A. Bradley, Sandra A. Vardaman, Jimi Sadle, and Chuck McCartney  
The Institute for Regional Conservation  
Miami, FL

Various dates 1997-2002

Dicots

<u>Aceraceae</u> <i>Acer rubrum</i>	Red maple
<u>Aizoaceae</u> <i>Sesuvium portulacastrum</i>	Perennial sea-purslane, Shoreline seapurslane
<u>Amaranthaceae</u> E <i>Amaranthus viridis</i> <i>Iresine diffusa</i>	Slender amaranth Bloodleaf, Juba's bush
<u>Anacardiaceae</u> <i>Rhus copallinum</i> E <i>Schinus terebinthifolius</i> <i>Toxicodendron radicans</i>	Winged sumac Brazilian-pepper Eastern poison-ivy
<u>Annonaceae</u> <i>Annona glabra</i> <i>Asimina reticulata</i>	Pond-apple Common pawpaw, Nettle pawpaw
<u>Apocynaceae</u> CE <i>Nerium oleander</i> <i>Rhabdadenia biflora</i>	Oleander Mangrove rubbervine, Mangrovevine
<u>Aquifoliaceae</u> <i>Ilex cassine</i> <i>Ilex glabra</i>	Dahoon holly, Dahoon Gallberry, Inkberry
<u>Asclepiadaceae</u> <i>Asclepias curtissii</i> CE <i>Cryptostegia</i> sp. <i>Cynanchum scoparium</i>	Curtiss' milkweed Rubbervine Hairnetvine, Leafless swallowwort
<u>Asteraceae</u> <i>Ageratina jucunda</i> <i>Ambrosia artemisiifolia</i>	Hammock snakeroot Common ragweed

<i>Baccharis glomeruliflora</i>	Silverling
<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles
<i>Borrchia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
E <i>Calyptocarpus vialis</i>	Straggler-daisy
<i>Chromolaena odorata</i>	Jack-in-the-bush
<i>Chrysopsis scabrella</i>	Coastalplain goldenaster
<i>Conyza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
E <i>Emilia fosbergii</i>	Florida tasselflower
E <i>Emilia sonchifolia</i>	Lilac tasselflower
<i>Erechtites hieracifolia</i>	Fireweed, American burnweed
<i>Eupatorium capillifolium</i>	Dog-fennel
<i>Eupatorium leptophyllum</i>	Falsefennel
<i>Eupatorium serotinum</i>	Lateflowering thoroughwort
<i>Liatrix tenuifolia</i> var. <i>quadriflora</i>	Shortleaf gayfeather
<i>Mikania cordifolia</i>	Florida Keys hempvine
<i>Mikania scandens</i>	Climbing hempweed, Climbing hempvine
<i>Palafoxia feayi</i>	Feay's palafox
<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
<i>Pectis prostrata</i>	Spreading cinchweed
<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
<i>Pluchea foetida</i>	Stinking camphorweed
<i>Pluchea odorata</i>	Sweetscent
<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
E <i>Tridax procumbens</i>	Brittleweed, Coatbuttons
<i>Verbesina virginica</i>	Frostweed, White crownbeard
E <i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye
E <i>Youngia japonica</i>	Rocketweed, Oriental false hawksbeard
<u>Avicenniaceae</u>	Black mangrove
<i>Avicennia germinans</i>	
<u>Bataceae</u>	Saltwort, Turtileweed
<i>Batis maritima</i>	
<u>Boraginaceae</u>	Scorpionstail
<i>Heliotropium angiospermum</i>	
<u>Brassicaceae</u>	Poor-man's-pepper, Virginia pepperweed
<i>Lepidium virginicum</i>	
<u>Burseraceae</u>	Gumbo-limbo
<i>Bursera simaruba</i>	
<u>Cactaceae</u>	Pricklypear
<i>Opuntia humifusa</i>	
<u>Caprifoliaceae</u>	Elderberry, American elder
<i>Sambucus canadensis</i>	
<u>Caryophyllaceae</u>	Pineland scalypink
<i>Stipulicida setacea</i>	
<u>Casuarinaceae</u>	



E	<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
	<u>Chenopodiaceae</u>	
	<i>Suaeda linearis</i>	Sea-blite, Annual seepweed
	<u>Chrysobalanaceae</u>	
	<i>Licania michauxii</i>	Gopher-apple
	<u>Cistaceae</u>	
	<i>Helianthemum nashii</i>	Florida scrub frostweed
	<i>Lechea cernua</i>	Nodding pinweed
	<i>Lechea deckertii</i>	Deckert's pinweed
	<u>Clusiaceae</u>	
	<i>Hypericum brachyphyllum</i>	Coastalplain St. John's-wort
	<i>Hypericum cistifolium</i>	Roundpod St. John's-wort
	<i>Hypericum reductum</i>	Atlantic St. John's-wort
	<i>Hypericum tetrapetalum</i>	Fourpetal St. John's-wort
	<u>Combretaceae</u>	
	<i>Laguncularia racemosa</i>	White mangrove
	<u>Convolvulaceae</u>	
	<i>Dichondra carolinensis</i>	Pony-foot, Carolina ponysoot
	<i>Ipomoea alba</i>	Common moonflowers, Moonflowers
	<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
X	<i>Ipomoea pes-caprae</i> subsp. <i>brasiliensis</i>	Railroadvine, Bayhops
	<i>Ipomoea violacea</i>	Coastal morningglory
	<u>Cucurbitaceae</u>	
	<i>Melothria pendula</i>	Creeping-cucumber
E	<i>Momordica charantia</i>	Wild balsam-apple, Balsampear
	<u>Ebenaceae</u>	
	<i>Diospyros virginiana</i>	Persimmon, Common persimmon
	<u>Empetraceae</u>	
	<i>Ceratiola ericoides</i>	Florida rosemary, Sand heath
	<u>Ericaceae</u>	
	<i>Bejaria racemosa</i>	Tarflower
	<i>Gaylussacia dumosa</i>	Dwarf black-huckleberry, Dwarf huckleberry
	<i>Lyonia fruticosa</i>	Coastalplain staggerbush
	<i>Lyonia lucida</i>	Fetterbush
CE	<i>Rhododendron</i> sp.	Shiny blueberry
	<i>Vaccinium myrsinities</i>	Shiny blueberry
	<u>Escalloniaceae</u>	
	<i>Itea virginica</i>	Virginia-willow, Virginia sweetspire
	<u>Euphorbiaceae</u>	
E, X	<i>Bischofia javanica</i>	Javanese bishopwood
	<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat
	<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
	<i>Chamaesyce hyssopifolia</i>	Eyebane, Hyssopleaf sandmat

<i>Chamaesyce mendezii</i>	Mendez's sandmat
<i>Chamaesyce prostrata</i>	Prostrate sandmat
<i>Chamaesyce thymifolia</i>	Gulf sandmat
E <i>Phyllanthus amarus</i>	Gale-of-wind, Carry-me-seed
E <i>Phyllanthus urinaria</i>	Chamber bitter
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
<u>Fabaceae</u>	
E <i>Abrus precatorius</i>	Rosary-pea, Crab-eyes
E <i>Acacia auriculiformis</i>	Earleaf acacia
<i>Apios americana</i>	Groundnut
<i>Caesalpinia bonduc</i>	Gray nicker-bean
<i>Canavalia rosea</i>	Beach-bean, Baybean, Seaside jackbean
<i>Chamaecrista fasciculata</i>	Partridge pea
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
E <i>Crotalaria pallida</i> var. <i>obovata</i>	Smooth rattlebox
<i>Crotalaria rotundifolia</i>	Rabbitbells
<i>Dalbergia ecastaphyllum</i>	Coinvine
<i>Dalea feayi</i>	Feay's prairieclover
<i>Desmodium incanum</i>	Beggar's-ticks
E <i>Desmodium triflorum</i>	Threeflower ticktrefoil
<i>Galactia eliottii</i>	Elliott's milkpea
<i>Galactia regularis</i>	Eastern milkpea
E <i>Indigofera hirsuta</i>	Hairy indigo
E <i>Indigofera spicata</i>	Creeping indigo, Trailing indigo
E <i>Mimosa quadrivalvis</i> var. <i>floridana</i>	Florida sensitive brier
<i>Senna pendula</i> var. <i>glabrata</i>	Valamuerto
<i>Vigna luteola</i>	Cow-pea, Hairypod cowpea
<u>Fagaceae</u>	
<i>Quercus chapmanii</i>	Chapman's oak
<i>Quercus geminata</i>	Sand live oak
<i>Quercus laurifolia</i>	Laurel oak, Diamond oak
<i>Quercus myrtifolia</i>	Myrtle oak
<i>Quercus pumila</i>	Running oak
<i>Quercus virginiana</i>	Virginia live oak
<u>Goodeniaceae</u>	
E <i>Scaevola sericea</i>	Beach napuka
<u>Lamiaceae</u>	
<i>Pitoblephis rigida</i>	Wild pennyroyal
<u>Lauraceae</u>	
<i>Cassutha filiformis</i>	Lovevine, Devil's gut
<i>Ocotea coriacea</i>	Lancewood
<i>Persea palustris</i>	Swamp bay
<u>Magnoliaceae</u>	
<i>Magnolia virginiana</i>	Sweet-bay
<u>Malvaceae</u>	
<i>Kosteletzkya virginica</i>	Virginia saltmarsh mallow

<i>Sida acuta</i>	Common wireweed, Common fanpetals
<i>Sida rhombifolia</i>	Cuban jute, Indian hemp
E <i>Thespesia populnea</i>	Portia tree
E <i>Urena lobata</i>	Caesarweed
<u>Moraceae</u>	
<i>Ficus aurea</i>	Strangler fig, Golden fig
<i>Morus rubra</i>	Red mulberry
<u>Myricaceae</u>	
<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>	
E <i>Ardisia elliptica</i>	Shoe-button ardisia
<i>Ardisia escallonioides</i>	Marlberry
<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>	
<i>Eugenia axillaris</i>	White stopper
E <i>Eugenia uniflora</i>	Surinam-cherry
E, X <i>Psidium cattleianum</i>	Strawberry guava
<u>Olacaceae</u>	
<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Onagraceae</u>	
<i>Gaura angustifolia</i>	Southern gaura, Southern beeblossum
<i>Ludwigia octovalvis</i>	Mexican primrosewillow
<i>Ludwigia repens</i>	Creeping primrosewillow
<u>Oxalidaceae</u>	
<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow woodsorrel
<u>Phytolaccaceae</u>	
<i>Phytolacca americana</i>	American pokeweed
<i>Rivina humilis</i>	Rougeplant
<u>Plumbaginaceae</u>	
<i>Plumbago scandens</i>	Wild plumbago, Doctorbush
<u>Polygalaceae</u>	
<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
<i>Polygala nana</i>	Candyroot
<i>Polygala rugelii</i>	Big yellow milkwort
<i>Polygala setacea</i>	Coastal plain milkwort
<u>Polygonaceae</u>	
<i>Coccoloba uvifera</i>	Seagrape
<i>Polygonella polygama</i>	Wideleaf October flower
<i>Polygonella robusta</i>	Largeflower jointweed
<i>Polygonum punctatum</i>	Dotted smartweed
<u>Portulacaceae</u>	
<i>Portulaca oleracea</i>	Purslane, Little hogweed
<i>Portulaca pilosa</i>	Pink purslane, Kiss-me-quick

<u>Rhamnaceae</u>	
<i>Berchemia scandens</i>	rattan vine, Alabama supplejack
E <i>Colubrina asiatica</i>	Latherleaf, Asian nakedwood
<u>Rhizophoraceae</u>	
<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>	
<i>Cephalanthus occidentalis</i>	Common buttonbush
<i>Chiococca alba</i>	Common snowberry, Milkberry
<i>Hedyotis corymbosa</i>	Flatop mille graines
<i>Psychotria nervosa</i>	Shiny-leaved wild-coffee
<i>Psychotria sulzneri</i>	Shortleaf wild coffee
E <i>Richardia brasiliensis</i>	Tropical Mexican clover
E <i>Richardia grandiflora</i>	Largeflower Mexican clover
<i>Spermacoce assurgens</i>	Woodland false buttonweed
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Rutaceae</u>	
<i>Zanthoxylum fagara</i>	Wild-lime, Lime prickly-ash
<u>Salicaceae</u>	
<i>Salix caroliniana</i>	Coastal Plain willow
<u>Sapindaceae</u>	
E <i>Cupaniopsis anacardioides</i>	Carrotwood
<u>Sapotaceae</u>	
<i>Sideroxylon foetidissimum</i>	Wild mastic, False mastic
<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully
<u>Saururaceae</u>	
<i>Saururus cernuus</i>	Lizard's tail
<u>Scrophulariaceae</u>	
<i>Bacopa monnieri</i>	Water hyssop, Herb-of-grace
<i>Mecardonia procumbens</i>	Baby jumpup
<i>Scoparia dulcis</i>	Sweetbroom, Licoriceweed
<i>Seymeria pectinata</i>	Piedmont blacksenna
<u>Solanaceae</u>	
<i>Physalis walteri</i>	Walter's groundcherry
<i>Solanum americanum</i>	Common nightshade, American black nightshade
E <i>Solanum diphyllum</i>	Twoleaf nightshade
<u>Theaceae</u>	
<i>Gordonia lasianthus</i>	Loblolly bay
<u>Urticaceae</u>	
<i>Pilea microphylla</i>	Artillery plant, Rockweed
<u>Verbenaceae</u>	
<i>Callicarpa americana</i>	American beautyberry
E <i>Lantana camara</i>	Shrubverbena
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed

Vitaceae

*Ampelopsis arborea*  
*Parthenocissus quinquefolia*  
*Vitis cinerea* var. *floridana*  
*Vitis rotundifolia*

Peppervine  
Virginia-creeper, Woodbine  
Florida grape  
Muscadine

Gymnosperms

Cycaceae

CE *Cycas* sp.

Sago-palm

Pinaceae

*Pinus clausa*  
*Pinus elliotii* var. *densa*

Sand pine  
South Florida slash pine

Monocots

Agavaceae

*Yucca aloifolia*

Spanish-bayonet, Aloe yucca

Alismataceae

*Sagittaria lancifolia*

Bulltongue arrowhead

Amaryllidaceae

*Crinum americanum*  
CE *Crinum asiaticum*

Swamp-lily, Seven-sisters, String-lily  
Poison bulb

Araceae

*Arisaema triphyllum*  
*Peltandra virginica*

Jack-in-the-pulpit  
Green arum, Green arrow arum

Areaceae

E *Dypsis lutescens*  
CE *Phoenix reclinata*  
E *Roystonea regia*  
*Sabal palmetto*  
*Serenoa repens*

Yellow palm, Areca palm  
Senegal date palm  
Royal palm, Florida royal palm  
Cabbage palm  
Saw palmetto

Bromeliaceae

*Tillandsia fasciculata* var. *densispica*  
*Tillandsia recurvata*  
*Tillandsia setacea*  
*Tillandsia usneoides*  
*Tillandsia utriculata*

Stiff-leaved wild-pine, Cardinal airplant  
Ball-moss  
Thin-leaved wild-pine, Southern needleleaf  
Spanish-moss  
Giant wild-pine, Giant airplant

Burmanniaceae

*Apteria aphylla*

Nodding nixie

Commelinaceae

E *Commelina diffusa*  
*Commelina erecta*

Common dayflower  
Whitemouth dayflower

Cyperaceae

*Bulbostylis ciliatifolia*  
*Bulbostylis warei*

Densetuft hairsedge  
Ware's hairsedge

<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Cyperus compressus</i>	Poorland flatsedge
<i>Cyperus croceus</i>	Baldwin's flatsedge
<i>Cyperus ligularis</i>	Swamp flatsedge
<i>Cyperus odoratus</i>	Fragrant flatsedge
<i>Cyperus retrorsus</i>	Pinebarren flatsedge
<i>Cyperus surinamensis</i>	Tropical flatsedge
E <i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<i>Rhynchospora fascicularis</i>	Fascicled Beaksedge
<i>Rhynchospora megalocarpa</i>	Sandyfield beaksedge
<u>Haemodoraceae</u>	
<i>Lachnanthes caroliniana</i>	Bloodroot, Carolina redroot
<u>Iridaceae</u>	
<i>Sisyrinchium xerophyllum</i>	Jeweled blueeyed-grass
<u>Juncaceae</u>	
<i>Juncus marginatus</i>	Shore rush, Grassleaf rush
<i>Juncus scirpoides</i>	Needlepod rush
<u>Liliaceae</u>	
E <i>Asparagus densiflorus</i>	Sprenger's asparagus-fern
<u>Musaceae</u>	
CE <i>Musa xparadisica</i>	Common banana
<u>Orchidaceae</u>	
<i>Encyclia tampensis</i>	Florida butterfly orchid
<i>Eulophia alta</i>	Wild-coco
<i>Habenaria floribunda</i>	Rein orchid, Toothpetal false reinorchid
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<i>Vanilla inodora</i>	Mexican vanilla, Fuch's vanilla
<u>Poaceae</u>	
<i>Andropogon floridanus</i>	Florida bluestem
<i>Andropogon glomeratus</i> var. <i>hirsutior</i>	Hairy bushy bluestem
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon virginicus</i> var. <i>glaucus</i>	Chalky bluestem
<i>Aristida beyrichiana</i>	Southern wiregrass
<i>Aristida condensata</i>	Big threeawn, Piedmont threeawn
<i>Aristida gyrans</i>	Corkscrew threeawn
<i>Aristida spiciformis</i>	Bottlebrush threeawn
<i>Axonopus fissifolius</i>	Common carpetgrass
<i>Cenchrus echinatus</i>	Southern sandbur
<i>Cenchrus incertus</i>	Coastal sandbur
E <i>Cynodon dactylon</i>	Bermuda grass
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
<i>Dichantheium commutatum</i>	Variable witchgrass
<i>Dichantheium ensifolium</i> var. <i>breve</i>	Shortleaf cypress witchgrass
<i>Dichantheium portoricense</i>	Hemlock witchgrass
E <i>Eleusine indica</i>	Indian goose grass
E <i>Eragrostis atrovirens</i>	Thalia love grass

E *Eragrostis ciliaris*  
*Eragrostis eliottii*  
 E *Eremochloa ophiuroides*  
*Eustachys petraea*  
 E *Panicum repens*  
*Paspalum conjugatum*  
 E *Paspalum notatum*  
*Paspalum setaceum*  
 E *Rhynchelytrum repens*  
*Setaria parviflora*  
 CE *Stenotaphrum secundatum*  
 E *Urochloa subquadriflora*

Smilacaceae

*Smilax auriculata*  
*Smilax bona-nox*  
*Smilax laurifolia*

Xyridaceae

*Xyris eliottii*

Zingiberaceae

CE *Alpinia zerumbet*

Gophertail love grass  
 Elliott's love grass  
 Centipede grass  
 Common fingergrass, Pinewoods fingergrass  
 Torpedo grass  
 Sour paspalum, Hillograss  
 Bahia grass  
 Thin paspalum  
 Rose Natalgrass  
 Knotroot foxtail, Yellow bristlegrass  
 St. Augustine grass  
 Signal grass, Tropical signalgrass

Earleaf greenbrier

Saw greenbrier

Catbrier, Laurel greenbrier, Bamboo vine

Elliott's yelloweyed grass

Shellflower, Shell ginger

Pteridophytes

Blechnaceae

*Blechnum serrulatum*  
*Woodwardia virginica*

Swamp fern, Toothed midorus fern

Virginia chain fern

Dennstaedtiaceae

*Pteridium aquilinum* var. *caudatum*  
*Pteridium aquilinum* var. *pseudocaudatum*

Lacy braken fern

Tailed braken fern

Nephrolepidaceae

*Nephrolepis biserrata*  
*Nephrolepis exaltata*  
 E *Nephrolepis multiflora*

Giant sword fern

Wild Boston fern

Asian sword fern

Osmundaceae

*Osmunda cinnamomea*  
*Osmunda regalis* var. *spectabilis*

Cinnamon fern

Royal fern

Polypodiaceae

*Campyloneurum phyllitidis*  
*Phlebodium aureum*  
*Pleopeltis polypodioides* var. *michauxiana*

Long strap fern

Golden polypody

Resurrection fern

Psilotaceae

*Psilotum nudum*

Whisk-fern

Pteridaceae

*Acrostichum danaeifolium*  
 E *Pteris tripartita*

Giant leather fern

Giant brake

Schizaceae

E *Lygodium microphyllum*

Small-leaf climbing fern

Selaginellaceae

*Selaginella arenicola*

Sand spike-moss

Thelypteridaceae

*Thelypteris interrupta*

Interrupted maiden fern; Hottentot fern

*Thelypteris kunthii*

Southern shield fern

Vittariaceae

*Vittaria lineata*

Shoestring fern

**E = Not Native to the site (exotic)**

**CE = Cultivated exotic**

**X = Extirpated**

**Sources**

Bradley, K.A., S.W. Woodmansee, and G.D. Gann. 1999. Final report: rare plants of Florida scrub in Martin, St. Lucie, and Indian River counties, Florida. Report submitted to U.S. Fish & Wildlife Service, Vero Beach, Florida.  
Miami: The Institute for Regional Conservation.



**Table 12:**  
**The Vascular Plants of**  
**Peck Lake Park**  
**By Habitat**

8108 Gomez Ave., Hobe Sound, Florida

Field Data Compiled By:

Steven W. Woodmansee, Keith A. Bradley, Sandra A. Vardaman, Jimi Sadle, and Chuck McCartney

The Institute for Regional Conservation

Miami, FL

on various dates 1997-2002

Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Baygall	Coastal Berm	Disturbed Coastal Upland	Mesic Flatwoods	Mesic Hammock	Roadside	Scrubby Flatwoods	Shell Mound	Tidal Marsh	Tidal Swamp
<i>Abrus precatorius</i>	Rosary-pea, Crab-eyes	✓					-			x	x		x				
<i>Acacia auriculiformis</i>	Earleaf acacia	✓						x		x	x						
<i>Acer rubrum</i>	Red maple	✓						x									
<i>Acrostichum danaeifolium</i>	Giant leather fern	✓						x									
<i>Ageratina jucunda</i>	Hammock snakeroot	✓						x									
<i>Alpinia zerumbet</i>	Shellflower, Shell ginger	Q															
<i>Amaranthus viridis</i>	Slender amaranth	✓								x							
<i>Ambrosia artemisiifolia</i>	Common ragweed	✓								x							
<i>Ampelopsis arborea</i>	Peppervine	✓															
<i>Andropogon floridanus</i>	Florida bluestem	✓															
<i>Andropogon glomeratus</i> var. <i>hirsutor</i>		✓															
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem	✓															
<i>Andropogon virginicus</i> var. <i>glaucus</i>	Chalky bluestem	✓															



















Scientific Name	Jeweled blueyed-grass	Earleaf greenbrier	Saw greenbrier	Smilax laurifolia	Smilax americanaum	Solanum diphyllum	Solidago odora var. chapmanii	Spermacoce assurgens	Spermacoce verticillata	Stenotaphrum secundatum	Stipulicida setacea	Suaeda linearis	Thelypterus interrupta	Thelypterus kunthii	Thespesia populnea	Tillandsia fasciculata var. densispica	Tillandsia recurvata	Tillandsia setacea	Tillandsia usneoides	Tillandsia utriculata	Toxicodendron radicans	Tridax procumbens	Urena lobata	Urochloa subquadriflora	Vaccinium myrsinites	Vanilla inodora	Verbena virginica	Vigna luteola	Vitis cinerea var. floridana	Vitis rotundifolia
Origin	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
Federal Status																														
State Status																														
FNAI Status																														
IRC Status																														
FL EPPC																														
Baygall																														
Coastal Berm																														
Disturbed Coastal Upland																														
Mesic Flatwoods																														
Mesic Hammock																														
Roadside																														
Scrubby Flatwoods																														
Shell Mound																														
Tidal Marsh																														
Tidal Swamp																														

Common Names

X = Extirpated

Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Baygall	Coastal Berm	Disturbed Coastal Upland	Mesic Flatwoods	Mesic Hammock	Roadside	Scrubby Flatwoods	Shell Mound	Tidal Marsh	Tidal Swamp
<i>Vittaria lineata</i>	Shoestring fern	N															
<i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye	A						x				x					
<i>Woodwardia virginica</i>	Virginia chain fern	N									x		x				
<i>Ximelia americana</i>	Hog-plum, Tallowood	N								x	x	x		x			
<i>Xyris elliptica</i>	Elliot's yelloweyed grass	N								x	x						
<i>Youngia japonica</i>	Rocketweed, Oriental false hawkbeard	A											x				
<i>Yucca aloifolia</i>	Spanish-bayonet, Aloe yucca	N															
<i>Zanthoxylum fagara</i>	Wild-lime, Lime prickly-ash	N							x	x							

Origin	FNAI Status	N = Native	A = Exotic (non native)	S1 = Critically Imperiled in Florida	S2 = Imperiled in Florida	S3 = Very rare or local throughout its range in Florida
Federal Status	IRC status	T = Threatened	E = Endangered	Florida EPPC Status	I = species that are invading and disrupting native plant communities	II = species that have shown a potential to disrupt native plant communities

Sources

Bradley, K.A., S.W. Woodmansee, and G.D. Gann. 1999. Final report: rare plants of Florida scrub in Martin, St. Lucie, and Indian River counties, Florida. Report submitted to U.S. Fish & Wildlife Service, Vero Beach, Florida. Miami: The Institute for Regional Conservation.

*Table 13:*  
**The Rare Vascular Plants of  
 Peck Lake Park**

8108 Gomez Ave., Hobe Sound, Florida

Field Data Compiled By:  
 Steven W. Woodmansee, Keith A. Bradley, Sandra A. Vardaman, Jimi Sadle, and Chuck McCartney  
 The Institute for Regional Conservation  
 Miami, FL

Various dates 1997-2002

Scientific Name	Common Names	Federal Status	State Status	FNAI Status	IRC Status	Population Size Range
<i>Arisaema triphyllum</i>	Jack-in-the-pulpit				SF1	101-1000
<i>Asclepias curtissii</i>	Curtiss' milkweed		E	S3		11-100
<i>Lechea cernua</i>	Nodding pinweed		T	S3		11-100
<i>Nephtrolepis biserrata</i>	Giant sword fern		T			11-100
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	Stiff-leaved wild-pine, Cardinal airplant		E			101-1000
<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant		E			101-1000
<i>Vanilla inodora</i>	Mexican vanilla, Fuch's vanilla		E	S1	SF1	11-100

Federal Status	FNAI Status
T = Threatened	S1 = Critically Imperiled in Florida
E = Endangered	S2 = Imperiled in Florida
State Status	S3 = Very rare or local throughout its range in Florida
T = Threatened	IRC status
E = Endangered	SF1 = Critically Imperiled in South Florida (SF)

*Table 14:*  
**The Vascular Plants of  
 Rocky Point Hammock**

3854 SE Kubin Ave., Stuart, Florida

Field Data Compiled By:  
 Steven W. Woodmansee and Keith A. Bradley  
 The Institute for Regional Conservation  
 Miami, FL

Various dates 1997-2002

Dicots

<u>Amaranthaceae</u>	
E <i>Gomphrena serrata</i>	Globe-amaranth
<i>Iresine diffusa</i>	Bloodleaf, Juba's bush
<u>Anacardiaceae</u>	
E <i>Mangifera indica</i>	Mango
E <i>Schinus terebinthifolius</i>	Brazilian-pepper
<i>Toxicodendron radicans</i>	Eastern poison-ivy
<u>Apiaceae</u>	
<i>Centella asiatica</i>	Coinwort, Spadeleaf
<i>Hydrocotyle verticillata</i>	Whorled marshpennywort
<i>Ptilimnium capillaceum</i>	Mock bishopsweed, Herbwilliam
<u>Apocynaceae</u>	
CE <i>Carissa macrocarpa</i>	Natal-plum
E <i>Catharanthus roseus</i>	Madagascar-periwinkle
<u>Aquifoliaceae</u>	
<i>Ilex cassine</i>	Dahoon holly, Dahoon
<u>Araliaceae</u>	
E <i>Schefflera actinophylla</i>	Australian umbrellatree
E <i>Schefflera arboricola</i>	Dwarf umbrellatree
<u>Asclepiadaceae</u>	
<i>Cynanchum scoparium</i>	Hairnetvine, Leafless swallowwort
<i>Sarcostemma clausum</i>	Whitevine, White twinevine
<u>Asteraceae</u>	
<i>Ageratina jucunda</i>	Hammock snakeroot
<i>Ambrosia artemisiifolia</i>	Common ragweed
<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles
<i>Conyza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed

<i>Elephantopus elatus</i>	Florida elephant's-foot, Tail elephant's-foot
E <i>Emilia fosbergii</i>	Florida tasselflower
E <i>Emilia sonchifolia</i>	Lilac tasselflower
<i>Erechtites hieracifolia</i>	Fireweed, American burnweed
<i>Eupatorium capillifolium</i>	Dog-fennel
<i>Eupatorium leptophyllum</i>	Falsefennel
<i>Euthamia caroliniana</i>	Slender goldenrod
<i>Mikania cordifolia</i>	Florida Keys hempvine
<i>Mikania scandens</i>	Climbing hempweed, Climbing hempvine
<i>Palafoxia feayi</i>	Feay's palafox
<i>Pectis prostrata</i>	Spreading cinchweed
<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
<i>Pluchea rosea</i>	Rosy camphorweed
<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
E <i>Tridax procumbens</i>	Brittleweed, Coatbuttons
E <i>Vernonia cinerea</i>	Little ironweed
<i>Vernonia gigantea</i>	Giant ironweed
E <i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye
<u>Buddleiaceae</u>	
<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
<u>Burseraceae</u>	
<i>Bursera simaruba</i>	Gumbo-limbo
<u>Cactaceae</u>	
<i>Opuntia humifusa</i>	Pricklypear
<u>Caricaceae</u>	
E <i>Carica papaya</i>	Papaya
<u>Caryophyllaceae</u>	
<i>Drymaria cordata</i>	West Indian chickweed, Drymary
<i>Stipulicida setacea</i>	Pineland scalypink
<u>Chrysoalanaceae</u>	
<i>Chrysobalanus icaco</i>	Coco-plum
<i>Licania michauxii</i>	Gopher-apple
<u>Clusiaceae</u>	
<i>Hypericum cistifolium</i>	Roundpod St. John's-wort
<i>Hypericum gentianoides</i>	Pineweeds, Orangegrass
<i>Hypericum hypericoides</i>	St. Andrew's-cross
<i>Hypericum tetrapetalum</i>	Fourpetal St. John's-wort
<u>Convolvulaceae</u>	
<i>Cuscuta exaltata</i>	Tall dodder
<i>Dichondra carolinensis</i>	Pony-foot, Carolina ponysfoot
<u>Cucurbitaceae</u>	
E <i>Momordica charantia</i>	Wild balsam-apple, Balsampear
<u>Empetraceae</u>	
<i>Ceratiola ericoides</i>	Florida rosemary, Sand heath

Ericaceae

*Lyonia fruticosa*  
*Lyonia lucida*  
*Vaccinium myrsinites*

Coastal plain staggerbush  
Fetterbush  
Shiny blueberry

Euphorbiaceae

*Chamaesyce blodgettii*  
*Chamaesyce hirta*  
*Chamaesyce hypericifolia*  
*Chamaesyce hyssopifolia*  
*Chamaesyce thymifolia*  
*Cnidocolus stimulosus*  
*Croton glandulosus*  
*Drypetes lateriflora*  
*Euphorbia graminea*  
*Phyllanthus tenellus*  
*Phyllanthus urinaria*

Limestone sandmat  
Hairy spurge, Pillpod sandmat  
Eyebane, Graceful sandmat  
Eyebane, Hyssopleaf sandmat  
Gulf sandmat  
Tread-softly, Finger-rot  
Vente connigo  
Guiana-plum  
Grassleaf spurge  
Mascarene Island leafflower  
Chamber bitter

Fabaceae

*Abrus precatorius*  
*Acacia auriculiformis*  
*Albizia lebeck*  
*Chamaecrista fasciculata*  
*Chamaecrista nictitans* var. *aspera*  
*Crotalaria pallida* var. *obovata*  
*Desmodium incanum*  
*Desmodium triflorum*  
*Erythrina herbacea*  
*Galactia elliotii*  
*Galactia regularis*  
*Galactia volubilis*  
*Indigofera hirsuta*  
*Indigofera spicata*  
*Vigna luteola*

Rosary-pea, Crab-eyes  
Earleaf acacia  
Woman's tongue, Rattlepod  
Partridge pea  
Hairy partridge-pea  
Smooth rattlebox  
Beggar's-ticks  
Threflower ticktrefoil  
Coral-bean, Cherokee bean  
Elliott's milkpea  
Eastern milkpea  
Downy milkpea  
Hairy indigo  
Creeping indigo, Trailing indigo  
Cow-pea, Hairy pod cowpea

Fagaceae

*Quercus chapmanii*  
*Quercus geminata*  
*Quercus laurifolia*  
*Quercus myrtifolia*  
*Quercus virginiana*

Chapman's oak  
Sand live oak  
Laurel oak, Diamond oak  
Myrtle oak  
Virginia live oak

Lamiaceae

*Conradina grandiflora*  
*Piloblephis rigida*  
*Trichostema dichotomum*

Largeflower false-rosemary  
Wild pennyroyal  
Forked bluecuris

Lauraceae

*Cassythia filiformis*  
*Ocotea coriacea*  
*Persea borbonia*  
*Persea borbonia* var. *humilis*

Lovevine, Devil's gut  
Lancewood  
Red bay  
Scrub bay, Silk bay

<u>Lythraceae</u>	
<i>Ammannia latifolia</i>	Pink redstem, Toothcup
<u>Magnoliaceae</u>	
<i>Magnolia virginiana</i>	Sweet-bay
<u>Malvaceae</u>	
<i>Hibiscus furcellatus</i>	Lindenleaf rosemallow
<i>Sida acuta</i>	Common wireweed, Common fanpetals
<i>Sida rhombifolia</i>	Cuban jute, Indian hemp
E <i>Urena lobata</i>	Caesarweed
<u>Moraceae</u>	
<i>Ficus aurea</i>	Strangler fig, Golden fig
E, X <i>Ficus microcarpa</i>	Laurel fig, Indian laurel
<i>Morus rubra</i>	Red mulberry
<u>Myricaceae</u>	
<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>	
<i>Ardisia escallonioides</i>	Marlberry
<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>	
<i>Eugenia axillaris</i>	White stopper
<i>Eugenia foetida</i>	Spanish stopper, Boxleaf stopper
E <i>Eugenia uniflora</i>	Surinam-cherry
E <i>Melaleuca quinquenervia</i>	Punktree
E <i>Rhodomyrtus tomentosa</i>	Downy myrtle, Rose myrtle
E <i>Syzygium cumini</i>	Jambolan-plum, Java-plum
<u>Olacaceae</u>	
<i>Schoepfia chrysohyllloides</i>	Gulf graytwig, Graytwig
<i>Ximenia americana</i>	Hog-plum, Tallowwood
<u>Onagraceae</u>	
<i>Ludwigia maritima</i>	Seaside primrosewillow
<i>Ludwigia microcarpa</i>	Smallfruit primrosewillow
<i>Ludwigia octovalvis</i>	Mexican primrosewillow
<u>Oxalidaceae</u>	
<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow woodsorrel
<u>Passifloraceae</u>	
<i>Passiflora suberosa</i>	Corkstem passionflower
<u>Phytolaccaceae</u>	
<i>Rivina humilis</i>	Rougeplant
<u>Polygalaceae</u>	
<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
<i>Polygala nana</i>	Candyroot
<u>Polygonaceae</u>	



<i>Polygonella ciliata</i>	Hairy jointweed
<i>Polygonella polygama</i>	Wideleaf October flower
<i>Polygonella robusta</i>	Largeflower jointweed
<u>Portulacaceae</u>	
E <i>Portulaca amilis</i>	Paraguayan purslane
<i>Portulaca pilosa</i>	Pink purslane, Kiss-me-quick
<u>Rhamnaceae</u>	
<i>Krugiodendron ferreum</i>	Black ironwood, Leadwood
<u>Rosaceae</u>	
E <i>Eriobotrya japonica</i>	Loquat
<u>Rubiaceae</u>	
<i>Chiococca alba</i>	Common snowberry, Milkberry
<i>Diodia virginiana</i>	Buttonweed, Virginia buttonweed
<i>Galium hispidulum</i>	Coastal bedstraw
<i>Galium tinctorium</i>	Stiff marsh bedstraw
E <i>Hedyotis corymbosa</i>	Flatop mille grains
<i>Psychotria nervosa</i>	Shiny-leaved wild-coffee
<i>Psychotria sulzneri</i>	Shortleaf wild coffee
<i>Randia aculeata</i>	White indigoberry
E <i>Richardia brasiliensis</i>	Tropical Mexican clover
<i>Spermacoce assurgens</i>	Woodland false buttonweed
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Rutaceae</u>	
<i>Amyris elemifera</i>	Common torchwood, Sea torchwood
<i>Zanthoxylum fagara</i>	Wild-lime, Lime prickly-ash
<u>Salicaceae</u>	
<i>Salix caroliniana</i>	Coastal Plain willow
<u>Sapindaceae</u>	
E <i>Cupaniopsis anacardioides</i>	Carrotwood
<i>Exothea paniculata</i>	Inkwood, Butterbough
<u>Sapotaceae</u>	
<i>Chrysophyllum oliviforme</i>	Satinleaf
<i>Sideroxylon foetidissimum</i>	Wild mastic, False mastic
<i>Sideroxylon tenax</i>	Tough Florida bully
<u>Scrophulariaceae</u>	
<i>Gratiola hispida</i>	Rough hedgehyssop
<i>Linaria floridana</i>	Florida toadflax, Apalacicola toadflax
<i>Mecardonia acuminata</i> subsp. <i>peninsularis</i>	Axiflower
<i>Scoparia dulcis</i>	Sweetbroom, Licoriceweed
<i>Seymeria pectinata</i>	Piedmont blackseena
<u>Simaroubaceae</u>	
<i>Simarouba glauca</i>	Paradisetree

Urticaceae

*Pilea microphylla*

Artillery plant, Rockweed

Verbenaceae

*Callicarpa americana*

American beautyberry

E *Clerodendrum speciosissimum*

Javanese glorybower

CE *Duranta erecta*

Golden-dewdrop, Golden dewdrops

E, X *Lantana camara*

Shrubverbena

*Lantana depressa* var. *floridana*

East coast lantana, Florida shrubverbena

*Phyla nodiflora*

Frog fruit, Turkey tangle fogfruit, Capeweed

Vitaceae

*Vitis rotundifolia*

Muscadine

Gymnosperms

Pinaceae

*Pinus clausa*

Sand pine

*Pinus eliottii* var. *densa*

South Florida slash pine

Monocots

Agavaceae

*Yucca aloifolia*

Spanish-bayonet, Aloe yucca

Araceae

E *Syngonium podophyllum*

Nepthytis, American evergreen

Areaceae

E *Chamaedorea seifrizii*

Bamboo palm

E *Dypsis lutescens*

Yellow palm, Areca palm

*Sabal palmetto*

Cabbage palm

*Serenoa repens*

Saw palmetto

E *Syagrus romanzoffiana*

Queen palm

Bromeliaceae

*Tillandsia balbisiana*

Reflexed wild-pine, Northern needleleaf

*Tillandsia fasciculata* var. *densispica*

Stiff-leaved wild-pine, Cardinal airplant

*Tillandsia recurvata*

Ball-moss

*Tillandsia setacea*

Thin-leaved wild-pine, Southern needleleaf

*Tillandsia usneoides*

Spanish-moss

*Tillandsia utriculata*

Giant wild-pine, Giant airplant

Commelinaceae

E *Commelina diffusa*

Common dayflower

*Commelina erecta*

Whitemouth dayflower

E *Tradescantia spathacea*

Oysterplant, Moses-in-the-cradle, Boatfily

Cyperaceae

*Bulbostylis ciliatifolia*

Densetuft hairsedge

*Cyperus croceus*

Baldwin's flatsedge

*Cyperus ligularis*

Swamp flatsedge

*Cyperus polystachyos*

Manyspike flatsedge

<i>Cyperus retrorsus</i>	Pinebarren flatsedge
<i>Cyperus surinamensis</i>	Tropical flatsedge
<i>Cyperus tetragonus</i>	Fourangle flatsedge
<i>Eleocharis baldwinii</i>	Baldwin's spikerush, roadgrass
<i>Fuirena scirpoidea</i>	Southern umbrellasedge
<i>Rhynchospora fascicularis</i>	Fasciated Beaksedge
<i>Rhynchospora megalocarpa</i>	Sandyfield beaksedge
<i>Scleria ciliata</i>	Fringed nutrush
<i>Scleria triglomerata</i>	Whip nutrush
<u>Dioscoreaceae</u>	
E <i>Dioscorea alata</i>	White yam
<u>Iridaceae</u>	
<i>Sisyrinchium xerophyllum</i>	Jeweled blueeyed-grass
<u>Juncaceae</u>	
<i>Juncus marginatus</i>	Shore rush, Grassleaf rush
<u>Liliaceae</u>	
E <i>Asparagus densiflorus</i>	Sprenger's asparagus-fern
<u>Orchidaceae</u>	
<i>Encyclia tampensis</i>	Florida butterfly orchid
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<u>Poaceae</u>	
<i>Andropogon floridanus</i>	Florida bluestem
<i>Andropogon glomeratus</i> var. <i>glaucoopsis</i>	Purple bluestem
<i>Andropogon glomeratus</i> var. <i>hirsutior</i>	Hairy bushy bluestem
<i>Andropogon virginicus</i> var. <i>glaucus</i>	Chalky bluestem
<i>Aristida gyrans</i>	Corkscrew threeawn
<i>Axonopus fissifolius</i>	Common carpetgrass
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
<i>Dichantherium commutatum</i>	Variable witchgrass
<i>Dichantherium ensifolium</i>	Cypress witchgrass
<i>Dichantherium ensifolium</i> var. <i>breve</i>	Shortleaf cypress witchgrass
<i>Dichantherium ensifolium</i> var. <i>unciphyllum</i>	Cypress witchgrass
<i>Dichantherium portoricense</i>	Hemlock witchgrass
<i>Digitaria ciliaris</i>	Southern crabgrass
E <i>Eleusine indica</i>	Indian goose grass
E <i>Eragrostis amabilis</i>	Feather love grass
E <i>Eragrostis ciliaris</i>	Gophertail love grass
<i>Eragrostis eliottii</i>	Elliott's love grass
E <i>Eremochloa ophiuroides</i>	Centipede grass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Oplismenus hirtellus</i>	Woodsgrass, Basketgrass
E <i>Panicum maximum</i>	Guineagrass
E <i>Panicum repens</i>	Torpedo grass
<i>Paspalum conjugatum</i>	Sour paspalum, Hilograss
E <i>Paspalum notatum</i>	Bahia grass
<i>Paspalum setaceum</i>	Thin paspalum

Vittariaceae

*Vittaria lineata*

Shoestring fern

**E = Not Native to the site (exotic)**

**CE = Cultivated Exotic**

**X = Extirpated**

Sources

Bradley, K.A., S.W. Woodmansee, and G.D. Gann. 1999. Final report: rare plants of Florida scrub in Martin, St. Lucie, and Indian River counties, Florida. Report submitted to U.S. Fish & Wildlife Service, Vero Beach, Florida. Miami: The Institute for Regional Conservation.

















Origin	N = Native A = Exotic (non native) CN = Cultivated Native CA = Cultivated Exotic
Federal Status	IRC status
	T = Threatened E = Endangered
State Status	Florida EPPC Status
	I = species that are invading and disrupting native plant communities II = species that have shown a potential to disrupt native plant communities

∧ = Recorded before 2002 surveys, habitat undetermined  
X = Extirpated

Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Disturbed Dry	Disturbed Wet	Mesic Flatwoods	Mesic Hammock	Scrub
<i>Tradescantia spathacea</i>	Oysterplant, Moses-in-the-cradle, Boatlily	A										
<i>Trichostema dichotomum</i>	Forked bluecurls	N										X
<i>Tridax procumbens</i>	Brittleweed, Coatbuttons	A										X
<i>Urena lobata</i>	Caesarweed	A						X				
<i>Urochloa mutica</i>	Paragrass	A					I	X				
<i>Vaccinium myrsinites</i>	Shiny blueberry	A						X				
<i>Vernonia cinerea</i>	Little ironweed	N						X		X		
<i>Vernonia gigantea</i>	Giant ironweed	A				SF1		X				
<i>Vigna luteola</i>	Cow-pea, Hairy-pod cowpea	N								X		
<i>Vitis rotundifolia</i>	Muscadine	N						X				
<i>Vittaria lineata</i>	Shoestring fern	N										X
<i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye	A					II	X				
<i>Woodwardia virginica</i>	Virginia chain fern	N										X
<i>Ximenesia americana</i>	Hog-plum, Tallowwood	N						X				
<i>Xyris brevifolia</i>	Shortleaf yelloweyed grass	N										X
<i>Xyris flabelliformis</i>	Savannah yelloweyed grass	N								X		
<i>Yucca aloifolia</i>	Spanish-bayonet, Aloe yucca	N										X
<i>Zanthoxylum fagara</i>	Wild-lime, Lime prickly-ash	CN										X

**Sources**  
 Bradley, K.A., S.W. Woodmansee, and G.D. Gann. 1999. Final report: rare plants of Florida scrub in Martin, St. Lucie, and Indian River counties, Florida. Report submitted to U.S. Fish & Wildlife Service, Vero Beach, Florida. Miami: The Institute for Regional Conservation.

Table 16:

The Rare Vascular Plants of  
Rocky Point Hammock

3854 SE Kubin Ave., Stuart, Florida

Field Data Compiled By:  
Steven W. Woodmansee and Keith A. Bradley  
The Institute for Regional Conservation  
Miami, FL

Various dates 1997-2002

Scientific Name	Common Names	Federal Status	State Status	FNAI Status	IRC Status	Population Size Range
<i>Chrysophyllum oliviforme</i>	Satinleaf		T			11-100
<i>Conradina grandiflora</i>	Largeflower false-rosemary		T	S3		11-100
<i>Cuscuta exaltata</i>	Tall dodder				SF1	2-10
<i>Drypetes lateriflora</i>	Guiana-plum		T			2-10
<i>Lantana depressa</i> var. <i>floridana</i>	East coast lantana, Florida shrubverbena		E	S2	SF1	2-10
<i>Neprolepis biserrata</i>	Giant sword fern		T			11-100
<i>Ophioglossum palmatum</i>	Hand fern		E	S2		2-10
<i>Tillandsia balbisiana</i>	Reflexed wild-pine, Northern needleleaf		T			11-100
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	Stiff-leaved wild-pine, Cardinal airplant		E			11-100
<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant		E			101-1000
<i>Vernonia gigantea</i>	Giant ironweed				SF1	11-100

Federal Status	FNAI Status
T = Threatened	S1 = Critically Imperiled in Florida
E = Endangered	S2 = Imperiled in Florida
State Status	S3 = Very rare or local throughout its range in Florida
T = Threatened	IRC status
E = Endangered	SF1 = Critically Imperiled in South Florida (SF)

*Table 17:*  
**The Vascular Plants of  
 Santa Lucea (including Fletcher Park)**

55 NE MacArthur Blvd., Stuart, Florida

Field Data Compiled By:  
 Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, FL

Various dates 2002

Dicots

<u>Aizoaceae</u>	<i>Sesuvium portulacastrum</i>	Perennial sea-purslane, Shoreline seapurslane
<u>Amaranthaceae</u>	<i>Alternanthera flavescens</i>	Yellow joyweed
	<i>Iresine diffusa</i>	Bloodleaf, Juba's bush
<u>Anacardiaceae</u>	<i>Rhus copallinum</i>	Winged sumac
E	<i>Schinus terebinthifolius</i>	Brazilian-pepper
	<i>Toxicodendron radicans</i>	Eastern poison-ivy
<u>Apocynaceae</u>	<i>Catharanthus roseus</i>	Madagascar-periwinkle
	<i>Echites umbellata</i>	Devil's-potato, Rubbervine
	<i>Pentalinon luteum</i>	Wild-allamanda, Hammock viperstail
	<i>Rhabdadenia biflora</i>	Mangrove rubbervine, Mangrovevine
<u>Asclepiadaceae</u>	<i>Sarcostemma clausum</i>	Whitevine, White twinevine
<u>Asteraceae</u>	<i>Ambrosia artemisiifolia</i>	Common ragweed
	<i>Baccharis angustifolia</i>	Narrowleaved groundsel, Saltwater Falsewillow
	<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
	<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles
	<i>Borrichia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
	<i>Helianthus debilis</i>	East Coast dune sunflower
	<i>Iva imbricata</i>	Beach-elder, Seacoast marshelder
	<i>Mikania cordifolia</i>	Florida Keys hempvine
	<i>Solidago sempervirens</i>	Seaside goldenrod
E	<i>Tridax procumbens</i>	Brittleweed, Coatbuttons
	<i>Verbesina virginica</i>	Frostweed, White crownbeard

<u>Avicenniaceae</u>		
<i>Avicennia germinans</i>		Black mangrove
<u>Boraginaceae</u>		
<i>Heliotropium angiospermum</i>		Scorpionstail
<u>Burseraceae</u>		
<i>Bursera simaruba</i>		Gumbo-limbo
<u>Cactaceae</u>		
<i>Acanthocereus tetragonus</i>		Barbwire cactus, Dilldoe cactus
<i>Opuntia humifusa</i>		Pricklypear
<i>Opuntia stricta</i>		Erect pricklypear
<u>Capparaceae</u>		
<i>Capparis flexuosa</i>		Limber caper, Bayleaf capertree
<u>Caricaceae</u>		
E <i>Carica papaya</i>		Papaya
<u>Casuarinaceae</u>		
E <i>Casuarina equisetifolia</i>		Australian-pine, Horsetail casuarina
<u>Chenopodiaceae</u>		
<i>Atriplex pentandra</i>		Beach orach, Crested saltbush
E <i>Chenopodium ambrosioides</i>		Mexican tea
<u>Chrysobalanaceae</u>		
<i>Chrysobalanus icaco</i>		Coco-plum
<u>Combretaceae</u>		
<i>Laguncularia racemosa</i>		White mangrove
<u>Convolvulaceae</u>		
<i>Ipomoea alba</i>		Common moonflowers, Moonflowers
<i>Ipomoea pes-caprae subsp. brasiliensis</i>		Railroadvine, Bayhops
<u>Crassulaceae</u>		
E <i>Kalanchoe pinnata</i>		Common liveleaf, Cathedral bells, Life plant
<u>Cucurbitaceae</u>		
<i>Melothria pendula</i>		Creeping-cucumber
E <i>Momordica charantia</i>		Wild balsam-apple, Balsampear
<u>Ebenaceae</u>		
<i>Diospyros virginiana</i>		Persimmon, Common persimmon
<u>Euphorbiaceae</u>		
<i>Chamaesyce hirta</i>		Hairy spurge, Pillpod sandmat
<i>Chamaesyce hypericifolia</i>		Eyebane, Graceful sandmat
<i>Chamaesyce mesembrianthemifolia</i>		Seaside spurge, Coastal beach sandmat
<i>Cnidocolus stimulosus</i>		Tread-softly, Finger-rot
<i>Croton punctatus</i>		Beach-tea, Gulf croton
<i>Phyllanthus abnormis</i>		Drummond's leafflower
<i>Poinsettia cathophora</i>		Paintedleaf, Fire-on-the-mountain

Fabaceae

- Caesalpinia bonduc*  
*Canavalia rosea*  
*Centrosema virginianum*  
*Chamaecrista fasciculata*  
E *Crotalaria incana*  
*Crotalaria pumila*  
*Crotalaria rotundifolia*  
*Dalbergia ecastaphyllum*  
*Desmodium incanum*  
*Erythrina herbacea*  
*Galactia volubilis*  
E *Indigofera spicata*  
E *Senna pendula* var. *glabrata*  
*Sophora tomentosa* var. *truncata*  
*Stylosanthes hamata*

- Gray nicker-bean  
Beach-bean, Baybean, Seaside jackbean  
Spurred butterfly-pea  
Partridge pea  
Shakeshake  
Low rattlebox  
Rabbitbells  
Coinvine  
Beggars-ticks  
Coral-bean, Cherokee bean  
Downy milkpea  
Creeping indigo, Trailing indigo  
Valamuerto  
Yellow necklacepod  
Pencilflower, Cheesytoes

Goodeniaceae

- Scaevola plumieri*  
E *Scaevola sericea*

- Inkberry, Beachberry, Gullfeed  
Beach napuka

Lamiaceae

- Monarda punctata*  
*Trichostema dichotomum*

- Horsemint, Spotted beebalm  
Forked bluecuris

Lauraceae

- Ocotea coriacea*

- Lancewood

Loasaceae

- Mentzelia floridana*

- Poorman's-patch, Stickleleaf

Malvaceae

- Sida acuta*  
*Sida rhombifolia*  
E *Thespesia populnea*

- Common wireweed, Common fanpetals  
Cuban jute, Indian hemp  
Portiatree

Moraceae

- Ficus aurea*  
*Morus rubra*

- Strangler fig, Golden fig  
Red mulberry

Myrsinaceae

- Ardisia escallonioides*  
*Rapanea punctata*

- Marlberry  
Myrsine, Colicwood

Myrtaceae

- Eugenia axillaris*  
*Eugenia foetida*

- White stopper  
Spanish stopper, Boxleaf stopper

Nyctaginaceae

- Boerhavia diffusa*  
*Guapira discolor*

- Red spiderling, wineflower  
Blolly, Beefree

Oleaceae

- Forestiera segragata*

- Florida privet, Florida swampprivet



<u>Oxalidaceae</u>	
<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow woodsorrel
<u>Passifloraceae</u>	
<i>Passiflora suberosa</i>	Corkstem passionflower
<u>Phytolaccaceae</u>	
<i>Rivina humilis</i>	Rougeplant
<u>Polygalaceae</u>	
<i>Polygala grandiflora</i>	Candyweed, Showy milkwort
<u>Polygonaceae</u>	
<i>Coccoloba diversifolia</i>	Pigeonplum, Tietongue
<i>Coccoloba uvifera</i>	Seagrape
<u>Portulacaceae</u>	
<i>Portulaca oleracea</i>	Purslane, Little hogweed
<i>Portulaca pilosa</i>	Pink purslane, Kiss-me-quick
<u>Rhizophoraceae</u>	
<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>	
<i>Chiococca alba</i>	Common snowberry, Milkberry
<i>Psychotria nervosa</i>	Shiny-leaved wild-coffee
<i>Randia aculeata</i>	White indigoberry
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Rutaceae</u>	
<i>Zanthoxylum clava-herculis</i>	Hercules'-club
<i>Zanthoxylum fagara</i>	Wild-lime, Lime prickly-ash
<u>Sapindaceae</u>	
E <i>Cupaniopsis anacardioides</i>	Carrotwood
<u>Sapotaceae</u>	
<i>Sideroxylon foetidissimum</i>	Wild mastic, False mastic
<u>Scrophulariaceae</u>	
<i>Bacopa monnieri</i>	Water hyssop, Herb-of-grace
<u>Solanaceae</u>	
<i>Physalis walteri</i>	Walter's groundcherry
<i>Solanum americanum</i>	Common nightshade, American black nightshade
<u>Urticaceae</u>	
<i>Parietaria floridana</i>	Florida pellitory
<u>Verbenaceae</u>	
<i>Glandularia maritima</i>	Beach verbena, Coastal mock vervain
<i>Lantana depressa</i> var. <i>floridana</i>	East coast lantana, Florida shrubverbena
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
<u>Vitaceae</u>	

*Cissus trifoliata*  
*Parthenocissus quinquefolia*  
*Vitis cinerea* var. *floridana*  
*Vitis rotundifolia*

Marinevine, Sorrelvine  
Virginia-creeper, Woodbine  
Florida grape  
Muscadine

Zygophyllaceae

E *Tribulus cistoides*

Punctureweed, Burrnut, Jamaican feverplant

Monocots

Agavaceae

*Yucca aloifolia*

Spanish-bayonet, Aloe yucca

Amaryllidaceae

*Hymenocallis latifolia*

Mangrove spiderlily, Perfumed spiderlily

Areaceae

*Sabal palmetto*

*Serenoa repens*

Cabbage palm

Saw palmetto

Commelinaceae

*Commelina erecta*

Whitemouth dayflower

Cyperaceae

*Cyperus croceus*

*Cyperus ligularis*

*Cyperus planifolius*

Baldwin's flatsedge

Swamp flatsedge

Flatleaf flatsedge

Poaceae

*Andropogon glomeratus* var. *pumilus*

*Cenchrus echinatus*

*Cenchrus incertus*

E *Cynodon dactylon*

E *Dactyloctenium aegyptium*

*Digitaria ciliaris*

E *Eleusine indica*

*Eustachys petraea*

*Panicum amarum*

E *Panicum maximum*

E *Panicum repens*

*Paspalum setaceum*

*Paspalum vaginatum*

E *Rhynchelytrum repens*

*Setaria parviflora*

*Spartina patens*

E *Sporobolus indicus* var. *pyramidalis*

E *Stenotaphrum secundatum*

*Uniola paniculata*

E *Urochloa subquadriflora*

Common bushy bluestem

Southern sandbur

Coastal sandbur

Bermuda grass

Crow's-foot grass, Durban crowfootgrass

Southern crabgrass

Indian goose grass

Common fingergrass, Pinewoods fingergrass

Beachgrass, Bitter panicgrass

Guineagrass

Torpedo grass

Thin paspalum

Seashore paspalum

Rose Natalgrass

Knottroot foxtail, Yellow bristlegrass

Marshhay cordgrass, Saltmeadow cordgrass

West Indian dropseed

St. Augustine grass

Sea-oats

Signal grass, Tropical signalgrass

Smilacaceae

*Smilax auriculata*

Earleaf greenbrier

**Pteridophytes**

Blechnaceae

*Blechnum serrulatum*

Swamp fern, Toothed midsorus fern

Polypodiaceae

*Phlebodium aureum*

Golden polypody

E = Not Native to the site

**The Vascular Plants of  
Santa Lucrea (including Fletcher Park)  
By *Habitat***

55 NE MacArthur Blvd., Stuart, Florida

Field Data Compiled By:

Steven W. Woodmansee

The Institute for Regional Conservation

Miami, FL

Various dates 2002

Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Beach Dune	Coastal Strand	Roadside	Shell Mound	Tidal Swamp
<i>Acanthocereus tetragonus</i>	Barbwire cactus, Dilldoe cactus	N		-								
<i>Altemanthera flavescens</i>	Yellow joyweed	N										
<i>Ambrosia artemisiifolia</i>	Common ragweed	N							X			
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem	N							X			
<i>Ardisia esallonoides</i>	Marberry	N						X				
<i>Atriplex pentandra</i>	Beach orach, Crested saltbush	N						X				
<i>Avicennia germinans</i>	Black mangrove	N										X
<i>Baccharis angustifolia</i>	Narrowleaved groundsel, Saltwater Falsewillow	N										
<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle	N										
<i>Bacopa monnieri</i>	Water hyssop, Herb-of-grace	N							X			
<i>Bidens alba</i> var. <i>radialata</i>	Spanish-needles	N								X		
<i>Blechnum serrulatum</i>	Swamp fern, Toothed midsorus fern	N										
<i>Boerhavia diffusa</i>	Red spiderling, wineflower	N								X		
<i>Borrichia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye	N										
<i>Bursera simaruba</i>	Gumbo-limbo	N										
<i>Caesalpinia bonduc</i>	Gray nicker-bean	N										
<i>Canavalia rosea</i>	Beach-bean, Baybean, Seaside jackbean	N										
<i>Capparis flexuosa</i>	Limber caper, Bayleaf capertree	N										
<i>Carica papaya</i>	Papaya	A										
<i>Casuarina equisetifolia</i>	Australian-pine, Horse-tail casuarina	A										



Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Beach Dune	Coastal Strand	Roadside	Shell Mound	Tidal Swamp
<i>Glandularia maritima</i>	Beach verberna, Coastal mock vervain	N		m	S3				X			
<i>Guapira discolor</i>	Billy, Beefree	N										
<i>Helianthus debilis</i>	East Coast dune sunflower	N						X				
<i>Heliotropium angiospermum</i>	Scorpionstail	N							X			
<i>Hymenocallis latifolia</i>	Mangrove spiderlily, Perfumed spiderlily	N							X			
<i>Indigofera spicata</i>	Creeping indigo, Trailing indigo	N							X			
<i>Ipomoea pes-caprae</i> subsp. <i>brasilienis</i>	Common moonflowers, Moonflowers	N							X			
<i>Ipomoea pes-caprae</i> subsp. <i>brasilienis</i>	Railroadvine, Bayhops	N							X			
<i>Iresine diffusa</i>	Bloodleaf, Juba's bush	N							X			
<i>Iva imbricata</i>	Beach-elder, Seacoast marshelder	N							X			
<i>Kalanchoe pinnata</i>	Common liveleaf, Cathedral bells, Life plant	N							X			
<i>Laguncularia racemosa</i>	White mangrove	N							X			
<i>Lantana depressa</i> var. <i>floridana</i>	East coast lantana, Florida shrubverberna	N			S2	SF1			X			
<i>Lantana involucrata</i>	Wild-sage, Buttersage	N							X			
<i>Melothra pendula</i>	Creeping-cucumber	N							X			
<i>Mentzelia floridana</i>	Pooman's-patch, Stickleaf	N							X			
<i>Mikania cordifolia</i>	Florida Keys hempvine	N							X			
<i>Momordica charantia</i>	Wild balsam-apple, Balsamppear	N							X			
<i>Momordica punctata</i>	Horsemint, Spotted beebalm	N							X			
<i>Morus rubra</i>	Red mulberry	N							X			
<i>Ocotea confusa</i>	Lancewood	N							X			
<i>Opuntia humifusa</i>	Pricklypear	N							X			
<i>Opuntia stricta</i>	Erect pricklypear	N							X			
<i>Oxalis comiculata</i>	Lady's-sorrel, Common yellow woodsorrel	N		T					X			
<i>Panicum amatum</i>	Beachgrass, Bitter panicgrass	N							X			
<i>Panicum maximum</i>	Guineagrass	N							X			
<i>Panicum repens</i>	Torpedo grass	N							X			
<i>Panicum floridana</i>	Florida pellitory	N							X			
<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine	N							X			
<i>Paspalum setaceum</i>	Thin paspalum	N							X			
<i>Paspalum vaginatum</i>	Seashore paspalum	N							X			
<i>Passiflora suberosa</i>	Corky-stem passionflower	N							X			
<i>Pentstemon luteum</i>	Wild-allamanda, Hammock viperstail	N							X			
<i>Phebotidium aureum</i>	Golden polypody	N							X			
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capweed	N							X			
<i>Phyllanthus abnormis</i>	Drummond's leafflower	N							X			
<i>Phytalis walteri</i>	Walter's groundcherry	N							X			
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain	N							X			
<i>Polygala grandiflora</i>	Candyweed, Showy milkwort	N							X			







*Table 19:*  
The Rare Vascular Plants of  
**Santa Lucea (including Fletcher Park)**

55 NE MacArthur Blvd., Stuart, Florida

Field Data Compiled By:  
Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, FL

Various dates 2002

Scientific Name	Common Names	Federal Status	State Status	FNAI Status	IRC Status	Population Size Range
<i>Acanthocereus tetragonus</i>	Barbwire cactus, Dilldoe cactus		T			1
<i>Glandularia maritima</i>	Beach verbena, Coastal mock vervain		E	S3		11-100
<i>Lantana depressa</i> var. <i>floridana</i>	East coast lantana, Florida shrubverbena		E	S2	SF1	2-10
<i>Opuntia stricta</i>	Erect pricklypear		T			11-100
<i>Scaevola plumieri</i>	Inkberry, Beachberry, Gullfeed		T			11-100

<b>Federal Status</b>	<b>FNAI Status</b>
T = Threatened	S1 = Critically Imperiled in Florida
E = Endangered	S2 = Imperiled in Florida
<b>State Status</b>	S3 = Very rare or local throughout its range in Florida
T = Threatened	<b>IRC status</b>
E = Endangered	SF1 = Critically Imperiled in South Florida (SF)

*Table 20:*  
**The Vascular Plants of  
 Sundial**

AIA Hutchinson Island, Jensen Beach, Florida

Field Data Compiled By:  
 Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, FL

Various dates 2002

Dicots

<u>Acanthaceae</u>	
<i>Dicliptera sexangularis</i>	False-mint, Sixangle folding
<u>Aizoaceae</u>	
<i>Sesuvium portulacastrum</i>	Perennial sea-purslane, Shoreline seapurslane
<u>Anacardiaceae</u>	
E <i>Schinus terebinthifolius</i>	Brazilian-pepper
<i>Toxicodendron radicans</i>	Eastern poison-ivy
<u>Annonaceae</u>	
<i>Annona glabra</i>	Pond-apple
<u>Apocynaceae</u>	
<i>Pentalinon luteum</i>	Wild-allamanda, Hammock viperstail
<i>Rhabdadenia biflora</i>	Mangrove rubbervine, Mangrovevine
<u>Asteraceae</u>	
<i>Ambrosia artemisiifolia</i>	Common ragweed
<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles
<i>Borrchia frutescens</i>	Silver sea-oxeye-daisy, Bushy seaside oxeye
<i>Conyza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
<i>Eupatorium capillifolium</i>	Dog-fennel
<i>Eupatorium serotinum</i>	Lateflowering thoroughwort
<i>Helianthus debilis</i>	East Coast dune sunflower
<i>Verbesina virginica</i>	Frostweed, White crownbeard
E <i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye
<u>Avicenniaceae</u>	
<i>Avicennia germinans</i>	Black mangrove
<u>Bataceae</u>	
<i>Batis maritima</i>	Saltwort, Turtleweed

<u>Boraginaceae</u>		
	<i>Heliotropium angiospermum</i>	Scorpionstail
<u>Brassicaceae</u>		
	<i>Lepidium virginicum</i>	Poor-man's-pepper, Virginia pepperweed
<u>Buddleiaceae</u>		
	<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
<u>Burseraceae</u>		
	<i>Bursera simaruba</i>	Gumbo-limbo
<u>Casuarinaceae</u>		
E	<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
<u>Combretaceae</u>		
	<i>Conocarpus erectus</i>	Buttonwood
	<i>Laguncularia racemosa</i>	White mangrove
<u>Convolvulaceae</u>		
	<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
<u>Euphorbiaceae</u>		
	<i>Chamaesyce bombensis</i>	Sand-dune spurge, Dixie sandmat
	<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat
	<i>Chamaesyce hyssopifolia</i>	Eyebane, Hyssopleaf sandmat
	<i>Cnidocotus stimulosus</i>	Tread-softly, Finger-rot
	<i>Phyllanthus abnormis</i>	Drummond's leafflower
	<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
<u>Fabaceae</u>		
D	<i>Acacia</i> cf. <i>tortuosa</i>	Poponax
	<i>Caesalpinia bonduc</i>	Gray nicker-bean
E	<i>Crotalaria incana</i>	Shakeshake
	<i>Dalbergia ecastaphyllum</i>	Coinvine
	<i>Desmodium incanum</i>	Beggar's-ticks
	<i>Galactia volubilis</i>	Downy milkpea
E	<i>Indigofera spicata</i>	Creeping indigo, Trailing indigo
E	<i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
	<i>Vigna luteola</i>	Cow-pea, Hairy pod cowpea
<u>Lamiaceae</u>		
	<i>Monarda punctata</i>	Horsemint, Spotted beebalm
<u>Malvaceae</u>		
	<i>Sida acuta</i>	Common wireweed, Common fanpetals
	<i>Sida rhombifolia</i>	Cuban jute, Indian hemp
<u>Moraceae</u>		
	<i>Ficus aurea</i>	Strangler fig, Golden fig
<u>Myrsinaceae</u>		
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>		

E	<i>Eugenia uniflora</i>	Surinam-cherry
<u>Oleaceae</u>		
	<i>Forestiera segregata</i>	Florida privet, Florida swampprivet
<u>Onagraceae</u>		
	<i>Gaura angustifolia</i>	Southern gaura, Southern beeblossum
<u>Phytolaccaceae</u>		
	<i>Phytolacca americana</i>	American pokeweed
<u>Polygonaceae</u>		
	<i>Coccoloba uvifera</i>	Seagrape
<u>Portulacaceae</u>		
	<i>Portulaca pilosa</i>	Pink purslane, Kiss-me-quick
<u>Rhizophoraceae</u>		
	<i>Rhizophora mangle</i>	Red mangrove
<u>Rubiaceae</u>		
	<i>Randia aculeata</i>	White indigoberry
	<i>Spermacoce assurgens</i>	Woodland false buttonweed
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Rutaceae</u>		
	<i>Zanthoxylum clava-herculis</i>	Hercules'-club
<u>Solanaceae</u>		
	<i>Lycium carolinianum</i>	Christmasberry, Carolina desertthorn
	<i>Physalis walteri</i>	Walter's groundcherry
<u>Verbenaceae</u>		
	<i>Lantana involucrata</i>	Wild-sage, Button sage
	<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
E	<i>Vitex trifolia</i>	Simpleleaf chastetree
<u>Vitaceae</u>		
	<i>Ampelopsis arborea</i>	Peppervine
	<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine
	<i>Vitis cinerea</i> var. <i>floridana</i>	Florida grape
<u>Zygophyllaceae</u>		
E	<i>Tribulus cistoides</i>	Punctureweed, Burnnut, Jamaican feverplant

### Monocots

<u>Agavaceae</u>		
	<i>Yucca aloifolia</i>	Spanish-bayonet, Aloe yucca
<u>Areaceae</u>		
E	<i>Cocos nucifera</i>	Coconut palm
	<i>Sabal palmetto</i>	Cabbage palm
<u>Bromeliaceae</u>		
	<i>Tillandsia recurvata</i>	Ball-moss

Cyperaceae

- Cyperus croceus* Baldwin's flatsedge  
E *Cyperus esculentus* Yellow nut-grass, Chufa flatsedge  
*Cyperus ligularis* Swamp flatsedge  
E *Fimbristylis cymosa* Hurricane sedge, Hurricanegrass

Poaceae

- Andropogon glomeratus* var. *pumilus* Common bushy bluestem  
*Cenchrus echinatus* Southern sandbur  
*Cenchrus incertus* Coastal sandbur  
E *Cynodon dactylon* Bermuda grass  
E *Dactyloctenium aegyptium* Crow's-foot grass, Durban crowfootgrass  
*Digitaria ciliaris* Southern crabgrass  
E *Eleusine indica* Indian goose grass  
E *Eragrostis atrovirens* Thalia love grass  
*Eragrostis eliottii* Elliott's love grass  
*Eustachys petraea* Common fingergrass, Pinewoods fingergrass  
*Panicum amarum* Beachgrass, Bitter panicgrass  
E *Panicum repens* Torpedo grass  
*Paspalum setaceum* Thin paspalum  
*Paspalum vaginatum* Seashore paspalum  
*Setaria parviflora* Knotroot foxtail, Yellow bristlegrass  
E *Sporobolus indicus* var. *pyramidalis* West Indian dropseed

Pteridophytes

Nephrolepidaceae

- Nephrolepis exaltata* Wild Boston fern

Polypodiaceae

- Phlebodium aureum* Golden polypody

Pteridaceae

- Acrostichum danaeifolium* Giant leather fern

E = Not Native to the site

D = Doubtfully Native



Scientific Name	Common Names	Origin	Federal Status	State Status	FNAI Status	IRC Status	FL EPPC	Roadside	Spoil (coastal ber	Tidal Swamp
<i>Chamaesyce bombensis</i>	Sand-dune spurge, Dixie sandmat	N								
<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat	N								
<i>Chamaesyce hyssopifolia</i>	Eyebane, Hyssopleaf sandmat	N								
<i>Onidoscolus stimulosus</i>	Tread-softly, Finger-rot	N						X		
<i>Coccoloba uvifera</i>	Seagrape	N						X		
<i>Cocos nucifera</i>	Coconut palm	N						X		
<i>Conocarpus erectus</i>	Buttonwood	N						X		
<i>Conyza canadensis</i> var. <i>pustilla</i>	Dwarf Canadian horseweed	N						X		X
<i>Crotalaria incana</i>	Shakeshake	N						X		
<i>Gynodon dactylon</i>	Bermuda grass	N						X		
<i>Cyperus croceus</i>	Baldwin's flatsedge	N						X		
<i>Cyperus esculentus</i>	Yellow nut-grass, Chufa flatsedge	N						X		
<i>Cyperus ligularis</i>	Swamp flatsedge	N						X		
<i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass	N						X		
<i>Dalbergia ecastaphyllum</i>	Coinvine	N						X		X
<i>Desmodium incanum</i>	Beggar's-ticks	N						X		
<i>Dicliptera sexangulans</i>	False-mint, Sixangle foldwing	N						X		
<i>Digitaria ciliata</i>	Southern crabgrass	N						X		
<i>Eleusine indica</i>	Indian goose grass	N						X		
<i>Eragrostis atrovirens</i>	Thalia love grass	N						X		
<i>Eragrostis elliptica</i>	Elliott's love grass	N						X		
<i>Eugenia uniflora</i>	Sunham-cherry	N						X		
<i>Eupatorium serotinum</i>	Lateflowering thoroughwort	N						X		
<i>Eupatorium capillifolium</i>	Dog-fennel	N						X		
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass	N						X		
<i>Ficus aurea</i>	Strangler fig, Golden fig	N						X		
<i>Fimbristylis cymosa</i>	Humtane sedge, Humtanegrass	N						X		
<i>Forestiera segregata</i>	Florida privet, Florida swampprivet	N						X		
<i>Galactia volubilis</i>	Downy milkpea	N						X		
<i>Gaura angustifolia</i>	Southern gaura, Southern beeblossum	N						X		
<i>Helianthus debilis</i>	East Coast dune sunflower	N						X		
<i>Heliotropium angiospermum</i>	Scorpionstail	N						X		
<i>Indigofera spicata</i>	Creeping Indigo, Trailing Indigo	N						X		







*Table 22:*  
**The Rare Vascular Plant of  
 Sundial**

A1A Hutchinson Island, Jensen Beach, Florida

Field Data Compiled By:  
 Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, FL

Various dates 2002

Scientific Name	Common Name	Federal Status	State Status	FNAI Status	IRC Status	Population Size
<i>Acacia cf. tortuosa</i> <sup>1</sup>	Poponax		E		SF1	1

Federal Status	FNAI Status
T = Threatened	S1 = Critically Imperiled in Florida
E = Endangered	S2 = Imperiled in Florida
State Status	S3 = Very rare or local throughout its range in Florida
T = Threatened	IRC status
E = Endangered	SF1 = Critically Imperiled in South Florida (SF)

<sup>1</sup> If this is indeed *Acacia tortuosa*, it is a county record and it may be seeding from nearby cultivated material, or may have arrived by natural means. It is currently known only from Chokoloskee Island. This tree should be vouchered again upon fruit maturation.

Table 23:

The Rare Vascular Plants of  
**Seven Preserves in Martin County, Florida**

Field Data Compiled By:

Steven W. Woodmansee, Keith A. Bradley, Sandra Vardaman, Jimi Sadle, and Chuck McCartney  
 The Institute for Regional Conservation  
 Miami, FL

Various dates 1997 - 2002

Scientific Name	Common Names	Federal Status	State Status	FNAI Status	IRC Status
<i>Acacia cf. tortuosa</i>	Poponax		E		SF1
<i>Acanthocereus tetragonus</i>	Barbwire cactus, Diidoe cactus		T		SF1
<i>Arisaema triphyllum</i>	Jack-in-the-pulpit				SF1
<i>Aristida purpurascens</i> var. <i>virgata</i>					
<i>Aristida rhizomophora</i>	Florida threeawn		E	S3	
<i>Asclepias curtissii</i>	Curtiss' milkweed			S3	
<i>Aster reticulatus</i>	Pinebarren aster, Whitetop aster		E		SF1
<i>Aster tortifolius</i>	Dixie aster, Whitetop aster				SF1
<i>Burmannia biflora</i>	Bluethread				SF1
<i>Chrysophyllum oliviforme</i>	Satinleaf		T		
<i>Conradina grandiflora</i>	Largeflower false-rosemary		T	S3	
<i>Cuscuta exaltata</i>	Tail dodder				
<i>Drypetes lateriflora</i>	Guiana-pium		T		SF1
<i>Elytrea carolinensis</i> var. <i>angustifolia</i>	Narrowleaf Carolina scalystem			S2	
<i>Glandularia maritima</i>	Beach verbena, Coastal mock vervain		E	S3	
<i>Habenaria nivea</i>	Snowy orchid		T		
<i>Lantana depressa</i> var. <i>floridana</i>	East coast lantana, Florida shrubverbena		E	S2	SF1
<i>Lechea cernua</i>	Nodding pinweed		T	S3	
<i>Lilium catesbaei</i>	Catesby's lily, Pine lily		T		
<i>Lycopodiella caroliniana</i>	Slender club-moss				SF1
<i>Marshallia tenuifolia</i>	Barbara's-buttons, Grassleaf Barbara's button		T		SF1
<i>Nephtrolepis biserrata</i>	Giant sword fern				
<i>Ophioglossum palmatum</i>	Hand fern		E	S2	
<i>Opuntia stricta</i>	Erect pricklypear		T		
<i>Panicum verrucosum</i>	Warty panicum, Warty panicgrass		T		SF1
<i>Pinguicula lutea</i>	Yellow butterwort		T		SF1
<i>Pogonia ophioglossoides</i>	Rose pogonia, Snakemouth orchid		T		SF1
<i>Scaevola plumieri</i>	Inkberry, Beachberry, Gullweed		T		
<i>Schoenocaulon dubium</i>	Feather-shank, Florida feathershank		T		
<i>Tillandsia balbisiana</i>	Reflexed wild-pine, Northern needleleaf		T		SF1
<i>Tillandsia fasciculata</i> var. <i>densispica</i>	Stiff-leaved wild-pine, Cardinal airplant		E		
<i>Tillandsia utriculata</i>	Giant wild-pine, Giant airplant		E		

*Utricularia juncea*  
*Vanilla inodora*  
*Vernonia gigantea*  
*Viola primulifolia*  
*Wolfiella gladiata*  
*Xyris fimbriata*

Southern bladderwort  
 Mexican vanilla, Fuch's vanilla  
 Giant ironweed  
 Primrose-leaved violet  
 Bog-mat, Florida mudmidget  
 Fringed yelloweyed grass

E     S1

SF1     SF1  
 SF1     SF1  
 SF1     SF1  
 SF1     SF1

<b>Federal Status</b>	<b>FNAI Status</b>
T = Threatened	S1 = Critically Imperiled in Florida
E = Endangered	S2 = Imperiled in Florida
<b>State Status</b>	S3 = Very rare or local throughout its range in Florida
T = Threatened	<b>IRC status</b>
E = Endangered	SF1 = Critically Imperiled in South Florida (SF)

## Citations

- Bradley, K.A., S.W. Woodmansee, and G.D. Gann. 1999. Final report: rare plants of Florida scrub in Martin, St. Lucie, and Indian River counties, Florida. Report submitted to U.S. Fish & Wildlife Service, Vero Beach, Florida. Miami: The Institute for Regional Conservation.
- Florida Natural Areas Inventory. 2003. Florida Natural Areas Inventory website. [www.FNAI.org](http://www.FNAI.org). Tallahassee, Florida.
- Gann, G.D., K.A. Bradley, and S.W. Woodmansee. 2001. The Institute for Regional Conservation website. [www.regionalconservation.org](http://www.regionalconservation.org). The Institute for Regional Conservation, Miami, Florida.
- Wunderlin, R.P. 1998. Guide to the Vascular Plants of Florida. Gainesville: University Presses of Florida.
- Wunderlin, R.P., and B.F. Hansen. 2002. Atlas of Florida Vascular Plants (<http://www.plantatlas.usf.edu>). Tampa: Institute for Systematic Botany, University of South Florida.



## The Institute for Regional Conservation

22601 SW 152 Avenue  
Miami, Florida 33170  
Phone: (305) 247-6547  
Fax: (305) 245-9797  
[www.regionalconservation.org](http://www.regionalconservation.org)

January 13, 2003

Dr. Gina Paduano  
Martin County Parks and Recreation Department  
2401 SE Monterey Road  
Stuart, FL 34996

Dear Dr. Paduano:

The following is the final report for Services rendered for Botanical Surveys on Martin County Environmentally Sensitive Lands Sites (PO #P0204018). Enclosed is one bound and one unbound copy. Also enclosed is an electronic copy in Excel format on CD.

Please let this letter serve as an invoice for \$6860.00, or 40% of the total costs for this project.

If you have any questions feel free to contact me.

Sincerely,

Steven W. Woodmansee  
Biologist

**A FLORISTIC SURVEY AND RARE SPECIES ASSESSMENT OF  
SEVEN CONSERVATION AREAS MANAGED BY MARTIN  
COUNTY ENVIRONMENTALLY ENDANGERED LANDS  
DIVISION, FLORIDA  
FINAL REPORT**

Steven W. Woodmansee

January 13, 2003



Final report submitted by  
The Institute for Regional Conservation  
George D. Gann, Executive Director



Miami, Florida

to Martin County Environmentally Endangered Lands Division  
Stuart, Florida