

Ref ID# 34799

Woodmansee, S.W. & E. Verdon. 2002. Observations of vascular plants at Big Cypress National Preserve Road Transect #7, Big Cypress National Preserve, Collier County. 17 May 2002. The Institute for Regional Conservation, Miami, FL.

Site Ref ID#
47217
47218
47219

Site
Big Cypress National Preserve Road Transect #7E
Big Cypress National Preserve Road Transect #7W
Big Cypress National Preserve

Data entered 11/4/2002 by KH

Photocopied

May 17, 2002

ID # 17

West - PER T ~~473692~~ 473694
 orig → PER T. S

2875805
 2875557 / East -

N

| Plants of Big Cypress based on Muss et al. (2002) | | Asclepias longifolia | Capparis flexuosa |
|---|----|---------------------------------------|------------------------------------|
| CELL # | | Asclepias tuberosa | Capraria biflora |
| Observers: WODMANSEE & VERDON | | Asclepias verticillata | Cardiospermum corindum |
| Abrus precatorius | | Asimina reticulata | Cardiospermum microcarpum |
| Abutilon permolle | | Asplenium serratum | Carex gigantea |
| Acacia pinetorum | | Aster adnatus | Carex lupuliformis |
| Acalypha gracilens | | Aster bracei | Carica papaya |
| Acalypha ostryifolia | | Aster carolinianus | Carphephorus corymbosus |
| Acer rubrum | | Aster concolor | Carphephorus odoratissimus |
| Acmella oppositifolia var. repens | | Aster dumosus | Caryota mitis |
| Acoelorrhapha wrightii | | Aster elliptii | Cassytha filiformis |
| Acrostichum danaeifolium | | Aster subulatus | Casuarina equisetifolia |
| Adiantum capillus-veneri* | | Avicennia germinans | Casuarina glauca |
| Adiantum tenerum* | | Axonopus compressus* | Catharanthus roseus |
| Aeschynomene americana | | Axonopus fissifolius* | Catopsis berteroniana |
| Aeschynomene pratensis | | Axonopus furcatus | Catopsis floribunda |
| Agalinis fasciculata | | Azolla caroliniana | Celtis laevigata |
| Agalinis filifolia | | Baccharis angustifolia | Cenchrus gracillimus*! |
| Agalinis linifolia | | Baccharis glomeruliflora | Cenchrus incertus |
| Agalinis maritima | WE | Baccharis halimifolia | Centella asiatica |
| Ageratina jucunda | | Bacopa caroliniana | Centrosema virginianum |
| Albizia lebbek | | Bacopa monnieri | Cephalanthus occidentalis |
| Aletris bracteata | | Bartonia paniculata | Ceratophyllum demersum |
| Aletris lutea | | Bauhinia purpurea | Ceratopteris thalictroides |
| Alpinia zerumbet | | Bauhinia variegata | Chamaecrista fasciculata |
| Alysicarpus ovalifolius | | Bejaria racemosa | Chamaecrista nictitans var. aspera |
| Alysicarpus vaginalis | | Berchemia scandens | Chamaesyce blodgettii |
| Amaranthus australis | WE | Bidens alba var. radiata | Chamaesyce conferta |
| Amaranthus viridis* | | Bigelovia nudata subsp. australis | Chamaesyce hirta |
| W) Ambrosia artemisiifolia | | Bischofia javanica | Chamaesyce hypericifolia |
| Ammannia latifolia | | Blechnum serrulatum | Chamaesyce hyssopifolia |
| Amorpha fruticosa | | Blechnum pyramidatum | Chamaesyce lasiocarpa |
| Amorpha herbacea | | Bletia purpurea | Chamaesyce mendezii |
| Ampelopsis arborea | | Boehmeria cylindrica | Chamaesyce ophthalmica |
| Amphicarpum muhlenbergianum | | Boerhavia diffusa | Chamaesyce pergamena |
| Amyris elemifera | | Boltonia diffusa | Chamaesyce porteriana |
| Andropogon glomeratus var. glaucopsis* | | Bothriochloa ischaemum var. songarica | Chaptalia tomentosa |
| Andropogon glomeratus var. hirsutior | | Bothriochloa pertusa | Chiococca alba |
| Andropogon glomeratus var. pumilus | | Brassica rapa | Chiococca parvifolia |
| Andropogon gyrans | E | Buchnera americana | Chrysobalanus icaco |
| Andropogon longiberbis | | Bucida buceras | Chrysophyllum oliviforme |
| Andropogon ternarius | | Bulbostylis ciliatifolia | Chrysopogon pauciflorus |
| Andropogon virginicus | | Bulbostylis stenophylla | Chrysopsis subulata |
| Andropogon virginicus var. decipiens | | Burmanna capitata | Cirsium horridulum |
| Andropogon virginicus var. glaucus | | Burmanna flava | Cirsium nuttallii |
| Anemia adiantifolia | | Bursera simaruba | Cissus verticillata |
| Angadenia berteroi | | Caesalpinia bonduc | Citharexylum spinosum |
| Annona glabra | | Calliandra haematocephala | Citrus aurantium |
| Apios americana | | Callicarpa americana | Citrus limon |
| Ardisia escallonioides | | Calopogon multiflorus! | Citrus sinensis |
| Argemone mexicana | | Calopogon tuberosus! | Citrus xparadis! |
| Aristida beyrichiana | | Calyptranthes pallens | Cladium jamaicense |
| Aristida patula | | Calystegia sepium subsp. limnophila | Clematis baldwinii |
| Aristida purpurascens | | Campanula floridana | Cltoria mariana |
| Aristida spiciformis | | Campsis radicans | Cnidocolus stimulosus |
| Amoglossum ovatum | | Campylocentrum pachyrrhizum | Coccoloba diversifolia |
| Arundo donax | | Campyloneurum angustifolium* | Codiaeum variegatum var. pictum |
| Asclepias curassavica | | Campyloneurum phyllitidis | Coelorachis rugosa |
| Asclepias incarnata | | Canna flaccida | Coleus pumilus |
| Asclepias lanceolata | | Caperonia castaneifolia | Colocasia esculenta |

WE Chamaesyce bomboensis

| | | | | | |
|----|---|----|---|----|----------------------------------|
| | <i>Colubrina arborescens</i> | | <i>Dichondra micrantha</i> | | <i>Eulophia alta</i> |
| | <i>Commelina diffusa</i> var. <i>diffusa</i> | | <i>Dicliptera sexangularis</i> | | <i>Eupatorium capillifolium</i> |
| | <i>Commelina erecta</i> | | <i>Digitaria longiflora</i> | W | <i>Eupatorium leptophyllum</i> |
| | <i>Conocarpus erectus</i> | | <i>Diodia virginiana</i> | | <i>Eupatorium mikanioides</i> |
| | <i>Conoclinium coelestinum</i> | | <i>Dioscorea bulbifera</i> | | <i>Eupatorium mohrii</i> |
| WE | <i>Conyza canadensis</i> var. <i>pusilla</i> | | <i>Dioscorea sansibarensis</i> | | <i>Eupatorium rotundifolium</i> |
| | <i>Corchorus hirtus</i> * | | <i>Diospyros virginiana</i> | | <i>Eupatorium serotinum</i> |
| | <i>Corchorus siliquosus</i> | | <i>Dodonaea viscosa</i> | | <i>Euphorbia polyphylla</i> |
| | <i>Cordia globosa</i> | | <i>Drosera brevifolia</i> | | <i>Eustachys glauca</i> |
| WE | <i>Coreopsis leavenworthii</i> | | <i>Drosera capillaris</i> | WE | <i>Eustachys petraea</i> |
| | <i>Cornus foemina</i> | | <i>Drypetes lateriflora</i> | | <i>Eustoma exaltatum</i> |
| | <i>Crinum americanum</i> | | <i>Dyschoriste angusta</i> | | <i>Euthamia caroliniana</i> |
| | <i>Crotalaria lanceolata</i> | | <i>Dyschoriste oblongifolia</i> *! | | <i>Evolvulus sericeus</i> |
| | <i>Crotalaria pallida</i> var. <i>obovata</i> | | <i>Echinochloa colona</i> | | <i>Exothea paniculata</i> |
| WE | <i>Crotalaria rotundifolia</i> | | <i>Echinochloa crus-galli</i> | | <i>Ficus aurea</i> |
| | <i>Crotalaria spectabilis</i> | | <i>Echinochloa paludigena</i> | W | <i>Ficus citrifolia</i> |
| | <i>Croton humilis</i> | | <i>Echinochloa walteri</i> | W | <i>Fimbristylis autumnalis</i> |
| | <i>Ctenitis sloanei</i> | | <i>Echinodorus berteroi</i> | | <i>Fimbristylis caroliniana</i> |
| | <i>Cuphea carthagenensis</i> | | <i>Eclipta prostrata</i> | E | <i>Fimbristylis cymosa</i> |
| | <i>Cuscuta pentagona</i> | | <i>Eichhomia crassipes</i> | | <i>Fimbristylis schoenoides</i> |
| | <i>Cynanchum blodgettii</i> | | <i>Eleocharis albida</i> | | <i>Fimbristylis spadicea</i> |
| | <i>Cynanchum scoparium</i> | | <i>Eleocharis atropurpurea</i> | W | <i>Flaveria linearis</i> |
| | <i>Cynodon dactylon</i> | | <i>Eleocharis baldwinii</i> | | <i>Forestiera segregata</i> |
| | <i>Cyperus articulatus</i> | | <i>Eleocharis cellulosa</i> | | <i>Fraxinus caroliniana</i> |
| | <i>Cyperus compressus</i> | | <i>Eleocharis elongata</i> | | <i>Fuirena breviseta</i> |
| | <i>Cyperus croceus</i> | | <i>Eleocharis flavescens</i> | | <i>Fuirena scirpoides</i> |
| | <i>Cyperus distinctus</i> | | <i>Eleocharis geniculata</i> | | <i>Furcraea selloa</i> |
| | <i>Cyperus esculentus</i> | | <i>Eleocharis interstincta</i> | | <i>Galactia elliotii</i> |
| | <i>Cyperus flavescens</i> | | <i>Elephantopus elatus</i> | | <i>Galactia regularis</i> |
| | <i>Cyperus haspan</i> | | <i>Eleusine indica</i> | | <i>Galactia striata</i> |
| | <i>Cyperus involucratus</i> | | <i>Elionurus tripsacoides</i> | | <i>Galactia volubilis</i> |
| | <i>Cyperus ligularis</i> | | <i>Elytraria caroliniensis</i> var. <i>angustifolia</i> | | <i>Galium hispidulum</i> |
| | <i>Cyperus odoratus</i> | | <i>Encyclia cochleata</i> | WE | <i>Gaura angustifolia</i> |
| | <i>Cyperus planifolius</i> | | <i>Encyclia tampensis</i> | | <i>Glandularia maritima</i> |
| | <i>Cyperus polystachyos</i> | | <i>Epidendrum anceps</i> | | <i>Gnaphalium falcatum</i> ! |
| | <i>Cyperus pumilus</i> | | <i>Epidendrum floridense</i> | | <i>Gnaphalium obtusifolium</i> |
| | <i>Cyperus retrorsus</i> | | <i>Epidendrum nocturnum</i> | | <i>Gnaphallum pennsylvanicum</i> |
| | <i>Cyperus surinamensis</i> | | <i>Epidendrum rigidum</i> | | <i>Gnaphalium purpureum</i> |
| | <i>Cyrtopodium punctatum</i> | | <i>Equisetum hyemale</i> var. <i>affine</i> | | <i>Gomphrena serrata</i> |
| | <i>Dactyloctenium aegyptium</i> | | <i>Eragrostis atrovirens</i> | | <i>Gouania lupuloides</i> |
| | <i>Dalbergia sissoo</i> | | <i>Eragrostis bahiensis</i> | | <i>Gratiola ramosa</i> |
| | <i>Dalea camea</i> | E | <i>Eragrostis ciliaris</i> | | <i>Grevillea robusta</i> |
| | <i>Dalea carthagenensis</i> var. <i>floridana</i> | | <i>Eragrostis elliotii</i> | | <i>Guzmania monostachia</i> |
| | <i>Desmodium floridanum</i> | | <i>Eragrostis spectabilis</i> | | <i>Gymnopogon brevifolius</i> |
| E | <i>Desmodium incanum</i> | | <i>Erechtites hieracifolia</i> | | <i>Gymnopogon chapmanianus</i> |
| | <i>Desmodium paniculatum</i> | | <i>Eremochloa ophiuroides</i> | | <i>Habenaria floribunda</i> |
| | <i>Desmodium tortuosum</i> | WE | <i>Erigeron quercifolius</i> | | <i>Habenaria nivea</i> |
| | <i>Desmodium triflorum</i> | | <i>Erigeron vernus</i> | | <i>Habenaria quinqueseta</i> |
| | <i>Desmodium viridiflorum</i> | | <i>Eriobotrya japonica</i> | | <i>Habenaria repens</i> |
| | <i>Dichantherium aciculare</i> | | <i>Eriocaulon compressum</i> | | <i>Hamelia patens</i> |
| | <i>Dichantherium commutatum</i> | | <i>Eriocaulon decangulare</i> | | <i>Harrisella filiformis</i> |
| | <i>Dichantherium dichotomum</i> | | <i>Eriocaulon ravenelii</i> | | <i>Hedyotis procumbens</i> |
| | <i>Dichantherium ensifolium</i> | | <i>Eriochloa michauxii</i> var. <i>michauxii</i> * | | <i>Hedyotis uniflora</i> |
| | <i>Dichantherium ensifolium</i> var. <i>unciphyllum</i> ! | | <i>Erucastrum gallicum</i> | | <i>Helenium amarum</i> |
| | <i>Dichantherium erectifolium</i> | | <i>Eryngium baldwinii</i> | | <i>Helenium pinnatifidum</i> |
| | <i>Dichantherium ovale</i> | | <i>Eryngium yuccifolium</i> | | <i>Helianthus angustifolius</i> |
| | <i>Dichantherium portoricense</i> | | <i>Erythrina herbacea</i> | | <i>Helianthus radula</i> |
| | <i>Dichantherium strigosum</i> var. <i>glabrescens</i> | | <i>Erythrodes querceticola</i> | Σ | <i>Heliotropium polyphyllum</i> |
| WE | <i>Dichanthium aristatum</i> *! | | <i>Eugenia axillaris</i> | | <i>Heteropogon contortus</i> |
| | <i>Dichondra carolinensis</i> | | <i>Eugenia uniflora</i> | | <i>Heteropogon melanocarpus</i> |

| | | | | | |
|-----|---|-----|---|-----|---|
| | <i>Heterotheca subaxillaris</i> | | <i>Lantana involucrata</i> | | <i>Melochia pyramidata</i> |
| | <i>Hibiscus grandiflorus</i> | | <i>Lasiacis divaricata</i> | | <i>Melochia spicata</i> |
| | <i>Hibiscus poeppigii</i> | | <i>Leersia hexandra</i> | | <i>Melothria pendula</i> |
| | <i>Hibiscus rosa-sinensis</i> var. <i>schizopetalus</i> | | <i>Lemna obscura</i> | | <i>Metopium toxiferum</i> |
| | <i>Hibiscus tiliaceus</i> | | <i>Lepidium virginicum</i> | | <i>Micranthemum glomeratum</i> |
| | <i>Hippocratea volubilis</i> | | <i>Leptochloa fascicularis</i> | | <i>Microgramma heterophylla</i> |
| | <i>Hydrilla verticillata</i> | | <i>Leucaena leucocephala</i> | | <i>Mikania cordifolia</i> |
| | <i>Hydrocotyle bonariensis</i> | | <i>Liatris garberi</i> | | <i>Mikania scandens</i> |
| | <i>Hydrocotyle umbellata</i> | | <i>Liatris gracilis</i> | | <i>Mitreola petiolata</i> |
| | <i>Hydrocotyle verticillata</i> | | <i>Liatris graminifolia</i> | | <i>Mitreola sessilifolia</i> |
| | <i>Hydrolea corymbosa</i> | | <i>Liatris pauciflora</i> | | <i>Monanthochloe littoralis</i> |
| | <i>Hymenocallis palmeri</i> | | <i>Liatris spicata</i> | | <i>Morus alba</i> |
| ε | <i>Hyparrhenia rufa</i> | | <i>Licania michauxii</i> | | <i>Morus rubra</i> |
| | <i>Hypericum brachyphyllum!</i> | | <i>Lilium catesbaei</i> | ✓ | <i>Muhlenbergia capillaris</i> |
| | <i>Hypericum cistifolium</i> | | <i>Limnophila sessiliflora</i> | | <i>Murdannia nudiflora</i> |
| | <i>Hypericum crux-andreae!</i> | | <i>Lindernia crustacea</i> | | <i>Murdannia spirata</i> |
| | <i>Hypericum hypericoides</i> | | <i>Lindernia dubia</i> var. <i>anagallidea</i> | | <i>Musa xparadisiaca</i> |
| | <i>Hypericum tetrapetalum</i> | | <i>Lindernia grandiflora</i> | | <i>Myrcianthes fragrans</i> |
| | <i>Hypoxis juncea</i> | ω Σ | <i>Linum carteri</i> var. <i>smallii</i> | | <i>Myrica cerifera</i> |
| | <i>Hypoxis wrightii</i> | | <i>Linum floridanum</i> | | <i>Myriophyllum aquaticum</i> |
| | <i>Hyptis alata</i> | | <i>Linum medium</i> var. <i>texanum</i> | | <i>Myriophyllum heterophyllum</i> |
| | <i>Hyptis mutabilis</i> | | <i>Liparis nervosa</i> | | <i>Myriophyllum pinnatum</i> |
| | <i>Hyptis pectinata</i> | | <i>Lobelia feayana</i> | | <i>Najas guadalupensis</i> |
| | <i>Hyptis verticillata</i> | | <i>Lobelia glandulosa</i> | | <i>Najas marina</i> |
| | <i>Ilex cassine!</i> | | <i>Lobelia homophylla</i> | | <i>Najas wrightiana</i> |
| | <i>Ilex glabra</i> | | <i>Lobelia paludosa</i> | | <i>Nelumbo lutea</i> |
| | <i>Imperata brasiliensis</i> | | <i>Ludwigia alata</i> | | <i>Nephrolepis biserrata</i> |
| Σ | <i>Imperata cylindrica</i> | | <i>Ludwigia curtissii</i> | | <i>Nephrolepis exaltata</i> |
| | <i>Indigofera spicata</i> | | <i>Ludwigia erecta</i> | | <i>Nephrolepis multiflora!</i> |
| | <i>Ionopsis utricularioides</i> | | <i>Ludwigia maritima</i> | | <i>Neyraudia reynaudiana</i> |
| | <i>Ipomoea alba</i> | Σ | <i>Ludwigia microcarpa</i> | | <i>Nicotiana tabacum</i> |
| | <i>Ipomoea batatas</i> | | <i>Ludwigia octovalvis</i> | | <i>Nuphar lutea</i> subsp. <i>advena</i> |
| | <i>Ipomoea cordatotriloba</i> | | <i>Ludwigia peruviana</i> | | <i>Nymphaea elegans</i> |
| | <i>Ipomoea indica</i> var. <i>acuminata</i> | | <i>Ludwigia repens</i> | | <i>Nymphaea lotus</i> |
| ω Σ | <i>Ipomoea sagittata</i> | | <i>Ludwigia suffruticosa</i> | | <i>Nymphaea odorata</i> |
| | <i>Ipomoea triloba</i> | | <i>Lycium carolinianum</i> | | <i>Nymphoides aquatica</i> |
| | <i>Iresine diffusa</i> | | <i>Lycopus rubellus</i> | | <i>Ocimum campechianum</i> |
| | <i>Iris hexagona</i> | | <i>Lygodium microphyllum</i> | | <i>Ocotea coriacea</i> |
| | <i>Isoetes flaccida</i> | | <i>Lyonia fruticosa</i> | | <i>Oeceoclades maculata</i> |
| | <i>Iva microcephala</i> | | <i>Lyonia lucida</i> | | <i>Oenothera humifusa</i> |
| | <i>Ixora coccinea</i> | | <i>Lysiloma latisiliquum</i> | | <i>Ophioglossum palmatum</i> |
| | <i>Jacquemontia curtisii</i> | | <i>Lythrum alatum</i> var. <i>lanceolatum</i> | | <i>Ophioglossum petiolatum</i> |
| | <i>Jacquemontia pentanthos</i> | | <i>Lythrum lineare</i> | | <i>Oplismenus hirtellus</i> |
| | <i>Juncus marginatus</i> | | <i>Macropitium atropurpureum</i> | | <i>Opuntia humifusa</i> |
| | <i>Juncus megacephalus</i> | Σ | <i>Macropitium lathyroides</i> | | <i>Osmunda regalis</i> var. <i>spectabilis</i> |
| | <i>Juncus polycephalus</i> | | <i>Magnolia grandiflora</i> | | <i>Oxalis corniculata</i> |
| | <i>Juncus repens</i> | | <i>Magnolia virginiana</i> | | <i>Oxypolis filiformis</i> |
| | <i>Juncus roemerianus</i> | | <i>Malachra urens</i> | | <i>Palafoxia feayi</i> |
| | <i>Juncus trigonocarpus</i> | | <i>Malaxis spicata</i> | | <i>Panicum dichotomiflorum</i> |
| | <i>Justicia angusta</i> | | <i>Malvaviscus arboreus</i> var. <i>drummondii</i> | | <i>Panicum dichotomiflorum</i> var. <i>bartowense</i> |
| | <i>Kalanchoe pinnata</i> | | <i>Maxillaria crassifolia</i> | | <i>Panicum hemitomon</i> |
| | <i>Kalanchoe tubiflora</i> | | <i>Mecardonia acuminata</i> subsp. <i>peninsularis</i> | | <i>Panicum hians</i> |
| | <i>Kigelia pinnata</i> | | <i>Mecardonia procumbens</i> | | <i>Panicum repens</i> |
| | <i>Kosteletzkya virginica</i> | | <i>Medicago lupulina</i> *1 | | <i>Panicum rigidulum</i> |
| | <i>Krugiodendron ferreum</i> | | <i>Melaleuca quinquenervia</i> | | <i>Panicum tenerum</i> |
| | <i>Kyllinga brevifolia</i> | | <i>Melaleuca viminalis</i> | | <i>Panicum virgatum</i> |
| | <i>Lachnocaulon anceps</i> | | <i>Melanthera angustifolia</i> | | <i>Parletaria floridana</i> |
| | <i>Laguncularia racemosa</i> | | <i>Melanthera parvifolia</i> | | <i>Parthenocissus quinquefolia</i> |
| | <i>Lantana camara</i> | | <i>Melanthera nivea</i> | | <i>Paspalidium geminatum</i> |
| | <i>Lantana depressa</i> var. <i>sanibelensis!</i> | | <i>Melilotus albus</i> | ω Σ | <i>Paspalum blodgettii</i> |

| | | | | | |
|-----|---|----|---|----|--|
| | <i>Paspalum caespitosum</i> | | <i>Polygala boykinii</i> | | <i>Rhynchospora fascicularis</i> |
| | <i>Paspalum conjugatum</i> | | <i>Polygala cruciata</i> | | <i>Rhynchospora globularis</i> |
| | <i>Paspalum distichum</i> | Σ | <i>Polygala grandiflora</i> | | <i>Rhynchospora intermedia</i> |
| | <i>Paspalum fimbriatum</i> | | <i>Polygala incarnata</i> | | <i>Rhynchospora inundata</i> |
| | <i>Paspalum floridanum</i> | | <i>Polygala lutea</i> | | <i>Rhynchospora microcarpa</i> |
| | <i>Paspalum monostachyum</i> | | <i>Polygala nana</i> | | <i>Rhynchospora miliacea</i> |
| | <i>Paspalum notatum</i> | | <i>Polygala polygama</i> | | <i>Rhynchospora nitens</i> |
| | <i>Paspalum praecox</i> *! | | <i>Polygala rugelii</i> | | <i>Rhynchospora odorata</i> |
| | <i>Paspalum repens</i> | | <i>Polygala setacea</i> | | <i>Rhynchospora tracyi</i> |
| W Σ | <i>Paspalum setaceum</i> | | <i>Polygonum densiflorum</i> | | <i>Richardia grandiflora</i> |
| | <i>Paspalum urvillei</i> | | <i>Polygonum hydropiperoides</i> ! | | <i>Richardia scabra</i> |
| | <i>Passiflora pallens</i> | | <i>Polygonum punctatum</i> | | <i>Ricinus communis</i> |
| | <i>Passiflora suberosa</i> | | <i>Polygonum setaceum</i> | | <i>Rivina humilis</i> |
| Σ | <i>Pectis glaucescens</i> | | <i>Polypremum procumbens</i> | | <i>Rorippa teres</i> |
| | <i>Pectis prostrata</i> | | <i>Polyradicion lindenii</i> | | <i>Rotala ramosior</i> |
| | <i>Pectis xfloridana</i> *! | | <i>Polystachya concreta</i> | | <i>Rottboellia cochinchinensis</i> |
| | <i>Peltandra virginica</i> | | <i>Pongamia pinnata</i> | | <i>Roystonea regia</i> |
| | <i>Pennisetum purpureum</i> | | <i>Pontederia cordata</i> | | <i>Rubus trivialis</i> |
| | <i>Penstemon multiflorus</i> | | <i>Ponthieva racemosa</i> | WΣ | <i>Rudbeckia hirta</i> |
| | <i>Pentalinon luteum</i> | | <i>Portulaca oleracea</i> | | <i>Ruellia caroliniensis</i> |
| | <i>Pentodon pentandrus</i> | | <i>Portulaca pilosa</i> | | <i>Ruellia succulenta</i> |
| | <i>Peperomia alata</i> | | <i>Portulaca rubricaulis</i> | | <i>Ruellia tweediana</i> |
| | <i>Peperomia glabella</i> | | <i>Potamogeton illinoensis</i> | | <i>Rumex verticillatus</i> |
| | <i>Peperomia obtusifolia</i> | | <i>Proserpinaca palustris</i> | | <i>Ruppia maritima</i> |
| | <i>Peperomia rotundifolia</i> | | <i>Psidium guajava</i> | WΣ | <i>Sabal palmetto</i> |
| | <i>Persea americana</i> | | <i>Psilotum nudum</i> | | <i>Sabatia bartramii</i> |
| | <i>Persea borbonia</i> | | <i>Psychotria nervosa</i> | | <i>Sabatia brevifolia</i> |
| | <i>Persea palustris</i> | | <i>Psychotria sulzneri</i> | | <i>Sabatia calycina</i> |
| | <i>Phlebodium aureum</i> | | <i>Pteridium aquilinum</i> var. <i>caudatum</i> | | <i>Sabatia grandiflora</i> |
| | <i>Phlox drummondii</i> | | <i>Pteridium aquilinum</i> var. <i>pseudocaudatum</i> | | <i>Sabatia stellaris</i> |
| | <i>Phoradendron leucarpum</i> | | <i>Pteris bahamensis</i> | | <i>Saccharum giganteum</i> |
| | <i>Phragmites australis</i> | | <i>Pteris tripartita</i> | | <i>Saccharum officinarum</i> |
| W Σ | <i>Phyla nodiflora</i> | | <i>Pteris vittata</i> | | <i>Sacciolepis indica</i> |
| | <i>Phyllanthus caroliniensis</i> subsp. <i>saxicola</i> | | <i>Pteris xdelchampsii</i> | | <i>Sacciolepis striata</i> |
| | <i>Phyllanthus urinaria</i> | | <i>Pterocaulon pycnostachyum</i> | | <i>Sacola lanceolata</i> |
| | <i>Physalis angustifolia</i> | | <i>Ptilimnium capillaceum</i> | | <i>Sageretia minutiflora</i> |
| | <i>Physalis pubescens</i> | | <i>Quercus geminata</i> | | <i>Sagittaria filiformis</i> |
| W Σ | <i>Physalis walteri</i> | | <i>Quercus laurifolia</i> | | <i>Sagittaria graminea</i> |
| | <i>Physostegia purpurea</i> ! | | <i>Quercus minima</i> ! | | <i>Sagittaria graminea</i> var. <i>chapmanii</i> |
| | <i>Phytolacca americana</i> | | <i>Quercus pumila</i> | | <i>Sagittaria lancifolia</i> |
| | <i>Pilea microphylla</i> | | <i>Quercus virginiana</i> | | <i>Salix caroliniana</i> |
| | <i>Piloblephis rigida</i> | | <i>Randia aculeata</i> | | <i>Salvia lyrata</i> |
| | <i>Pinguicula lutea</i> | | <i>Rapanea punctata</i> | | <i>Salvia occidentalis</i> |
| | <i>Pinguicula pumila</i> | | <i>Reimarochloa oligostachya</i> | | <i>Salvinia minima</i> |
| | <i>Pinus elliotii</i> var. <i>densa</i> | | <i>Rhabdadenia biflora</i> | | <i>Sambucus canadensis</i> |
| | <i>Piper aduncum</i> | | <i>Rhaphis excelsa</i> | | <i>Samolus ebracteatus</i> |
| | <i>Piriqueta caroliniana</i> | | <i>Rhexia cubensis</i> | | <i>Samolus valerandi</i> subsp. <i>parviflorus</i> |
| | <i>Pisonia aculeata</i> | | <i>Rhexia mariana</i> | | <i>Sansevieria hyacinthoides</i> * |
| | <i>Pistia stratiotes</i> | | <i>Rhexia nashii</i> | | <i>Sapindus saponaria</i> |
| | <i>Pithecellobium unguis-cati</i> | | <i>Rhexia nuttallii</i> | W | <i>Sarcostemma clausum</i> |
| W | <i>Pityopsis graminifolia</i> | | <i>Rhizophora mangle</i> | | <i>Saurus cernuus</i> |
| | <i>Pityrogramma trifoliata</i> | | <i>Rhus copallinum</i> | | <i>Schefflera actinophylla</i> |
| | <i>Plantago major</i> | WΣ | <i>Rhynchelytrum repens</i> | W | <i>Schinus terebinthifolius</i> |
| | <i>Pleopeltis polypodioides</i> var. <i>michauxiana</i> | WΣ | <i>Rhynchosia minima</i> | | <i>Schizachyrium rhizomatum</i> |
| W | <i>Pluchea carolinensis</i> | | <i>Rhynchospora breviseta</i> | WΣ | <i>Schizachyrium sanguineum</i> |
| | <i>Pluchea odorata</i> | | <i>Rhynchospora caduca</i> | | <i>Schoenolirion albiflorum</i> |
| | <i>Pluchea rosea</i> | | <i>Rhynchospora chapmanii</i> | | <i>Schoenus nigricans</i> |
| | <i>Plumbago scandens</i> | | <i>Rhynchospora colorata</i> | | <i>Schoepfia chrysophylloides</i> |
| | <i>Poinsettia heterophylla</i> | | <i>Rhynchospora corniculata</i> | | <i>Scirpus tabernaemontani</i> |
| | <i>Polygala baldwinii</i> | | <i>Rhynchospora divergens</i> | | <i>Scleria baldwinii</i> |

WΣ Schizachyrium in grac

| | | | | | |
|----|--|----|--|-------------|--|
| | <i>Scleria ciliata</i> var. <i>ciliata</i> | WE | <i>Sporobolus indicus</i> var. <i>pyramidalis</i> | | <i>Utricularia inflata</i> |
| | <i>Scleria georgiana</i> | | <i>Sporobolus junceus</i> | | <i>Utricularia purpurea</i> |
| | <i>Scleria hirtella</i> | | <i>Sporobolus pyramidatus</i> | | <i>Utricularia radiata</i> |
| | <i>Scleria reticularis</i> | | <i>Stachytarpheta jamaicensis</i> | | <i>Utricularia resupinata</i> |
| | <i>Scleria triglomerata</i> | | <i>Stenandrium dulce</i> | | <i>Utricularia simulans</i> |
| | <i>Scleria verticillata</i> | | <i>Stenochlaena tenuifolia</i> | | <i>Utricularia subulata</i> |
| | <i>Scoparia dulcis</i> | | <i>Stenotaphrum secundatum</i> | | <i>Vaccinium darrowii</i> |
| | <i>Senecio glabellus</i> | | <i>Stillingia aquatica</i> | | <i>Vaccinium myrsinites</i> |
| | <i>Senna alata</i> | | <i>Stillingia sylvatica</i> | | Vanilla phaeantha |
| | <i>Senna ligustrina</i> | | <i>Syngonium angustatum</i> | | <i>Verbena bonariensis</i> |
| | <i>Senna obtusifolia</i> | | <i>Syngonium podophyllum</i> | | <i>Verbena scabra</i> |
| | <i>Senna pendula</i> var. <i>glabrata</i> | | Syzygium cumini | | <i>Verbesina virginica</i> |
| | <i>Serenoa repens</i> | | <i>Syzygium jambos</i> | | <i>Vernonia blodgettii</i> |
| | <i>Sesbania herbacea</i> | | <i>Tabebuia aurea</i> | | <i>Viburnum obovatum</i> |
| | <i>Sesbania vesicaria</i> | | Taxodium ascendens | | <i>Vicia acutifolia</i> |
| | <i>Sesuvium portulacastrum</i> | | <i>Taxodium distichum</i> | | <i>Vigna luteola</i> |
| | Setaria corrugata | | <i>Tectaria heracleifolia</i> | | Viola lanceolata |
| | <i>Setaria magna</i> | | Tephrosia spicata | | <i>Vitis aestivalis</i> |
| WE | <i>Setaria parviflora</i> | | <i>Teucrium canadense</i> | | <i>Vitis cinerea</i> var. <i>floridana</i> |
| | Seymeria pectinata | | <i>Thalia geniculata</i> | | <i>Vitis rotundifolia</i> |
| ? | <i>Sida acuta</i> | | Thelypteris hispidula var. versicolor | | Vitis shuttleworthii |
| | <i>Sida cordifolia</i> | | <i>Thelypteris interrupta</i> | | <i>Vittaria lineata</i> |
| | <i>Sida elliottii</i> | | <i>Thelypteris kunthii</i> | | <i>Waltheria indica</i> |
| | <i>Sida rhombifolia</i> | | Thelypteris ovata | | <i>Wedelia trilobata</i> |
| | Sideroxylon foetidissimum | | <i>Thelypteris palustris</i> var. <i>pubescens</i> | | <i>Wolffella oblonga</i> |
| | <i>Sideroxylon reclinatum</i> ssp. <i>reclinatum</i> | | <i>Thelypteris reticulata</i> | | <i>Woodwardia areolata</i> |
| | <i>Sideroxylon salicifolium</i> | | <i>Tillandsia balbisiana</i> | | <i>Woodwardia virginica</i> |
| | <i>Simarouba glauca</i> | | <i>Tillandsia fasciculata</i> var. <i>densispica</i> | | <i>Ximenia americana</i> |
| ? | <i>Sisyrinchium angustifolium</i> | | Tillandsia flexuosa | | <i>Xyris ambigua</i> |
| | <i>Sisyrinchium rosulatum</i> | | <i>Tillandsia paucifolia</i> | | <i>Xyris difformis</i> var. <i>floridana</i> |
| | <i>Smilax auriculata</i> | | <i>Tillandsia pruinosa</i> | | <i>Xyris elliottii</i> |
| | Smilax bona-nox | | Tillandsia recurvata | | Xyris flabelliformis |
| | <i>Smilax laurifolia</i> | | <i>Tillandsia setacea</i> | | <i>Xyris jupicai</i> |
| | <i>Solanum americanum</i> | | <i>Tillandsia usneoides</i> | | Youngia japonica |
| | <i>Solanum capsicoides</i> * | | Tillandsia utriculata | | Zanthoxylum fagara |
| | <i>Solanum erianthum</i> | | <i>Tillandsia variabilis</i> | | Zea mays subsp. <i>mexicana</i> |
| | <i>Solanum verbascifolium</i> | | <i>Tillandsia xsmalliana</i> | | <i>Zephyranthes simpsonii</i> |
| | <i>Solanum viarum</i> | | <i>Tournefortia hirsutissima</i> | | <i>Zeuxine strateumatica</i> |
| | <i>Solidago fistulosa</i> | | Tournefortia volubilis | | <i>Zizaniopsis miliacea</i> |
| | <i>Solidago gigantea</i> | W | <i>Toxicodendron radicans</i> | | Zoysia tenuifolia |
| | Solidago odora var. chapmanii | | <i>Tradescantia spathacea</i> | Bold | = needs to be collected |
| | Solidago rugosa var. aspera | | <i>Tradescantia zebrina</i> | * | =not on Muss et al. |
| WE | <i>Solidago sempervirens</i> | | <i>Trema micranthum</i> | | =collected by IRC |
| WE | <i>Solidago stricta</i> | | <i>Trichomanes holopterum</i> | | |
| | <i>Solidago tortifolia</i> | | <i>Trichostema dichotomum</i> | | |
| | Spartina bakeri | | Trichostigma octandrum | | |
| | <i>Spermacoce assurgens</i> | | <i>Tridax procumbens</i> | | |
| | <i>Spermacoce floridana</i> | | <i>Triphora gentianoides</i> | | |
| | <i>Spermacoce prostrata</i> | | <i>Tripsacum dactyloides</i> | | |
| | <i>Spermacoce terminalis</i> | | <i>Tripsacum floridanum</i> | | |
| WE | <i>Spermacoce verticillata</i> | | <i>Turbina corymbosa</i> | | |
| | Spiranthes brevilabris | | Typha domingensis | | |
| | <i>Spiranthes cernua</i> | | <i>Typha latifolia</i> | | |
| | <i>Spiranthes laciniata</i> | | <i>Urena lobata</i> | | |
| | <i>Spiranthes longilabris</i> | | Urochloa fasciculata var. reticulata | | |
| | <i>Spiranthes odorata</i> | | <i>Urochloa mutica</i> | | |
| | <i>Spiranthes torta</i> | | <i>Urochloa ramosa</i> | | |
| | <i>Spiranthes vemalis</i> | | <i>Utricularia cornuta</i> | | |
| | <i>Sporobolus domingensis</i> | | <i>Utricularia foliosa</i> | | |
| | <i>Sporobolus indicus</i> | | <i>Utricularia gibba</i> | | |