

Transct data entered 1/1  
Cell Data entered  
GL 5/20/03

Ref ID#34877

K.A. Bradley & M. Abdo. 2003. Observations of vascular plants at Big Cypress National Preserve Cell #AT30, Big Cypress National Preserve, Collier County. 21 February 2003. The Institute for Regional Conservation, Miami, FL.

| Site Ref ID # | Site Name                                |
|---------------|--|
| 47430         | Big Cypress National Preserve Cell #AT30 |
| 47431         | Big Cypress National Preserve            |

180  
280  
300

|  |  |  |
|--|--|--|
| Plants of Big Cypress based on Muss et al. (2002)    |  |  |
| CELL <b>D+30</b>                                     | Point # <b>57</b>                                    |  |
| Date: <b>2/21/13</b>                                 | Observers: <b>KB MA</b>                              |  |
| <i>Abrus precatorius</i>                             | <i>Asclepias lanceolata</i>                          | <i>Caperonia castaneifolia</i>                   |
| <i>Abutilon permolle</i>                             | <i>Asclepias longifolia</i>                          | <i>Capparis flexuosa</i>                         |
| <i>Acacia pinetorum</i>                              | <i>Asclepias tuberosa</i>                            | <i>Capraria biflora</i>                          |
| <i>Acalypha gracilens</i>                            | <i>Asclepias verticillata</i>                        | <i>Cardiospermum corindum</i>                    |
| <i>Acalypha ostryifolia</i>                          | <i>Asimina reticulata</i>                            | <i>Cardiospermum microcarpum</i>                 |
| <i>Acer rubrum</i>                                   | <i>Asplenium serratum</i>                            | <i>Carex gigantea!</i>                           |
| <i>Acmella oppositifolia</i> var. <i>repens</i>      | <i>Aster adnatus</i>                                 | <i>Carex longii!</i>                             |
| <i>Acoelorrhaphis wrightii</i>                       | <i>Aster bracei</i>                                  | <i>Carex lupuliformis</i>                        |
| <i>Acrostichum danaeifolium!</i>                     | <i>Aster carolinianus</i>                            | <i>Carex vexans!</i>                             |
| <i>Adiantum capillus-veneris*</i>                    | <i>Aster concolor</i>                                | <i>Carica papaya</i>                             |
| <i>Adiantum tenerum*</i>                             | <i>Aster dumosus</i>                                 | <i>Carphephorus corymbosus</i>                   |
| <i>Aeschynomene americana</i>                        | <i>Aster ellottii</i>                                | <i>Carphephorus odoratissimus</i>                |
| <i>Aeschynomene pratensis!</i>                       | <i>Aster subulatus</i>                               | <i>Caryota mitis</i>                             |
| <i>Agalinis fasciculata</i>                          | <i>Avicennia germinans</i>                           | <i>Cassytha filiformis</i>                       |
| <i>Agalinis filifolia</i>                            | <i>Axonopus compressus*</i>                          | <i>Casuarina equisetifolia</i>                   |
| <i>Agalinis linifolia</i>                            | <i>Axonopus fissifolius!</i>                         | <i>Casuarina glauca</i>                          |
| <i>Agalinis maritima</i>                             | <i>Axonopus furcatus</i>                             | <i>Catharanthus roseus</i>                       |
| <i>Ageratina jucunda</i>                             | <i>Azolla caroliniana</i>                            | <i>Catopsis berteroiana</i>                      |
| <i>Albizia lebbeck</i>                               | <i>Baccharis angustifolia</i>                        | <i>Catopsis floribunda</i>                       |
| <i>Aletris bracteata</i>                             | <i>Baccharis glomeruliflora</i>                      | <i>Celtis laevigata</i>                          |
| <i>Aletris lutea</i>                                 | <i>Baccharis halimifolia</i>                         | <i>Cenchrus gracilimus!</i>                      |
| <i>Alpinia zerumbet</i>                              | <i>Bacopa caroliniana</i>                            | <i>Cenchrus incertus</i>                         |
| <i>Alysicarpus ovalifolius</i>                       | <i>Bacopa monnieri</i>                               | <i>Centella asiatica</i>                         |
| <i>Alysicarpus vaginalis</i>                         | <i>Bartonia paniculata</i>                           | <i>Centrosema virginianum</i>                    |
| <i>Amaranthus australis</i>                          | <i>Bauhinia purpurea</i>                             | <i>Cephalanthus occidentalis</i>                 |
| <i>Amaranthus viridis*</i>                           | <i>Bauhinia variegata</i>                            | <i>Ceratophyllum demersum</i>                    |
| <i>Ambrosia artemisiifolia</i>                       | <i>Bejaria racemosa</i>                              | <i>Ceratopteris thalictroides</i>                |
| <i>Ammannia latifolia</i>                            | <i>Berchemia scandens</i>                            | <i>Chamaecrista fasciculata</i>                  |
| <i>Amorpha fruticosa</i>                             | <i>Bidens alba</i> var. <i>radiata</i>               | <i>Chamaecrista nictitans</i> var. <i>aspera</i> |
| <i>Amorpha herbacea</i>                              | <i>Bigelowia nudata</i> subsp. <i>australis</i>      | <i>Chamaesyce blodgettii</i>                     |
| <i>Ampelopsis arborea</i>                            | <i>Bischofia javanica</i>                            | <i>Chamaesyce conferta!</i>                      |
| <i>Amphicarpum muhlenbergianum</i>                   | <i>Blechnum serrulatum</i>                           | <i>Chamaesyce hirta</i>                          |
| <i>Amyris elemifera</i>                              | <i>Blechnum pyramidatum</i>                          | <i>Chamaesyce hypericifolia</i>                  |
| <i>Andropogon glomeratus</i> var. <i>glaucopsis*</i> | <i>Bletia purpurea</i>                               | <i>Chamaesyce hyssopifolia</i>                   |
| <i>Andropogon glomeratus</i> var. <i>hirsutior</i>   | <i>Boehmeria cylindrica</i>                          | <i>Chamaesyce lasiocarpa</i>                     |
| <i>Andropogon glomeratus</i> var. <i>pumilus</i>     | <i>Boerhavia diffusa</i>                             | <i>Chamaesyce mendezii</i>                       |
| <i>Andropogon gyrans</i>                             | <i>Boltonia diffusa</i>                              | <i>Chamaesyce ophthalmica</i>                    |
| <i>Andropogon longiberbis</i>                        | <i>Bothriochloa ischaemum</i> var. <i>songarica!</i> | <i>Chamaesyce pergamenta</i>                     |
| <i>Andropogon ternarius</i>                          | <i>Bothriochloa pertusa</i>                          | <i>Chamaesyce porteriiana</i>                    |
| <i>Andropogon virginicus</i>                         | <i>Brassica rapa</i>                                 | <i>Chaptalia tomentosa</i>                       |
| <i>Andropogon virginicus</i> var. <i>decipiens</i>   | <i>Buchnera americana</i>                            | <i>Chiococca alba</i>                            |
| <i>Andropogon virginicus</i> var. <i>glaucus</i>     | <i>Bucida buceras</i>                                | <i>Chiococca parvifolia</i>                      |
| <i>Anemia adiantifolia</i>                           | <i>Bulbostylis ciliatifolia</i>                      | <i>Chrysobalanus icaco</i>                       |
| <i>Angadenia berteroii</i>                           | <i>Bulbostylis stenophylla</i>                       | <i>Chrysophyllum oliviforme</i>                  |
| <i>Annona glabra</i>                                 | <i>Burmannia capitata</i>                            | <i>Chrysopogon pauciflorus</i>                   |
| <i>Apio americana</i>                                | <i>Burmannia flava</i>                               | <i>Chrysopsis subulata</i>                       |
| <i>Apteria aphylla</i> *                             | <i>Bursera simaruba</i>                              | <i>Cirsium horridulum</i>                        |
| <i>Ardisia escallonioides</i>                        | <i>Caesalpinia bonduc</i>                            | <i>Cirsium nuttallii</i>                         |
| <i>Argemone mexicana</i>                             | <i>Calliandra haematocephala</i>                     | <i>Cissus verticillata</i>                       |
| <i>Aristida beyrichiana</i>                          | <i>Callicarpa americana</i>                          | <i>Citharexylum spinosum</i>                     |
| <i>Aristida patula</i>                               | <i>Calopogon multiflorus!</i>                        | <i>Citrus aurantium</i>                          |
| <i>Aristida purpurascens</i>                         | <i>Calopogon tuberosus!</i>                          | <i>Citrus limon</i>                              |
| <i>Aristida spiciformis</i>                          | <i>Calypranthes pallens!</i>                         | <i>Citrus sinensis</i>                           |
| <i>Arnoglossum ovatum</i>                            | <i>Calystegia sepium</i> subsp. <i>limnophila</i>    | <i>Citrus xparadisi</i>                          |
| <i>Arundo donax</i>                                  | <i>Campanula floridana</i>                           | <i>Cladium jamaicense</i>                        |
| <i>Asclepias curassavica</i>                         | <i>Campsip radicans</i>                              | <i>Clematis baldwinii</i>                        |
| <i>Asclepias incarnata!</i>                          | <i>Campylocentrum pachyrhizum</i>                    | <i>Clitoria mariana</i>                          |
|  | <i>Campyloneurum angustifolium*</i>                  | <i>Cnidoscolus stimulosus</i>                    |
|  | <i>Campyloneurum phyllitidis</i>                     | <i>Coccocoba diversifolia!</i>                   |
|  | <i>Canna flaccida</i>                                | <i>Codiaeum variegatum</i> var. <i>pictum</i>    |

|  |  |  |
|--|--|--|
| Coelorachis rugosa                         | Dichanthelium erectifolium                       | Erigeron vernus                            |
| Coleus pumilus                             | Dichanthelium ovale                              | Eriobotrya japonica                        |
| <b>Colocasia esculenta</b>                 | Dichanthelium portoricense                       | Eriocaulon compressum                      |
| Colubrina arborescens                      | Dichanthelium strigosum var. glabrescens         | Eriocaulon decangulare                     |
| <b>Commelina diffusa var. diffusa</b>      | Dichanthium aristatum*                           | Eriocaulon ravenelii !                     |
| Commelinaceae                              | <b>Dichondra carolinensis</b>                    | <b>Eriochloa michauxii var. michauxii*</b> |
| Conocarpus erectus                         | Dichondra micrantha                              | <b>Erucastrum gallicum</b>                 |
| Conoclinium coelestinum                    | Dicliptera sexangularis                          | Eryngium baldwinii                         |
| Conyzia canadensis var. pusilla            | Digitaria ciliaris *                             | Eryngium yuccifolium                       |
| <b>Corchorus hirtus*</b>                   | Digitaria filiformis var. filiformis !           | Erythrina herbacea                         |
| Corchorus siliquosus                       | Digitaria longiflora                             | <b>Erythrodes quereticola</b>              |
| Cordia globosa                             | Digitaria violascens!                            | Eugenia axillaris                          |
| Coreopsis leavenworthii                    | <b>Diiodia virginiana</b>                        | Eugenia uniflora                           |
| Cornus foemina                             | Dioscorea bulbifera                              | Euphorbia alta                             |
| Crinum americanum                          | Dioscorea sansibarensis                          | Eupatorium capillifolium                   |
| Crotalaria lanceolata                      | Diospyros virginiana                             | Eupatorium leptophyllum                    |
| Crotalaria pallida var. obovata            | Dodonaea angustifolia                            | Eupatorium mikanoides                      |
| Crotalaria pumila!                         | Drosera brevifolia                               | Eupatorium mohrii                          |
| Crotalaria rotundifolia                    | Drosera capillaris                               | Eupatorium rotundifolium                   |
| Crotalaria spectabilis                     | <b>Drymaria cordata!</b>                         | Eupatorium serotinum                       |
| Croton glandulosus var. glandulosus !      | <b>Dryptes lateriflora</b>                       | Euphorbia polypylla                        |
| Croton humilis                             | Dyschoriste angusta                              | Eustachys glauca                           |
| Ctenitis sloanei                           | Dyschoriste oblongifolia*                        | Eustachys petraea                          |
| Cuphea carthagenensis                      | Echinochloa colona                               | Eustoma exaltatum                          |
| Cuscuta pentagona                          | Echinochloa crus-galli                           | Euthamia caroliniana                       |
| <b>Cynanchum blodgettii</b>                | Echinochloa muricata!                            | Evolvulus alsinoides!                      |
| Cynanchum scoparium                        | Echinochloa paludigena                           | Evolvulus sericeus                         |
| Cynodon dactylon!                          | Echinochloa walteri                              | <b>Exothea paniculata</b>                  |
| Cyperus articulatus                        | Echinodorus berteroii                            | Ficus aurea!                               |
| Cyperus compressus                         | Eclipta prostrata                                | Ficus citrifolia                           |
| Cyperus croceus                            | Eichhornia crassipes                             | Fimbristylis autumnalis                    |
| Cyperus distinctus                         | Eleocharis albida                                | <b>Fimbristylis caroliniana</b>            |
| Cyperus esculentus                         | Eleocharis atropurpurea                          | Fimbristylis cymosa                        |
| Cyperus flavescens                         | Eleocharis baldwini!                             | Fimbristylis schoenoides                   |
| Cyperus haspan                             | Eleocharis cellulosa                             | Fimbristylis spadicea!                     |
| Cyperus involucratus                       | Eleocharis elongata                              | Flaveria linearis                          |
| Cyperus ligularis                          | Eleocharis flavescens                            | <b>Forestiera segregata</b>                |
| Cyperus odoratus                           | Eleocharis geniculata                            | Fraxinus caroliniana                       |
| Cyperus planifolius                        | Eleocharis interstincta                          | Fuirena breviseta                          |
| Cyperus polystachyos!                      | Elephantopus elatus                              | Fuirena scirpoidea                         |
| Cyperus pumilus                            | Eleusine indica                                  | <b>Furcraea sellowii</b>                   |
| Cyperus retrorsus                          | Elionurus tripsacoides                           | Galactia elliottii                         |
| Cyperus surinamensis                       | <b>Elytraria caroliniensis</b> var. angustifolia | Galactia regularis                         |
| Cyperus tetragonus!                        | Emilia fosbergii!                                | <b>Galactia striata</b>                    |
| Cyrtopodium punctatum                      | Encyclia cochleata                               | Galactia volubilis                         |
| Dactyloctenium aegyptium                   | <b>Encyclia tampensis</b>                        | <b>Galium hispidulum</b>                   |
| Dalbergia sissoo                           | Epidendrum anceps                                | Gaura angustifolia                         |
| Dalea carnea                               | Epidendrum floridense                            | Glandularia maritima                       |
| Dalea carthagenensis var. floridana        | Epidendrum nocturnum                             | Gnaphalium falcatum!                       |
| <b>Desmodium floridanum</b>                | Epidendrum rigidum                               | Gnaphalium obtusifolium                    |
| Desmodium incanum                          | Equisetum hyemale var. affine                    | <b>Gnaphalium pennsylvanicum</b>           |
| Desmodium paniculatum                      | Eragrostis atrovirens!                           | Gnaphalium purpureum                       |
| Desmodium tortuosum                        | Eragrostis bahiensis                             | Gomphrena serrata                          |
| Desmodium triflorum                        | Eragrostis ciliaris                              | Gouania lupuloides                         |
| <b>Desmodium viridiflorum</b>              | Eragrostis elliotii                              | Gratiola ramosa                            |
| Dichanthelium aciculare                    | Eragrostis hypnoides!                            | Grevillea robusta                          |
| Dichanthelium commutatum                   | Eragrostis spectabilis                           | <b>Guzmania monostachia</b>                |
| Dichanthelium dichotomum                   | Erechtites hieracifolia                          | Gymnopogon brevifolius                     |
| Dichanthelium ensifolium                   | Eremochloa ophiuroides                           | Gymnopogon chapmanianus                    |
| Dichanthelium ensifolium var. unciphyllum! | Erigeron quercifolius                            | Habenaria floribunda                       |

|   |   |   |
|---|---|---|
| Habenaria nivea                           | Juncus repens                           | Magnolia virginiana                             |
| Habenaria quinqueseta                     | Juncus roemerianus                      | Malachra urens                                  |
| Habenaria repens                          | Juncus trigonocarpus                    | Malaxis spicata                                 |
| Hamelia patens                            | Justicia angusta!                       | <b>Malvaviscus arboreus</b> var. drummondii     |
| Harrisella filiformis                     | <b>Kalanchoe pinnata</b>                | <b>Mangifera indica</b>                         |
| Hedyotis procumbens !                     | <b>Kalanchoe tubiflora</b>              | <b>Maxillaria crassifolia</b>                   |
| Hedyotis uniflora                         | Kigelia pinnata                         | <b>Mecardonia acuminata</b> subsp. peninsularis |
| Helenium amarum                           | Kosteletzky virginica                   | <b>Mecardonia procumbens!</b>                   |
| ✓ Helenium pinnatifidum                   | Krugiodendron ferreum                   | Medicago lupulina*                              |
| Helianthus angustifolius                  | Kyllinga brevifolia                     | <b>Melaleuca quinquenervia</b>                  |
| Helianthus radula                         | Lachnocaulon anceps                     | <b>Melaleuca viminalis</b>                      |
| ✓ Heliotropium polyphyllum                | Laguncularia racemosa                   | <b>Melanthera angustifolia!</b>                 |
| Heteropogon contortus                     | Lantana camara                          | <b>Melanthera parvifolia</b>                    |
| Heteropogon melanocarpus                  | Lantana depressa var. sanibelensis!     | Melanthera nivea                                |
| Heterotheca subaxillaris                  | Lantana involucrata                     | Melilotus albus                                 |
| Hibiscus grandiflorus !                   | <b>Lasiacis divaricata</b>              | Melochia pyramidata                             |
| <b>Hibiscus poeppigii</b>                 | Leersia hexandra                        | Melochia spicata                                |
| Hibiscus rosa-sinensis var. schizopetalus | Lemna obscura                           | <b>Melothria pendula</b>                        |
| Hibiscus tiliaceus                        | Lepidium virginicum                     | <b>Metopium toxiferum</b>                       |
| Hippocratea volubilis                     | Leptochloa fascicularis!                | <b>Micranthemum glomeratum</b>                  |
| Hydrilla verticillata                     | Leucaena leucocephala                   | <b>Microgramma heterophylla</b>                 |
| Hydrocotyle bonariensis                   | Liatris garberi                         | <b>Mikania cordifolia</b>                       |
| Hydrocotyle umbellata                     | Liatris gracilis                        | <b>Mikania scandens</b>                         |
| Hydrocotyle verticillata                  | <b>Liatris graminifolia</b>             | Mitreola petiolata                              |
| Hyrolea corymbosa                         | Liatris pauciflora                      | Mitreola sessilifolia                           |
| Hymenocallis palmeri                      | Liatris spicata                         | <b>Monanthochloe littoralis</b>                 |
| Hyparrhenia rufa                          | Licania michauxii                       | Morus alba                                      |
| ✓ Hypericum brachyphyllum!                | Lilium catesbaei                        | Morus rubra                                     |
| Hypericum cistifolium                     | Limnophila sessiliflora                 | <b>Mucuna pruriens *</b>                        |
| Hypericum crux-andreae!                   | Lindernia crustacea                     | Muhlenbergia capillaris                         |
| Hypericum hypericoides                    | <b>Lindernia dubia</b> var. anagallidea | <b>Murdannia nudiflora</b>                      |
| Hypericum tetrapetalum                    | Lindernia grandiflora                   | Murdannia spirata                               |
| Hypoxis juncea                            | Linum carteri var. smallii              | Musa xparadisiaca                               |
| Hypoxis wrightii                          | Linum floridanum                        | Myrcianthes fragrans                            |
| Hyptis alata                              | Linum medium var. texanum!              | Myrica cerifera                                 |
| Hyptis mutabilis                          | <b>Liparis nervosa</b>                  | Myriophyllum aquaticum                          |
| Hyptis pectinata                          | Lobelia feayana                         | Myriophyllum heterophyllum                      |
| Hyptis verticillata                       | Lobelia glandulosa                      | Myriophyllum pinnatum                           |
| Ilex cassine!                             | Lobelia homophylla                      | Najas guadalupensis                             |
| Ilex glabra                               | Lobelia paludosa !                      | Najas marina                                    |
| Imperata brasiliensis                     | Ludwigia alata!                         | Najas wrightiana                                |
| Imperata cylindrica                       | Ludwigia curtissii                      | <b>Nelumbo lutea</b>                            |
| Indigofera spicata                        | <b>Ludwigia erecta</b>                  | Nephrolepis biserrata                           |
| Ionopsis utricularioides                  | Ludwigia maritima                       | Nephrolepis exaltata                            |
| Ipomoea alba                              | ✓ Ludwigia microcarpa                   | Nephrolepis multiflora!                         |
| Ipomoea batatas                           | Ludwigia octovalvis                     | Neyraudia reynaudiana                           |
| Ipomoea cordatotriloba                    | Ludwigia peruviana                      | <b>Nicotiana tabacum</b>                        |
| Ipomoea indica var. acuminata             | Ludwigia repens !                       | <b>Nuphar lutea</b> subsp. advena               |
| ✓ Ipomoea sagittata                       | <b>Ludwigia suffruticosa</b>            | Nymphaea elegans                                |
| Ipomoea triloba                           | Lycium carolinianum                     | <b>Nymphaea lotus</b>                           |
| Iresine diffusa                           | <b>Lycopus rubellus</b>                 | Nymphaea odorata                                |
| Iris hexagona                             | Lygodium microphyllum                   | Nymphoides aquatica                             |
| Isoetes flaccida                          | Lyonia fruticosa                        | <b>Ocimum campechianum</b>                      |
| Iva microcephala                          | <b>Lyonia lucida</b>                    | Ocotea coriacea                                 |
| Ixora coccinea                            | Lysimachia latifolium                   | Oeceoclades maculata                            |
| Jacquemontia curtissii                    | Lythrum alatum var. lanceolatum         | Oenothera humifusa                              |
| Jacquemontia pentanthos                   | Lythrum lineare                         | Ophioglossum palmatum                           |
| Juncus marginatus                         | Macroptilium atropurpureum              | <b>Ophioglossum petiolatum</b>                  |
| Juncus megacephalus                       | Macroptilium lathyroides                | Oplismenus hirtellus                            |
| Juncus polycephalus                       | Magnolia grandiflora                    | Opuntia humifusa                                |

|   |   |                                    |
|---|---|------------------------------------|
| Osmunda regalis var. spectabilis          | Pinguicula lutea                          | Quercus virginiana                 |
| <i>Oxalis corniculata</i>                 | Pinguicula pumila                         | Randia aculeata                    |
| Oxypolis filiformis                       | Pinus elliottii var. densa                | Rapanea punctata                   |
| Palafoxia feayi                           | Piper aduncum                             | Reimarochoa oligostachya           |
| Panicum dichotomiflorum                   | Piriqueta caroliniana                     | Rhabdadenia biflora                |
| Panicum dichotomiflorum var. bartowense   | Pisonia aculeata                          | Rhapis excelsa                     |
| Panicum hemitomon                         | Pistia stratiotes                         | Rhexia cubensis                    |
| Panicum hians!                            | Pithecellobium unguis-cati                | Rhexia mariana!                    |
| Panicum repens                            | Pityopsis graminifolia                    | Rhexia nashii                      |
| Panicum rigidulum                         | Pityrogramma trifoliata                   | Rhexia nuttallii                   |
| Panicum tenerum                           | Plantago major!                           | Rhizophora mangle                  |
| <i>Panicum virgatum</i>                   | Pleopeltis polypodioides var. michauxiana | Rhus copallina                     |
| <i>Parietaria floridana</i>               | Pluchea carolinensis                      | Rhynchosia minima                  |
| Parthenocissus quinquefolia               | Pluchea odorata                           | Rhynchospora brevisetia            |
| Paspalidium geminatum!                    | Pluchea rosea                             | Rhynchospora chapmanii             |
| Paspalum blodgettii                       | Plumbago scandens                         | Rhynchospora colorata              |
| Paspalum caespitosum                      | Poinsettia heterophylla                   | Rhynchospora corniculata!          |
| Paspalum conjugatum!                      | Polygala balduinii                        | Rhynchospora divergens             |
| Paspalum distichum                        | Polygala boykinii                         | Rhynchospora fascicularis          |
| Paspalum fimbriatum                       | Polygala cruciata                         | Rhynchospora globularis            |
| Paspalum floridanum!                      | Polygala grandiflora                      | Rhynchospora intermedia            |
| Paspalum monostachyum                     | Polygala incarnata                        | Rhynchospora inundata              |
| Paspalum notatum                          | Polygala lutea                            | Rhynchospora microcarpa!           |
| Paspalum praecox*                         | Polygala nana                             | Rhynchospora miliacea              |
| Paspalum repens                           | Polygala polygama                         | Rhynchospora nitens                |
| Paspalum setaceum                         | Polygala rugelii                          | Rhynchospora odorata               |
| Paspalum urvillei!                        | Polygala setacea                          | Rhynchospora tracyi                |
| <i>Passiflora pallens</i>                 | Polygala verticillata var. isocycla*      | Richardia grandiflora              |
| Passiflora suberosa                       | Polygonum densiflorum                     | Richardia scabra                   |
| Pectis glaucescens                        | Polygonum hydropiperoides!                | Ricinus communis                   |
| Pectis prostrata                          | Polygonum punctatum                       | Rivina humilis                     |
| Pectis xfloridana!                        | Polygonum setaceum                        | Rorippa teres!                     |
| <i>Peltandra virginica</i>                | Polypremum procumbens                     | Rotala ramosior                    |
| Pennisetum purpureum                      | Polyradicion lindenii                     | Rottboellia cochinchinensis        |
| Penstemon multiflorus                     | Polystachya concreta                      | Roystonea regia                    |
| Pentalinon luteum                         | Pongamia pinnata                          | Rubus trivialis                    |
| Pentodon pentandrus!                      | Pontederia cordata                        | Rudbeckia hirta                    |
| Peperomia alata                           | Ponthieva racemosa                        | Ruellia caroliniensis              |
| Peperomia glabella                        | Portulaca oleracea!                       | Ruellia succulenta                 |
| Peperomia obtusifolia                     | Portulaca pilosa                          | Ruellia tweediana                  |
| Peperomia rotundifolia                    | Portulaca rubricaulis                     | Rumex verticillatus                |
| Persea americana                          | Potamogeton illinoensis                   | Ruppia maritima                    |
| Persea borbonia                           | Proserpinaca palustris                    | Sabal palmetto!                    |
| <i>Persea palustris</i>                   | Pseudelephantopus spicatus *              | Sabatia bartramii!                 |
| Phanopyrum gymnocarpon !*                 | Psidium guajava                           | Sabatia brevifolia                 |
| Phlebodium aureum                         | Psilotum nudum                            | Sabatia calycina                   |
| <i>Phlox drummondii</i>                   | Psychotria nervosa                        | Sabatia grandiflora                |
| Phoradendron leucarpum                    | Psychotria sulzneri                       | Sabatia stellaris                  |
| Phragmites australis                      | Pteridium aquilinum var. caudatum         | Saccharum giganteum                |
| Phyla nodiflora                           | Pteridium aquilinum var. pseudocaudatum   | Saccharum officinarum              |
| Phyla stoechadifolia!                     | Pteris bahamensis                         | Sacciolepis indica                 |
| Phyllanthus caroliniensis subsp. saxicola | Pteris tripartita                         | Sacciolepis striata                |
| Phyllanthus urinaria                      | Pteris vittata                            | Sacoila lanceolata                 |
| Physalis angustifolia                     | Pteris xdelchampsii                       | Sageretia minutiflora              |
| <i>Physalis pubescens</i>                 | Pterocaulon pycnostachyum                 | Sagittaria filiformis              |
| Physalis walteri                          | Ptilimnium capillaceum                    | Sagittaria graminea!               |
| Physostegia purpurea!                     | Quercus geminata                          | Sagittaria graminea var. chapmanii |
| Phytolacca americana                      | Quercus laurifolia                        | Sagittaria lancifolia              |
| Pilea microphylla!                        | Quercus minima!                           | Salix caroliniana                  |
| Piloblepharis rigida                      | Quercus pumila                            |                                    |

|  |  |                                      |
|--|--|--------------------------------------|
| Salvia lyrata                          | Solidago sempervirens                  | Toxicodendron radicans               |
| Salvia occidentalis                    | Solidago stricta                       | Tradescantia spathacea               |
| Salvinia minima                        | Solidago tortifolia!                   | Tradescantia zebrina                 |
| Sambucus canadensis                    | Spartina bakeri                        | Trema micranthum                     |
| Samolus ebracteatus                    | Spermacoce assurgens                   | Trichomanes holopterum               |
| Samolus valerandi subsp. parviflorus   | Spermacoce floridana                   | Trichostema dichotomum               |
| Sansevieria hyacinthoides*             | Spermacoce prostrata                   | Trichostigma octandrum               |
| Sapindus saponaria                     | Spermacoce terminalis                  | Tridax procumbens                    |
| Sarcostemma clausum                    | Spermacoce verticillata                | Triphora gentianoides                |
| Saururus cernuus                       | Spiranthes brevilabris                 | Tripsacum dactyloides                |
| Schefflera actinophylla                | Spiranthes cernua                      | Tripsacum floridanum                 |
| Schinus terebinthifolius               | Spiranthes laciniata                   | Turbina corymbosa                    |
| Schizachyrium rhizomatum               | Spiranthes longilabris                 | Typha domingensis                    |
| Schizachyrium sanguineum               | Spiranthes odorata                     | Typha latifolia                      |
| Schoenolirion albiflorum               | Spiranthes torta                       | Urena lobata                         |
| Schoenus nigricans                     | Spiranthes vernalis                    | Urochloa fasciculata var. reticulata |
| Schoepfia chrysophylloides             | Spirodela polyrhiza*                   | Urochloa mutica                      |
| Scirpus tabernaemontani                | Sporobolus domingensis                 | Urochloa ramosa                      |
| Scleria baldwinii                      | Sporobolus indicus                     | Utricularia cornuta                  |
| Scleria ciliata var. ciliata!          | Sporobolus indicus var. pyramidalis    | Utricularia foliosa                  |
| Scleria georgiana!                     | Sporobolus juncceus                    | Utricularia gibba                    |
| Scleria hirtella!                      | Sporobolus pyramidatus                 | Utricularia inflata                  |
| Scleria reticularis                    | Stachytarpheta jamaicensis             | Utricularia purpurea                 |
| Scleria triglomerata!                  | Stenandrium dulce                      | Utricularia radiata                  |
| Scleria verticillata                   | Stenochlæna tenuifolia                 | Utricularia resupinata               |
| Scoparia dulcis                        | Stenotaphrum secundatum                | Utricularia simulans                 |
| Senecio glabellus                      | Stillingia aquatica                    | Utricularia subulata                 |
| Senna alata                            | Stillingia sylvatica                   | Vaccinium darrowii                   |
| Senna ligustrina                       | Stylosanthes hamata!                   | Vaccinium myrsinites                 |
| Senna obtusifolia                      | Syagrus romanzoffiana *                | Vanilla phaeantha                    |
| Senna pendula var. glabrata            | Syngonium angustatum!                  | Verbena bonariensis                  |
| Serenoa repens                         | Syngonium podophyllum                  | Verbena scabra!                      |
| Sesbania herbacea                      | Syzygium cumini                        | Verbesina virginica                  |
| Sesbania vesicaria                     | Syzygium jambos                        | Vernonia blodgettii                  |
| Sesuvium portulacastrum                | Tabebuia aurea                         | Viburnum obovatum                    |
| Setaria corrugata                      | Taxodium ascendens                     | Vicia acutifolia                     |
| Setaria magna                          | Taxodium distichum                     | Vigna luteola                        |
| Setaria parviflora                     | Tectaria heracleifolia                 | Viola lanceolata                     |
| Seymeria pectinata                     | Tephrosia spicata!                     | Vitis aestivalis                     |
| Sida acuta                             | Teucrium canadense                     | Vitis cinerea var. floridana         |
| Sida cordifolia                        | Thalia geniculata                      | Vitis rotundifolia                   |
| Sida elliottii                         | Thelypteris hispidula var. versicolor  | Vitis shuttleworthii                 |
| Sida rhombifolia                       | Thelypteris interrupta                 | Vittaria lineata                     |
| Sideroxylon foetidissimum              | Thelypteris kunthii!                   | Waltheria indica                     |
| Sideroxylon reclinatum ssp. reclinatum | Thelypteris ovata!                     | Wedelia trilobata                    |
| Sideroxylon salicifolium               | Thelypteris palustris var. pubescens   | Wolfiella oblonga                    |
| Simarouba glauca                       | Thelypteris reticulata                 | Woodwardia areolata                  |
| Sisyrinchium angustifolium             | Tillandsia balbisiana                  | Woodwardia virginica                 |
| Sisyrinchium rosulatum                 | Tillandsia fasciculata var. densispica | Ximenia americana                    |
| Smilax auriculata                      | Tillandsia flexuosa                    | Xyris ambigua                        |
| Smilax bona-nox                        | Tillandsia paucifolia                  | Xyris difformis var. floridana       |
| Smilax laurifolia                      | Tillandsia pruinosa                    | Xyris elliottii                      |
| Solanum americanum                     | Tillandsia recurvata!                  | Xyris flabelliformis                 |
| Solanum capsicoides*                   | Tillandsia setacea                     | Xyris jupicai                        |
| Solanum erianthum                      | Tillandsia usneoides                   | Youngia japonica                     |
| Solanum verbascifolium                 | Tillandsia utriculata                  | Zanthoxylum fagara                   |
| Solanum viarum                         | Tillandsia variabilis                  | Zea mays subsp. mexicana             |
| Solidago fistulosa                     | Tillandsia xsmalliana                  | Zephyranthes simpsonii               |
| Solidago gigantea                      | Tournefortia hirsutissima              | Zeuxine strateumatica                |
| Solidago odora var. chapmanii          | Tournefortia volubilis                 | Zizaniopsis miliacea                 |

### Zoysia tenuifolia

**Bold** = needs to be collected

\* =not on Muss et al.

! =collected by IRC

## Big Cypress NP Data Sheets

Date: 2/2/03  
 County: Collier  
 Region: 11-Mi Rd - Raccoon Pt.  
 Cell #

Point # 180

Boeh

## Transect #2

Heading (deg.): 180°  
 Origin coordinates:  
 End coordinates: 0500872 2875581

← I think this has a mistake  
 There already is an index 180. I called it 57 like the other attached transect

## Species on line

|                      |               |
|----------------------|---------------|
| Taxoane              | Pinwellia     |
| Tillpave             | Serepe        |
| Tillpavians          | Hypocist      |
| Tilltalt             | Flavline      |
| Panihemi             | Hypatalat     |
| Cladiana             | Chioparu      |
| Utrifoli             | Eupalept      |
| LoDarepe             | Toxiradi      |
| <del>Erinotave</del> | Mulicapi      |
| Erioscamp            | Cassfilii     |
| Fuirscir             | Rhynodire     |
| Myriceri             | LoDunior      |
| Penispalu            | Elytcardang   |
| Sda palm             | Bstdi         |
| Pauviring            | Saccigyr      |
| Iponsagi             | Sclerion      |
| Bleccer              | Urecaacumperi |
| Rapapure             |               |
| Schirkhiz            |               |

Quad. 2.5 m Intercept 1 (2.5) Taxoane

Quad. 2.5 m Intercept 2 (5) Taxoane

Quad. 2.5 m Intercept3 (7.5) Taxoane

Quad. 2.5 m Intercept4 (10) Taxoane

Quad. 2.5 m Intercept5 (12.5) Taxoane

Quad. 2.5 m Intercept6 (15) Taxoane

Quad. 2.5 m Intercept7 (17.5) Taxoane

Quad. 2.5 m Intercept8 (20) Taxoane

|                                |                       |
|--------------------------------|-----------------------|
| Quad. 2.5 m Intercept9 (22.5)  | Taxoane               |
| Quad. 2.5 m Intercept10 (25)   | Taxoane               |
| Quad. 2.5 m Intercept11 (27.5) | Taxoane<br>Cladina    |
| Quad. 2.5 m Intercept12 (30)   | Taxoane<br>Cladina    |
| Quad. 2.5 m Intercept13 (32.5) | Cladina<br>Taxoane    |
| Quad. 2.5 m Intercept14 (35)   | Cladina               |
| Quad. 2.5 m Intercept15 (37.5) | Taxoane<br>Taxoane    |
| Quad. 2.5 m Intercept16 (40)   | Cladina<br>Taxoane    |
| Quad. 2.5 m Intercept17 (42.5) | Cladina<br>Taxoane    |
| Quad. 2.5 m Intercept18 (45)   | Cladina<br>Taxoane    |
| Quad. 2.5 m Intercept19 (47.5) | Cladina<br>Taxoane    |
| Quad. 2.5 m Intercept20 (50)   | Taxoane               |
| Quad. 2.5 m Intercept21 (2.5)  | Cladina<br>Taxoane    |
| Quad. 2.5 m Intercept22 (5)    | Tillandsia<br>Taxoane |
| Quad. 2.5 m Intercept23 (7.5)  | Taxoane               |
| Quad. 2.5 m Intercept24 (10)   | Taxoane               |
| Quad. 2.5 m Intercept25 (12.5) | Taxoane               |
| Quad. 2.5 m Intercept26 (15)   | Taxoane               |
| Quad. 2.5 m Intercept27 (17.5) | Taxoane               |
| Quad. 2.5 m Intercept28 (20)   | Taxoane               |
| Quad. 2.5 m Intercept29 (22.5) | Eridosp               |
| Quad. 2.5 m Intercept30 (25)   | Pleurono              |
| Quad. 2.5 m Intercept31 (27.5) | Taxoane               |

|                                |                                 |                            |  |
|--------------------------------|---------------------------------|----------------------------|--|
| Quad. 2.5 m Intercept32 (30)   | Taxoarce                        |                            |  |
| Quad. 2.5 m Intercept33 (32.5) | Pinellidens<br>Schirhiz         |                            |  |
| Quad. 2.5 m Intercept34 (35)   | Taxoarce                        |                            |  |
| Quad. 2.5 m Intercept35 (37.5) | Parpmonos<br>Pinellidens        | Sabapalm                   |  |
| Quad. 2.5 m Intercept36 (40)   | Parpmonos<br>Taxoarce           | Pinellidens                |  |
| Quad. 2.5 m Intercept37 (42.5) | Madiana<br>Parpmonos            | Pinellidens                |  |
| Quad. 2.5 m Intercept38 (45)   | Pinellidens                     |                            |  |
| Quad. 2.5 m Intercept39 (47.5) | W. Jwunior                      |                            |  |
| Quad. 2.5 m Intercept40 (50)   | Schirhiz<br>Plavline            |                            |  |
| Quad. 2.5 m Intercept41 (2.5)  | Serepe                          |                            |  |
| Quad. 2.5 m Intercept42 (5)    | —                               |                            |  |
| Quad. 2.5 m Intercept43 (7.5)  | Serepe                          |                            |  |
| Quad. 2.5 m Intercept44 (10)   | Serepe                          | Pinellidens                |  |
| Quad. 2.5 m Intercept45 (12.5) | Myricella<br>Myriwei            |                            |  |
| Quad. 2.5 m Intercept46 (15)   | Chioparv                        |                            |  |
| Quad. 2.5 m Intercept47 (17.5) | M. Jwlcapi<br>Serepe            |                            |  |
| Quad. 2.5 m Intercept48 (20)   | Serepe                          | Clad, una                  |  |
| Quad. 2.5 m Intercept49 (22.5) | Lapapunc<br>Pinellidens         | Clad, una                  |  |
| Quad. 2.5 m Intercept50 (25)   | Canfili                         | Schirhiz                   |  |
| Quad. 2.5 m Intercept51 (27.5) | Chioparv<br>Parpmonos<br>Serepe | Pinellidens<br>Pinellidens |  |
| Quad. 2.5 m Intercept52 (30)   | Clad, una                       |                            |  |
| Quad. 2.5 m Intercept53 (32.5) | Pinellidens<br>Serepe           | Schirhiz<br>%              |  |
| Quad. 2.5 m Intercept54 (35)   | Serepe                          | Pinellidens                |  |
|                                | Parpmonos                       |                            |  |

|                                |                            |               |
|--------------------------------|----------------------------|---------------|
| Quad. 2.5 m Intercept55 (37.5) | Sere repte<br>Myr icet     |               |
| Quad. 2.5 m Intercept56 (40)   | Sere repte<br>Pasp mono    |               |
| Quad. 2.5 m Intercept57 (42.5) | Sere repte                 |               |
| Quad. 2.5 m Intercept58 (45)   | Cas fili.<br>Pasp mono     |               |
| Quad. 2.5 m Intercept59 (47.5) | Pasp mono<br>Thlaspi       |               |
| Quad. 2.5 m Intercept60 (50)   | Hele pinn<br>Pasp mono     |               |
| Quad. 2.5 m Intercept61 (2.5)  | Pasp mono<br>Clad iana     |               |
| Quad. 2.5 m Intercept62 (5)    | Rhynchos<br>Pin vellidens  |               |
| Quad. 2.5 m Intercept63 (7.5)  | Clad iana<br>Pin vellidens |               |
| Quad. 2.5 m Intercept64 (10)   | Schirrhiz<br>Clad iana     |               |
| Quad. 2.5 m Intercept65 (12.5) | Rhynchos<br>Taro nce       |               |
| Quad. 2.5 m Intercept66 (15)   | —                          |               |
| Quad. 2.5 m Intercept67 (17.5) | Clad iana<br>Pasp mono     | Taro nce      |
| Quad. 2.5 m Intercept68 (20)   | Pasp mono<br>Schirrhiz     | Pin vellidens |
| Quad. 2.5 m Intercept69 (22.5) | Core leav                  |               |
| Quad. 2.5 m Intercept70 (25)   | Schirrhiz                  |               |
| Quad. 2.5 m Intercept71 (27.5) | Clad iana<br>Taro nce      | Pasp mono     |
| Quad. 2.5 m Intercept72 (30)   | Cass fili<br>Pasp mono     |               |
| Quad. 2.5 m Intercept73 (32.5) | Centaria<br>Rhynchos       |               |
| Quad. 2.5 m Intercept74 (35)   | B/Schirrhiz                |               |
| Quad. 2.5 m Intercept75 (37.5) | Taro nce<br>Myr icet       |               |
| Quad. 2.5 m Intercept76 (40)   | Saccifera<br>Eriogonum     | Tuxdum        |
| Quad. 2.5 m Intercept77 (42.5) | Rhynchos                   |               |

|                                |   |  |  |
|--------------------------------|---|--|--|
| Quad. 2.5 m Intercept78 (45)   | <i>Paspalum</i>                           |  |  |
| Quad. 2.5 m Intercept79 (47.5) | <i>Paspalum</i>                           |  |  |
| Quad. 2.5 m Intercept80 (50)   | <i>Paspalum</i><br><i>Taxoasie</i>        |  |  |
| Quad. 2.5 m Intercept81 (2.5)  | <i>Paspalum</i><br><i>Myriocarpus</i>     |  |  |
| Quad. 2.5 m Intercept82 (5)    | <i>Paspalum</i><br><i>Pinellidens</i>     |  |  |
| Quad. 2.5 m Intercept83 (7.5)  | <i>Paspalum</i><br><i>Pinellidens</i>     |  |  |
| Quad. 2.5 m Intercept84 (10)   | <i>Rhytidia</i><br><i>Taxoasie</i>        |  |  |
| Quad. 2.5 m Intercept85 (12.5) | —   |  |  |
| Quad. 2.5 m Intercept86 (15)   | —   |  |  |
| Quad. 2.5 m Intercept87 (17.5) | <i>Scleria</i><br><i>Myriocarpus</i>      | <i>Sisyrinchium</i><br><i>Taxoasie</i> |  |
| Quad. 2.5 m Intercept88 (20)   | <i>Rhytidia</i><br><i>Taxoasie</i>        |  |  |
| Quad. 2.5 m Intercept89 (22.5) | <i>Schinckia</i><br><i>Rhytidia</i>       |  |  |
| Quad. 2.5 m Intercept90 (25)   | <i>Plu. rosea</i><br><i>Pinellidens</i>   |  |  |
| Quad. 2.5 m Intercept91 (27.5) | <i>Schinckia</i><br><i>Centasia</i>       | <i>Pinellidens</i>                     |  |
| Quad. 2.5 m Intercept92 (30)   | <i>Plu. rosea</i><br><i>Rhytidia</i>      |  |  |
| Quad. 2.5 m Intercept93 (32.5) | <i>Paspalum</i>                           |  |  |
| Quad. 2.5 m Intercept94 (35)   | <i>Paspalum</i>                           |  |  |
| Quad. 2.5 m Intercept95 (37.5) | <i>Mecocarpum</i>                         |  |  |
| Quad. 2.5 m Intercept96 (40)   | <i>Carex</i><br><i>Rhytidia</i>           | (1a); ame                              |  |
| Quad. 2.5 m Intercept97 (42.5) | <i>Paspalum</i><br><i>Rhytidia</i>        |  |  |
| Quad. 2.5 m Intercept98 (45)   | <i>Paspalum</i><br><i>Elytcaro</i>        |  |  |
| Quad. 2.5 m Intercept99 (47.5) | —   |  |  |
| Quad. 2.5 m Intercept100 (50)  | <i>Fimbristylis</i><br><i>Myriocarpus</i> |  |  |

|                               |                       |            |    |  |
|-------------------------------|-----------------------|------------|----|--|
| Big Cypress NP Data Sheets    |                       |            |    |  |
| Date:                         | 2/21/03               |            |    |  |
| County:                       | Collier               |            |    |  |
| Region:                       | II-MLD2 - Raccoon Pt. |            |    |  |
| Cell #                        |                       | Point #    | 57 |  |
| Transect #1                   |                       |            |    |  |
| Heading (deg.):               | 300                   |            |    |  |
| Origin coordinates:           |                       |            |    |  |
| End coordinates:              | 0506609               | 2875932    |    |  |
| Species on line               | Taxoane               | Chrysocar  |    |  |
|                               | Panicum               | Eupatorium |    |  |
|                               | Fairbrev              | Sesuvia    |    |  |
|                               | Paraphymo             | Bacocarp   |    |  |
|                               | Tillipace deva        | Zygalept   |    |  |
|                               | Pinnellidens          | Hyptala    |    |  |
|                               | Cladijunc             | Rhynchos   |    |  |
|                               | Rhynchos              | Schinckia  |    |  |
|                               | Bacocarp              | Elytetoang |    |  |
|                               | BOTDif                | Dyscangus  |    |  |
|                               | Nympaque              | Paspalum   |    |  |
|                               | Tillusne              | Centasin   |    |  |
|                               | Eragelli              | Sisyrangu  |    |  |
|                               | Flucrose              | Ludwigia   |    |  |
|                               | Myriocer              | Phragm     |    |  |
|                               | Sabapalm              | Cassipili  |    |  |
|                               | Paspalum              | Baccharis  |    |  |
|                               | Centasin              | Stiagua    |    |  |
|                               | Blecess               | Pseteral   |    |  |
|                               | Rapapure              | Gentiana   |    |  |
| Quad. 2.5 m Intercept 1 (2.5) | Taxoane               |            |    |  |
| Quad. 2.5 m Intercept 2 (5)   | Taxoane               |            |    |  |
| Quad. 2.5 m Intercept3 (7.5)  | Taxoane               |            |    |  |
| Quad. 2.5 m Intercept4 (10)   | —                     |            |    |  |
| Quad. 2.5 m Intercept5 (12.5) | Taxoane               |            |    |  |
| Quad. 2.5 m Intercept6 (15)   | Paraphymo             |            |    |  |
| Quad. 2.5 m Intercept7 (17.5) | Taxoane               |            |    |  |
| Quad. 2.5 m Intercept8 (20)   | —                     |            |    |  |

|                                |               |               |  |
|--------------------------------|---------------|---------------|--|
| Quad. 2.5 m Intercept9 (22.5)  | Taxoane       |               |  |
| Quad. 2.5 m Intercept10 (25)   | Taxoane       |               |  |
| Quad. 2.5 m Intercept11 (27.5) | Taxoane       |               |  |
| Quad. 2.5 m Intercept12 (30)   | -             |               |  |
| Quad. 2.5 m Intercept13 (32.5) | Myrieti       |               |  |
| Quad. 2.5 m Intercept14 (35)   | Clad; ana     |               |  |
|                                | Taxoane       |               |  |
| Quad. 2.5 m Intercept15 (37.5) | Blecessr      | Myrieti       |  |
|                                | Taxoane       |               |  |
| Quad. 2.5 m Intercept16 (40)   | Perspalw      | Pinvelli: den |  |
|                                | Saba palw     |               |  |
| Quad. 2.5 m Intercept17 (42.5) | Sada palw     |               |  |
| Quad. 2.5 m Intercept18 (45)   | Blecessr      | Taxoane       |  |
|                                | Perspalw      |               |  |
| Quad. 2.5 m Intercept19 (47.5) | Blecessr      | Taxoane       |  |
|                                | Myrieti       |               |  |
| Quad. 2.5 m Intercept20 (50)   | Clad; ana     | Taxoane       |  |
|                                | Myrieti;      |               |  |
| Quad. 2.5 m Intercept21 (2.5)  | Blecessr      |               |  |
|                                | Taxoane       |               |  |
| Quad. 2.5 m Intercept22 (5)    | Clad; ana     |               |  |
|                                | Taxoane       |               |  |
| Quad. 2.5 m Intercept23 (7.5)  | Clad; ana     |               |  |
| Quad. 2.5 m Intercept24 (10)   | Severe        |               |  |
| Quad. 2.5 m Intercept25 (12.5) | Clad; ana     |               |  |
|                                | Purmono       |               |  |
| Quad. 2.5 m Intercept26 (15)   | Purmono       | Myrieti       |  |
| Quad. 2.5 m Intercept27 (17.5) | Clad; ana     | Pinvelli: den |  |
|                                | Purmono       |               |  |
| Quad. 2.5 m Intercept28 (20)   | Pinvelli: den | Perspalw      |  |
|                                | Myrieti;      |               |  |
| Quad. 2.5 m Intercept29 (22.5) | Purmono       |               |  |
|                                | Pinvelli: den |               |  |
| Quad. 2.5 m Intercept30 (25)   | Elytano angu  |               |  |
|                                | Phym dive     |               |  |
| Quad. 2.5 m Intercept31 (27.5) | Purmono       |               |  |
|                                | Pinvelli: den |               |  |

|                                |                               |                              |          |
|--------------------------------|-------------------------------|------------------------------|----------|
| Quad. 2.5 m Intercept32 (30)   | Pueraria<br>Paspalum          | Pinus taeda<br>Schizachyrium |          |
| Quad. 2.5 m Intercept33 (32.5) | Cladonia<br>Paspalum          | Pinus taeda<br>Schizachyrium | Solidago |
| Quad. 2.5 m Intercept34 (35)   | Securigera<br>Cladonia        | Pinus taeda<br>Paspalum      |          |
| Quad. 2.5 m Intercept35 (37.5) | Pueraria<br>Rhynchospora      | Pinus taeda                  |          |
| Quad. 2.5 m Intercept36 (40)   | -                             |                              |          |
| Quad. 2.5 m Intercept37 (42.5) | Paspalum                      |                              |          |
| Quad. 2.5 m Intercept38 (45)   | Cladonia<br>Pinus taeda       |                              |          |
| Quad. 2.5 m Intercept39 (47.5) | Rhynchospora<br>Pinus taeda   |                              |          |
| Quad. 2.5 m Intercept40 (50)   | Paspalum<br>Myrsinaceae       | Taxodium                     |          |
| Quad. 2.5 m Intercept41 (2.5)  | Cladonia                      |                              |          |
| Quad. 2.5 m Intercept42 (5)    | Paspalum<br>Ricinus           |                              |          |
| Quad. 2.5 m Intercept43 (7.5)  | Paspalum<br>Pinus taeda       |                              |          |
| Quad. 2.5 m Intercept44 (10)   | Rhynchospora<br>Paspalum      | Pinus taeda                  |          |
| Quad. 2.5 m Intercept45 (12.5) | Paspalum                      |                              |          |
| Quad. 2.5 m Intercept46 (15)   | Rhynchospora                  |                              |          |
| Quad. 2.5 m Intercept47 (17.5) | Schizachyrium<br>Rhynchospora | Pinus taeda                  |          |
| Quad. 2.5 m Intercept48 (20)   | Paspalum<br>Rhynchospora      | Pinus taeda                  |          |
| Quad. 2.5 m Intercept49 (22.5) | Cassia filiformis             |                              |          |
| Quad. 2.5 m Intercept50 (25)   | Paspalum                      |                              |          |
| Quad. 2.5 m Intercept51 (27.5) | Paspalum                      |                              |          |
| Quad. 2.5 m Intercept52 (30)   | Paspalum<br>Cladonia          |                              |          |
| Quad. 2.5 m Intercept53 (32.5) | -                             |                              |          |
| Quad. 2.5 m Intercept54 (35)   | (Ludwigia)<br>Paspalum        |                              |          |

|                                |           |
|--------------------------------|-----------|
| Quad. 2.5 m Intercept55 (37.5) | Salinizer |
| Quad. 2.5 m Intercept56 (40)   | Riparian  |
| Quad. 2.5 m Intercept57 (42.5) | Riparian  |
| Quad. 2.5 m Intercept58 (45)   | —         |
| Quad. 2.5 m Intercept59 (47.5) | Riparian  |
| Quad. 2.5 m Intercept60 (50)   | —         |
| Quad. 2.5 m Intercept61 (2.5)  | —         |
| Quad. 2.5 m Intercept62 (5)    | Taxocore  |
| Quad. 2.5 m Intercept63 (7.5)  | —         |
| Quad. 2.5 m Intercept64 (10)   |           |
| Quad. 2.5 m Intercept65 (12.5) | —         |
| Quad. 2.5 m Intercept66 (15)   | Bacocana  |
| Quad. 2.5 m Intercept67 (17.5) | Taxocore  |
| Quad. 2.5 m Intercept68 (20)   | —         |
| Quad. 2.5 m Intercept69 (22.5) | —         |
| Quad. 2.5 m Intercept70 (25)   | Taxocore  |
| Quad. 2.5 m Intercept71 (27.5) | —         |
| Quad. 2.5 m Intercept72 (30)   | —         |
| Quad. 2.5 m Intercept73 (32.5) | Stilagm.  |
| Quad. 2.5 m Intercept74 (35)   | —         |
| Quad. 2.5 m Intercept75 (37.5) | Riparian  |
| Quad. 2.5 m Intercept76 (40)   | Riparian  |
| Quad. 2.5 m Intercept77 (42.5) | —         |

|                                |                           |               |
|--------------------------------|---------------------------|---------------|
| Quad. 2.5 m Intercept78 (45)   |                           |               |
| Quad. 2.5 m Intercept79 (47.5) | —                         |               |
| Quad. 2.5 m Intercept80 (50)   | Rhyminier<br>Cerat ramo   |               |
| Quad. 2.5 m Intercept81 (2.5)  | Schirkiz                  |               |
| Quad. 2.5 m Intercept82 (5)    | —                         |               |
| Quad. 2.5 m Intercept83 (7.5)  | Rhyminier                 |               |
| Quad. 2.5 m Intercept84 (10)   | —                         |               |
| Quad. 2.5 m Intercept85 (12.5) | —                         |               |
| Quad. 2.5 m Intercept86 (15)   | —                         |               |
| Quad. 2.5 m Intercept87 (17.5) | Blue more                 |               |
| Quad. 2.5 m Intercept88 (20)   | Schirkiz                  |               |
| Quad. 2.5 m Intercept89 (22.5) | —                         |               |
| Quad. 2.5 m Intercept90 (25)   | Cassili<br>Clad iwa       |               |
| Quad. 2.5 m Intercept91 (27.5) | Cassili                   |               |
| Quad. 2.5 m Intercept92 (30)   | Schirkiz<br>Pin vellidens |               |
| Quad. 2.5 m Intercept93 (32.5) | Prospero                  |               |
| Quad. 2.5 m Intercept94 (35)   | Pasp monro                | Taxoasce      |
| Quad. 2.5 m Intercept95 (37.5) | Clad iwa<br>Pasp monro    |               |
| Quad. 2.5 m Intercept96 (40)   | Pasp monro                |               |
| Quad. 2.5 m Intercept97 (42.5) | Rhyminier                 |               |
| Quad. 2.5 m Intercept98 (45)   | Pasp monro                |               |
| Quad. 2.5 m Intercept99 (47.5) | Schirkiz<br>Pin vellidens |               |
| Quad. 2.5 m Intercept100 (50)  | Pasp monro<br>Clad iwa    | Pin vellidens |