

Entered By: Kristie Wandelberg
15 March 2004 Cell 884

Ref ID #40325

J.L. Sadle and M.E. Abdo. Observations of vascular plants at Big Cypress National Preserve Cell #BB37,
Big Cypress National Preserve, Miami-Dade County. 3 July 2003. The Institute for Regional
Conservation, Miami, FL.

SiteRefID

52496
52497

Site

Big Cypress National Preserve Cell #BB37
Big Cypress National Preserve



Mami-Dade

BB37

| | | |
|---|---|--|
| Plants of Big Cypress based on Muss et al. (2002) | | |
| CELL # | Point # | |
| Date: | July 3, 2003 | Observers: Sule Ado |
| <i>Abrus precatorius</i> ! | <i>Asclepias lanceolata</i> | <i>Caperonia castaneifolia</i> |
| <i>Abutilon permolle</i> | <i>Asclepias longifolia</i> | <i>Capparis cynophallophora</i> * |
| <i>Acacia pinetorum</i> | <i>Asclepias tuberosa</i> | <i>Capparis flexuosa</i> |
| <i>Acalypha gracilens</i> | <i>Asclepias verticillata</i> | <i>Capraria biflora</i> |
| <i>Acalypha ostryifolia</i> | <i>Asimina reticulata</i> | <i>Cardiospermum corindum</i> |
| <i>Acer rubrum</i> | <i>Asplenium serratum</i> | <i>Cardiospermum microcarpum</i> |
| <i>Acnella oppositifolia</i> var. <i>repens</i> | <i>Aster adnatus</i> | <i>Carex gigantea</i> |
| <i>Acoelorraphe wrightii</i> | <i>Aster bracei</i> | <i>Carex longii</i> ! |
| <i>Acrostichum danaeifolium</i> ! | <i>Aster carolinianus</i> | <i>Carex lupuliformis</i> |
| <i>Adiantum capillus-veneris</i> * | <i>Aster concolor</i> | <i>Carex vexans</i> ! |
| <i>Adiantum tenerum</i> * | <i>Aster dumosus</i> | <i>Carica papaya</i> |
| <i>Aeschynomene americana</i> | <i>Aster ellottii</i> | <i>Carphephorus corymbosus</i> |
| <i>Aeschynomene pratensis</i> ! | <i>Aster subulatus</i> | <i>Carphephorus odoratissimus</i> |
| <i>Agalinis fasciculata</i> | <i>Avicennia germinans</i> | <i>Caryota mitis</i> |
| <i>Agalinis filifolia</i> | <i>Axonopus compressus*</i> | <i>Cassytha filiformis</i> |
| <i>Agalinis linifolia</i> | <i>Axonopus fissifolius</i> ! | <i>Casuarina equisetifolia</i> |
| <i>Agalinis maritima</i> | <i>Axonopus furcatus</i> | <i>Casuarina glauca</i> |
| <i>Ageratina jucunda</i> | <i>Azolla caroliniana</i> | <i>Catharanthus roseus</i> |
| <i>Albizia lebbeck</i> | <i>Baccharis angustifolia</i> | <i>Catopsis berteroniana</i> |
| <i>Aletris bracteata</i> | <i>Baccharis glomeruliflora</i> | <i>Catopsis floribunda</i> |
| <i>Aletris lutea</i> | <i>Baccharis halimifolia</i> | <i>Celtis laevigata</i> |
| <i>Alpinia zerumbet</i> | <i>Bacopa caroliniana</i> | <i>Cenchrus echinatus</i> * |
| <i>Alysicarpus ovalifolius</i> | <i>Bacopa monnieri</i> | <i>Cenchrus gracilimus</i> ! |
| <i>Alysicarpus vaginalis</i> | <i>Bartsia paniculata</i> | <i>Cenchrus incertus</i> |
| <i>Amaranthus australis</i> | <i>Bauhinia purpurea</i> | <i>Centella asiatica</i> |
| <i>Amaranthus viridis</i> * | <i>Bauhinia variegata</i> | <i>Centrosema virginianum</i> |
| <i>Ambrosia artemisiifolia</i> | <i>Bejaria racemosa</i> | <i>Cephaelanthus occidentalis</i> |
| <i>Ammannia latifolia</i> | <i>Berchemia scandens</i> | <i>Ceratophyllum demersum</i> |
| <i>Amorpha fruticosa</i> | <i>Bidens alba</i> var. <i>radiata</i> | <i>Ceratopteris thalictroides</i> |
| <i>Amorpha herbacea</i> | <i>Bigelowia nudata</i> subsp. <i>australis</i> | <i>Chamaecrista fasciata</i> |
| <i>Ampelopsis arborea</i> | <i>Bischofia javanica</i> | <i>Chamaecrista nictitans</i> var. <i>aspera</i> |
| <i>Amphicarpum muhlenbergianum</i> | <i>Blechnum serrulatum</i> | <i>Chamaesyce blodgettii</i> |
| <i>Amyris elemifera</i> | <i>Blechnum pyramidatum</i> | <i>Chamaesyce conferta</i> |
| <i>Andropogon glomeratus</i> var. <i>glaucopsis</i> * | <i>Bletia purpurea</i> | <i>Chamaesyce hirta</i> |
| <i>Andropogon glomeratus</i> var. <i>hirsutior</i> | <i>Boehmeria cylindrica</i> | <i>Chamaesyce hypericifolia</i> |
| <i>Andropogon glomeratus</i> var. <i>pumilus</i> | <i>Boerhavia diffusa</i> | <i>Chamaesyce hyssopifolia</i> |
| <i>Andropogon gyrans</i> | <i>Boltonia diffusa</i> | <i>Chamaesyce lasiocarpa</i> |
| <i>Andropogon longiberbis</i> | <i>Bothriochloa ischaemum</i> var. <i>songarica</i> | <i>Chamaesyce mendezii</i> |
| <i>Andropogon ternarius</i> | <i>Bothriochloa pertusa</i> | <i>Chamaesyce ophthalmica</i> |
| <i>Andropogon virginicus</i> | <i>Brassica rapa</i> | <i>Chamaesyce pergamena</i> |
| <i>Andropogon virginicus</i> var. <i>decipiens</i> | <i>Buchnera americana</i> | <i>Chamaesyce porteriiana</i> |
| <i>Andropogon virginicus</i> var. <i>glaucus</i> | <i>Bucida buceras</i> | <i>Chaptalia tomentosa</i> |
| <i>Anemia adiantifolia</i> | <i>Bulbostylis ciliatifolia</i> | <i>Chiococca alba</i> |
| <i>Angadenia berteroii</i> | <i>Bulbostylis stenophylla</i> | <i>Chiococca parvifolia</i> |
| <i>Annona glabra</i> | <i>Burmannia capitata</i> | <i>Chrysobalanus icaco</i> |
| <i>Apis americana</i> | <i>Burmannia flava</i> | <i>Chrysophyllum oliviforme</i> |
| <i>Apteria aphylla</i> * | <i>Bursera simaruba</i> | <i>Chrysopogon pauciflorus</i> |
| <i>Ardisia escallonioides</i> | <i>Caesalpinia bonduc</i> | <i>Chrysopsis subulata</i> |
| <i>Argemone mexicana</i> | <i>Calliandra haematocephala</i> | <i>Cirsium horridulum</i> |
| <i>Aristida beyrichiana</i> ! | <i>Callicarpa americana</i> | <i>Cirsium nuttallii</i> |
| <i>Aristida patula</i> | <i>Calopogon multiflorus</i> ! | <i>Cissus verticillata</i> |
| <i>Aristida purpurascens</i> | <i>Calopogon tuberosus</i> ! | <i>Citharexylum spinosum</i> |
| <i>Aristida spiciformis</i> | <i>Calyptranthes pallens</i> ! | <i>Citrus aurantium</i> |
| <i>Arnoglossum ovatum</i> | <i>Calystegia sepium</i> subsp. <i>limnophila</i> | <i>Citrus limon</i> |
| <i>Arundo donax</i> | <i>Campanula floridana</i> | <i>Citrus sinensis</i> |
| <i>Asclepias curassavica</i> | <i>Campsis radicans</i> | <i>Citrus xparadisi</i> |
| <i>Asclepias incarnata</i> ! | <i>Campylocentrum pachyrhizum</i> | <i>Cladium jamaicense</i> |
| | <i>Campyloneurum angustifolium</i> * | <i>Clematis baldwinii</i> |
| | <i>Campyloneurum phyllitidis</i> | <i>Clitoria mariana</i> |
| | <i>Canna flaccida</i> | <i>Cnidoscolus stimulosus</i> |

✓ *Andropogon* sp. sterile

| | | |
|---|---|--|
| <i>Coccocoba diversifolia!</i> | <i>Dichanthelium ensifolium</i> | <i>Eragrostis hypnoides*</i> ! |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> | <i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i> ! | <i>Eragrostis spectabilis</i> |
| ✓ <i>Coelorachis rugosa</i> | ✓ <i>Dichanthelium erectifolium</i> | <i>Erechtites hieracifolia</i> |
| <i>Coleus pumilus</i> | <i>Dichanthelium laxiflorum</i> * | <i>Eremochloa ophiuroides</i> |
| <i>Colocasia esculenta</i> | <i>Dichanthelium leucothrix</i> * | <i>Erigeron quercifolius</i> |
| <i>Colubrina arborescens</i> | <i>Dichanthelium ovale</i> | <i>Erigeron vernus</i> |
| <i>Commelinia diffusa</i> var. <i>diffusa</i> | <i>Dichanthelium portoricense</i> | <i>Eriobotrya japonica</i> |
| <i>Commelinia erecta</i> | <i>Dichanthelium strigosum</i> var. <i>glabrescens</i> | ✓ <i>Eriocalon compressum</i> |
| <i>Conocarpus erectus</i> | <i>Dichanthium aristatum</i> * | <i>Eriocalon decangulare</i> |
| ✓ <i>Conoclinium coelestinum</i> | <i>Dichondra carolinensis</i> | <i>Eriocalon ravenelii</i> ! |
| <i>Conyza canadensis</i> var. <i>pusilla</i> | <i>Dichondra micrantha</i> | <i>Eriochloa michauxii</i> var. <i>michauxii</i> * |
| <i>Corchorus hirtus</i> * | <i>Dicliptera sexangularis</i> | <i>Erucastrum gallicum</i> |
| <i>Corchorus siliquosus</i> | <i>Digitaria ciliaris</i> * | <i>Eryngium baldwinii</i> |
| <i>Cordia globosa</i> | <i>Digitaria filiformis</i> var. <i>filiformis</i> ! | <i>Eryngium yuccifolium</i> |
| ✓ <i>Coreopsis leavenworthii</i> | <i>Digitaria longiflora</i> | <i>Erythrina herbacea</i> |
| <i>Cornus foemina</i> | <i>Digitaria violascens</i> ! | <i>Erythrodes querceticola</i> ! |
| ✓ <i>Crinum americanum</i> | ✓ <i>Diodia virginiana</i> | <i>Eugenia axillaris</i> |
| <i>Crotalaria lanceolata</i> | <i>Dioscorea bulbifera</i> | <i>Eugenia uniflora</i> |
| <i>Crotalaria pallida</i> var. <i>obovata</i> | <i>Dioscorea sansibarensis</i> | <i>Eulophia alta</i> |
| <i>Crotalaria pumila</i> * | <i>Diospyros virginiana</i> | <i>Eupatorium capillifolium</i> |
| <i>Crotalaria rotundifolia</i> | <i>Dodonaea angustifolia</i> | ✓ <i>Eupatorium leptophyllum</i> |
| <i>Crotalaria spectabilis</i> | <i>Drosera brevifolia</i> | ✓ <i>Eupatorium mikanoides</i> |
| <i>Croton glandulosus</i> var. <i>glandulosus</i> * | <i>Drosera capillaris</i> | <i>Eupatorium mohrii</i> |
| <i>Croton humilis</i> | <i>Drymaria cordata</i> * | <i>Eupatorium rotundifolium</i> |
| <i>Ctenitis sloanei</i> | <i>Drypetes lateriflora</i> | <i>Eupatorium serotinum</i> |
| <i>Cuphea carthagenensis</i> | <i>Dypsis lutescens</i> * | <i>Euphorbia graminea</i> * |
| <i>Cuscuta pentagona</i> | <i>Dyschoriste angusta</i> | ✓ <i>Euphorbia polypyphylla</i> |
| <i>Cynanchum blodgettii</i> | <i>Dyschoriste oblongifolia</i> * | <i>Eustachys glauca</i> |
| <i>Cynanchum scoparium</i> | <i>Echinochloa colona</i> | <i>Eustachys petraea</i> |
| <i>Cynodon dactylon</i> * | <i>Echinochloa crus-galli</i> | <i>Eustoma exaltatum</i> |
| <i>Cyperus articulatus</i> | <i>Echinochloa muricatal</i> | <i>Euthamia caroliniana</i> |
| <i>Cyperus compressus</i> | <i>Echinochloa paludigena</i> | <i>Evolvulus alsinoides</i> * |
| <i>Cyperus croceus</i> | <i>Echinochloa walteri</i> | <i>Evolvulus sericeus</i> |
| <i>Cyperus distinctus</i> | <i>Echinodorus berteroii</i> | <i>Exothea paniculata</i> |
| <i>Cyperus esculentus</i> | <i>Eclipta prostrata</i> | ✓ <i>Ficus aurea</i> ! |
| <i>Cyperus flavescens</i> | <i>Eichhornia crassipes</i> | <i>Ficus benjamina</i> * C |
| ✓ <i>Cyperus haspan</i> | <i>Eleocharis albida</i> | <i>Ficus citrifolia</i> |
| <i>Cyperus involucratus</i> | <i>Eleocharis atropurpurea</i> | <i>Ficus microcarpa</i> * |
| <i>Cyperus ligularis</i> | <i>Eleocharis baldwinii</i> ! | <i>Fimbristylis autumnalis</i> |
| <i>Cyperus odoratus</i> | ✓ <i>Eleocharis cellulosa</i> | <i>Fimbristylis caroliniana</i> |
| <i>Cyperus planifolius</i> | <i>Eleocharis elongata</i> | <i>Fimbristylis cymosa</i> |
| <i>Cyperus polystachyos</i> ! | <i>Eleocharis flavaescens</i> | <i>Fimbristylis schoenoides</i> |
| <i>Cyperus pumilus</i> | <i>Eleocharis geniculata</i> | <i>Fimbristylis spadicea</i> ! |
| <i>Cyperus retrorsus</i> | <i>Eleocharis interstincta</i> | ✓ <i>Flaveria linearis</i> |
| <i>Cyperus surinamensis</i> | <i>Elephantopus elatus</i> | <i>Forestiera segregata</i> |
| <i>Cyperus tetragonus</i> ! | <i>Eleusine indica</i> | <i>Fraxinus caroliniana</i> |
| <i>Cyrtopodium punctatum</i> | <i>Elionurus tripsacoides</i> | ✓ <i>Fuirena breviseta</i> |
| <i>Dactyloctenium aegyptium</i> | <i>Elytraria carolinensis</i> var. <i>angustifolia</i> | <i>Fuirena scirpoidea</i> |
| <i>Dalbergia sissoo</i> | <i>Emilia fosbergii</i> * | <i>Furcraea sellowii</i> |
| <i>Dalea carnea</i> | <i>Encyclia cochleata</i> | <i>Galactia elliottii</i> |
| <i>Dalea carthagenensis</i> var. <i>floridana</i> | ✓ <i>Encyclia tampensis</i> | <i>Galactia regularis</i> |
| <i>Desmodium floridanum</i> | <i>Epidendrum anceps</i> | <i>Galactia striata</i> |
| <i>Desmodium incanum</i> | <i>Epidendrum floridense</i> | <i>Galactia volubilis</i> |
| <i>Desmodium paniculatum</i> | <i>Epidendrum nocturnum</i> | <i>Galium hispidulum</i> |
| <i>Desmodium tortuosum</i> | <i>Epidendrum rigidum</i> | <i>Gaura angustifolia</i> |
| <i>Desmodium triflorum</i> | <i>Equisetum hyemale</i> var. <i>affine</i> | <i>Glandularia maritima</i> |
| <i>Desmodium viridiflorum</i> | <i>Eragrostis atrovirens</i> ! | <i>Gnaphalium falcatum</i> ! |
| <i>Dichanthelium aciculare</i> | <i>Eragrostis bahiensis</i> | <i>Gnaphalium obtusifolium</i> |
| <i>Dichanthelium commutatum</i> | <i>Eragrostis ciliaris</i> | <i>Gnaphalium pennsylvanicum</i> |
| ✓ <i>Dichanthelium dichotomum</i> | ✓ <i>Eragrostis elliottii</i> | <i>Gnaphalium purpureum</i> |

| | | |
|---|-------------------------------------|--|
| Gomphrena serrata | Iresine diffusa | Lycopus rubellus |
| Gouania lupuloides | Iris hexagona | Lygodium microphyllum |
| Gratiola ramosa | Isoetes flaccida ! | Lyonia fruticosa |
| Grevillea robusta | Iva microcephala | Lyonia lucida |
| Guzmania monostachia | Ixora coccinea | Lysiloma latisiliquum |
| Gymnopogon brevifolius | Jacquemontia curtissii | Lythrum alatum var. lanceolatum |
| Gymnopogon chapmanianus | Jacquemontia pentanthos | Lythrum lineare |
| Habenaria floribunda | Juncus marginatus | Macroptilium atropurpureum |
| Habenaria nivea | Juncus megacephalus | Macroptilium lathyroides |
| Habenaria quinqueseta | Juncus polyccephalus | Magnolia grandiflora |
| Habenaria repens | Juncus repens | Magnolia virginiana |
| Hamelia patens | Juncus roemerianus | Malachra urens |
| Harrisella filiformis | Juncus trigonocarpus | Malaxis spicata |
| Hedyotis procumbens ! | Justicia angusta! | Malvaviscus arboreus var. drummondii |
| Hedyotis uniflora | Kalanchoe pinnata | Mangifera indica |
| Helenium amarum | Kalanchoe tubiflora | Maxillaria crassifolia |
| Helenium pinnatifidum | Kigelia pinnata | Mecardonia acuminata subsp. peninsularis |
| Helianthus angustifolius | Kosteletzkyia virginica | Mecardonia procumbens! |
| Helianthus radula | Krugiodendron ferreum | Medicago lupulina*! |
| Heliotropium angiospermum * | Kyllinga brevifolia | Melaleuca quinquenervia |
| Heliotropium polypyllum | Lachnocaulon anceps | Melaleuca virinalis |
| Heteropogon contortus | Laguncularia racemosa | Melanthera angustifolia! |
| Heteropogon melanocarpus | Lantana camara | Melanthera parvifolia <i>narrow vr.</i> |
| Heterotheca subaxillaris | Lantana depressa var. sanibelensis! | Melanthera nivea |
| Hibiscus grandiflorus ! | Lantana involucrata | Melilotus albus |
| Hibiscus poeppigii ! | Lasiacis divaricata | Melochia pyramidata |
| Hibiscus rosa-sinensis var. schizopetalus | Leersia hexandra | Melochia spicata |
| Hibiscus tiliaceus | Lemna obscura | Melothria pendula |
| Hieracium megacephalon * | Lepidium virginicum | Metopium toxiferum |
| Hippocratea volubilis | Leptochloa fascicularis! | Micranthemum glomeratum |
| Hydrilla verticillata | Leucaena leucocephala | Microgramma heterophylla ! |
| Hydrocotyle bonariensis | Liatris garberi | Mikania cordifolia |
| Hydrocotyle umbellata | Liatris gracilis | Mikania scandens |
| Hydrocotyle verticillata - sp. sterile | Liatris graminifolia | Mitreola petiolata |
| Hydrolea corymbosa | Liatris pauciflora | Mitreola sessilifolia |
| Hymenocallis palmeri | Liatris spicata | Monanthochloe littoralis |
| Hyparrhenia rufa | Licania michauxii | Morus alba |
| Hypericum brachyphyllum! | Lilium catesbaei | Morus rubra |
| Hypericum cistifolium | Limnophila sessiliflora | Mucuna pruriens * |
| Hypericum crux-andreae! | Lindernia crustacea | Muhlenbergia capillaris |
| Hypericum hypericoides | Lindernia dubia var. anagallidea | Murdannia nudiflora |
| Hypericum tetrapetalum | Lindernia grandiflora | Murdannia spirata |
| Hypoxis juncea | Linum carteri var. smallii | Musa xparadisiaca |
| Hypoxis wrightii | Linum floridanum | Myrcianthes fragrans |
| Hyptis alata | Linum medium var. texanum! | Myrica cerifera |
| Hyptis mutabilis | Liparis nervosa | Myriophyllum aquaticum |
| Hyptis pectinata | Lobelia feayana | Myriophyllum heterophyllum |
| Hyptis verticillata | Lobelia glandulosa | Myriophyllum pinnatum |
| Ilex cassine! | Lobelia homophylla | Najas guadalupensis |
| Ilex glabra | Lobelia paludosa ! | Najas marina |
| Imperata brasiliensis | Ludwigia alata! | Najas wrightiana |
| Imperata cylindrica | Ludwigia curtissii | Nelumbo lutea |
| Indigofera spicata | Ludwigia erecta | Nephrolepis biserrata |
| Ionopsis utricularioides | Ludwigia maritima | Nephrolepis exaltata |
| Ipomoea alba | Ludwigia microcarpa | Nephrolepis multiflora! |
| Ipomoea batatas | Ludwigia octovalvis | Neyraudia reynaudiana |
| Ipomoea cordatotriloba | Ludwigia peruviana | Nicotiana tabacum |
| Ipomoea indica var. acuminata | Ludwigia repens ! | Nuphar lutea subsp. advena |
| Ipomoea sagittata | Ludwigia suffruticosa | Nymphaea elegans |
| Ipomoea triloba | Lycium carolinianum | Nymphaea lotus |

| | | |
|---|---|---------------------------|
| ✓ Nymphaea odorata | Phyla stoechadifolia*! | Pteris bahamensis |
| ✓ Nymphoides aquatica | Phyllanthus caroliniensis subsp. saxicola | Pteris tripartita |
| Ocimum campechianum | Phyllanthus urinaria | Pteris vittata |
| Ocotea coriacea | Physalis angustifolia | Pterocaulon pycnostachyum |
| Oeceoclades maculata | Physalis pubescens | Ptilimnium capillaceum |
| Oenothera humifusa | Physalis walteri | Quercus chapmanii *! |
| Ophioglossum palmatum | Physostegia purpurea! | Quercus geminata |
| Ophioglossum petiolatum ! | Phytolacca americana | Quercus laurifolia |
| Oplismenus hirtellus | Pilea microphylla! | Quercus minimal! |
| Opuntia humifusa | Piloblephis rigida | Quercus pumila |
| ✓ Osmunda regalis var. spectabilis | Pinguicula lutea | Quercus virginiana |
| Oxalis corniculata | Pinguicula pumila | Randia aculeata |
| ✓ Oxypolis filiformis | Pinus elliottii var. densa | ✓ Rapanea punctata |
| Palafoxia feayi | Piper aduncum | Reimarchoia oligostachya |
| ✓ Panicum dichotomiflorum | ✓ Piquetia caroliniana | Rhabdadenia biflora |
| Panicum dichotomiflorum var. bartowense | Pisonia aculeata | Rhapis excelsa |
| ✓ Panicum hemitomon | Pistia stratiotes | Rhexia cubensis |
| Panicum hians! | Pithecellobium unguis-cati | Rhexia mariana! |
| Panicum repens | Pityopsis graminifolia | Rhexia nashii |
| ✓ Panicum rigidulum | Pityrogramma trifoliata | Rhexia nuttallii |
| ✓ Panicum tenerum | Plantago major! | Rhizophora mangle |
| ✓ Panicum virgatum | Pleopeltis polypodioides var. michauxiana | Rhus copallina |
| Parietaria floridana | Pluchea carolinensis | Rhynchosia minima |
| Parthenocissus quinquefolia | Pluchea odorata | Rhynchosia swartzii* |
| ✓ Paspalidium geminatum! | ✓ Pluchea rosea | Rhynchospora breviseta |
| Paspalum blodgettii | Plumbago scandens | Rhynchospora chapmanii |
| Paspalum caespitosum | Poinsettia heterophylla | Rhynchospora colorata |
| Paspalum conjugatum! | Polygala balduinii | Rhynchospora comiculata! |
| Paspalum distichum | Polygala boykinii | Rhynchospora divergens |
| Paspalum fimbriatum | Polygala cruciata | Rhynchospora fascicularis |
| Paspalum floridanum! | ✓ Polygala grandiflora | Rhynchospora globularis |
| ✓ Paspalum monostachyum | Polygala incarnata | Rhynchospora intermedia |
| Paspalum notatum | Polygala lutea | Rhynchospora inundata |
| Paspalum praecox*! | Polygala nana ! | Rhynchospora microcarpa! |
| Paspalum repens | Polygala polygama ! | Rhynchospora miliacea |
| Paspalum setaceum | Polygala rugelii | Rhynchospora nitens |
| Paspalum urvillei! | Polygala setacea | Ricinus communis |
| Passiflora pallens ! | Polygala verticillata var. isocycla* | Rivina humilis |
| Passiflora suberosa | Polygonum densiflorum | Rorippa teres! |
| Pectis glaucescens | Polygonum hydropiperoides! | Richardia grandiflora |
| Pectis prostrata | Polygonum punctatum | Richardia scabra |
| Pectis xfloridana*! | Polygonum setaceum | Peltandra virginica |
| ✓ Peltandra virginica | Polypteron procumbens | Ruellia caroliniensis |
| Pennisetum purpureum | Polyradicion lindenii | Ruellia succulenta |
| Penstemon multiflorus | Polystachya concreta | Ruellia tweediana |
| Pentalinon luteum | Pongamia pinnata | Rumex verticillatus |
| Pentodon pentandrus! | Pontederia cordata | Ruppia maritima |
| Peperomia alata | Ponthieva racemosa | Sabal palmetto! |
| Peperomia glabella | Portulaca oleracea! | Sabatia bartramii! |
| Peperomia obtusifolia | Portulaca pilosa | Sabatia brevifolia |
| Peperomia rotundifolia | Portulaca rubricaulis | Sabatia calycina |
| Persea americana | Potamogeton illinoensis | Sabatia grandiflora |
| Persea borbonia | Proserpinaca palustris | |
| ✓ Persea palustris | Pseudelephantopus spicatus * | |
| Phanopyrum gymnocarpon !* | Psidium guajava | |
| ✓ Phlebodium aureum | Psilotum nudum | |
| Phlox drummondii | Psychotria nervosa | |
| Phoradendron leucarpum | Psychotria sulzneri | |
| Phragmites australis | Pteridium aquilinum var. caudatum | |
| ✓ Phyla nodiflora | ✓ Pteridium aquilinum var. pseudocaudatum | |

| | | |
|--|---------------------------------------|--|
| Sabatia stellaris | Simarouba glauca | ✓ Thelypteris kunthii! |
| Saccharum giganteum | Sisyrinchium angustifolium | ✓ Thelypteris ovata! |
| Saccharum officinarum | Sisyrinchium rosulatum | ✓ Thelypteris palustris var. pubescens |
| Sacciolepis indica | Smilax auriculata | Thelypteris reticulata |
| Sacciolepis striata | Smilax bona-nox | ✓ Tillandsia balbisiana |
| Saccolia lanceolata | Smilax laurifolia | ✓ Tillandsia fasciculata var. densispica |
| Sageretia minutiflora | Solanum americanum | Tillandsia flexuosa ! |
| Sagittaria filiformis | Solanum capsicoides* | ✓ Tillandsia paucifolia |
| Sagittaria graminea! | Solanum erianthum | Tillandsia pruinosa |
| Sagittaria graminea var. chapmanii | Solanum verbascifolium | ✓ Tillandsia recurvata! |
| Sagittaria lancifolia | Solanum viarum | Tillandsia setacea |
| Salix caroliniana | Solidago fistulosa | ✓ Tillandsia usneoides |
| Salvia lyrata ! | Solidago gigantea | Tillandsia utriculata |
| Salvia occidentalis | Solidago odora var. chapmanii | Tillandsia variabilis |
| Saivinia minima | Solidago sempervirens | ✓ Tillandsia xsmalliana |
| Sambucus canadensis | Solidago stricta | Tournefortia hirsutissima |
| Samolus ebracteatus | Solidago tortifolia! | Tournefortia volubilis |
| Samolus valerandi subsp. parviflorus | Spartina bakeri ! | ✓ Toxicodendron radicans |
| Sansevieria hyacinthoides* | Spermacoce assurgens | Tradescantia spathacea |
| Sapindus saponaria | Spermacoce floridana | Tradescantia zebrina |
| Sarcostemma clausum | Spermacoce prostrata | Trema micranthum |
| Saururus cernuus | Spermacoce terminalis | Trichomanes holopterum |
| Schefflera actinophylla | Spermacoce tetraquetra * | Trichostema dichotomum |
| Schinus terebinthifolius | Spermacoce verticillata | Trichostigma octandrum |
| Schizachyrium gracile *! | Spigelia anthelmia * | Tridax procumbens |
| ✓ Schizachyrium rhizomatum | Spiranthes brevilabris | Triphora gentianoides |
| Schizachyrium sanguineum | Spiranthes cernua | Tripsacum dactyloides |
| Schoenolirion albiflorum | Spiranthes laciniata | Tripsacum floridanum |
| Schoenus nigricans | Spiranthes longilabris | Turbina corymbosa |
| Schoepfia chrysophylloides | ✓ Spiranthes odorata | Typha domingensis |
| Scirpus tabernaemontani ! | Spiranthes torta | Typha latifolia |
| Scleria baldwinii | Spiranthes vernalis | Urena lobata |
| Scleria ciliata var. ciliata! | Spirodela polyrhiza* | Urochloa fasciculata var. reticulata |
| Scleria georgiana! | Sporobolus domingensis | Urochloa mutica |
| Scleria hirtella ! | Sporobolus indicus | Urochloa ramosa |
| Scleria lithosperma * | Sporobolus indicus var. pyramidalis | ✓ Utricularia cornuta |
| ✓ Scleria reticularis | Sporobolus junceus | ✓ Utricularia foliosa |
| Scleria triglomerata! | Sporobolus pyramidatus | Utricularia gibba |
| ✓ Scleria verticillata | Stachytarpheta jamaicensis | Utricularia inflata |
| Scoparia dulcis | Stenandrium dulce | ✓ Utricularia purpurea |
| Senecio glabeus | Stenochlaena tenuifolia | Utricularia radiata |
| Senna alata | Stenotaphrum secundatum | Utricularia resupinata |
| Senna ligustrina | Stillingia aquatica | Utricularia simulans |
| Senna obtusifolia | Stillingia sylvatica | Utricularia subulata |
| Senna pendula var. glabrata | Stylosanthes hamata ! | Vaccinium darrovii |
| Serenoa repens | Syagrus romanzoffiana * | Vaccinium myrsinites |
| Sesbania herbacea | Syngonium angustatum! | Vanilla phaeantha |
| Sesbania vesicaria | Syngonium podophyllum | Verbena bonariensis |
| Sesuvium portulacastrum | Syzygium cumini | Verbena scabra! |
| Setaria corrugata | Syzygium jambos | Verbesina virginica |
| Setaria magna | Tabebuia aurea | Vernonia blodgettii |
| ✓ Setaria parviflora | ✓ Taxodium ascendens | Viburnum obovatum |
| Seymeria pectinata | Taxodium distichum | Vicia acutifolia |
| Sida acuta | Tectaria heracleifolia | Vigna luteola |
| Sida cordifolia | Tephrosia spicata! | Viola lanceolata |
| Sida elliottii | Teucrium canadense | Viola sororia *! |
| Sida rhombifolia | Thalia geniculata | Vitis aestivalis |
| Sideroxylon foetidissimum | Thelypteris dentata * | Vitis cinerea var. floridana |
| ✓ Sideroxylon reclinatum ssp. reclinatum | Thelypteris hispidula var. versicolor | ✓ Vitis rotundifolia |
| Sideroxylon salicifolium | Thelypteris interrupta | Vitis shuttleworthii |

| Big Cypress NP Data Sheets | | | |
|-------------------------------|--------------|--------------|--------------|
| Date: | 3 July 2003 | | |
| County: | Miami Dade | | |
| Region: | | | |
| Cell # | | Point # | 47 |
| Transect #1 | | | |
| Heading (deg.): | 205 | | |
| Origin coordinates: | 514526 | 2868558 ±7.0 | |
| End coordinates: | 514306 | 2868629 ±4.5 | |
| Species on line | Cladjanua | Magnvirg | Tillusne |
| | Rapapunc | Rhyninun | KyridiffFlor |
| | Myricari | Bacocaro | Pantcard |
| | Taxoasce | Boltdiff | Utrifoli |
| | Perspalv | Paspromo | Bocheyli |
| | Plucrose | Hypralat | Utrpurp |
| | Bleccerr | Furbrer | Dympraga |
| | Sideneelrect | Cassfili | Nephixal |
| | Ruelsvee | Justang | Peltung |
| | Centasia | (letherex) | Ludureya |
| | Mikascan | Hypebrac | Hydrcom |
| | Rhynnierz | Eupamika | Tillpawc |
| | Conocael | Taxoasce | |
| | Panivir | Tillfascdens | |
| | Prospalv | Tillbanlb | |
| | Eupalept | Annoglab | |
| | Rhynmodor | Sagilank | |
| | Iponsagi | Erriocamp | |
| | Eustglar | Mit-peti | |
| | Thelpalwpbe | Oxyptili | |
| Quad. 2.5 m Intercept 1 (2.5) | Plucrose | Taxoasce | |
| Quad. 2.5 m Intercept 2 (5) | Ruelsvee | Taxoasce | |
| Quad. 2.5 m Intercept3 (7.5) | Prospalv | Mikascan | Myricari |
| Quad. 2.5 m Intercept4 (10) | Cladjanua | | |
| Quad. 2.5 m Intercept5 (12.5) | Cladjanua | Myricari | Iponsagi |
| Quad. 2.5 m Intercept6 (15) | Cladjanua | Taxoasce | |
| Quad. 2.5 m Intercept7 (17.5) | Plucrose | Taxoasce | |
| Quad. 2.5 m Intercept8 (20) | Rhyninun | | |
| Quad. 2.5 m Intercept9 (22.5) | Paspromo | | |

| | | | | |
|--------------------------------|--------------|--------------|----------|--|
| Quad. 2.5 m Intercept10 (25) | | | | |
| Quad. 2.5 m Intercept11 (27.5) | Taxoasca | | | |
| Quad. 2.5 m Intercept12 (30) | Justang | Myricer | | |
| Quad. 2.5 m Intercept13 (32.5) | Paspmon | Taxoasca | | |
| Quad. 2.5 m Intercept14 (35) | Myricer | Taxoasca | | |
| Quad. 2.5 m Intercept15 (37.5) | Taxoasca | | | |
| Quad. 2.5 m Intercept16 (40) | Cladjanma | Taxoasca | | |
| Quad. 2.5 m Intercept17 (42.5) | Cladjanma | Myricer | Taxoasca | |
| Quad. 2.5 m Intercept18 (45) | Taxoasca | | | |
| Quad. 2.5 m Intercept19 (47.5) | Taxoasca | | | |
| Quad. 2.5 m Intercept20 (50) | Eleocell | Taxoasca | | |
| Quad. 2.5 m Intercept21 (5.5) | Myricer | Taxoasca | | |
| Quad. 2.5 m Intercept22 (5) | Taxoasca | | | |
| Quad. 2.5 m Intercept23 (7.5) | Taxoasca | Eleocell | | |
| Quad. 2.5 m Intercept24 (10) | Eleocell | Taxoasca | | |
| Quad. 2.5 m Intercept25 (12.5) | Eleocell | Taxoasca | | |
| Quad. 2.5 m Intercept26 (15) | Eriocarp | Taxoasca | | |
| Quad. 2.5 m Intercept27 (17.5) | Eleocell | Taxoasca | | |
| Quad. 2.5 m Intercept28 (20) | Taxoasca | | | |
| Quad. 2.5 m Intercept29 (22.5) | Taxoasca | Tillfascdens | | |
| Quad. 2.5 m Intercept30 (25) | Eleocell | Taxoasca | | |
| Quad. 2.5 m Intercept31 (27.5) | Tillfascdens | Taxoasca | | |
| Quad. 2.5 m Intercept32 (30) | Baccara | Taxoasca | | |
| Quad. 2.5 m Intercept33 (32.5) | Utrigarp | Cladjanma | Taxoasca | |

| | | | | | |
|--------------------------------|---------------------|--------------|----------|--|--|
| Quad. 2.5 m Intercept34 (35) | Rhynchos | Taxoasen | | | |
| Quad. 2.5 m Intercept35 (37.5) | Annuale | Taxoasen | | | |
| Quad. 2.5 m Intercept36 (40) | Elocell | Tillfascdens | Taxoasen | | |
| Quad. 2.5 m Intercept37 (42.5) | Taxoasen | | | | |
| Quad. 2.5 m Intercept38 (45) | Taxoasen Rhynchos 2 | | | | |
| Quad. 2.5 m Intercept39 (47.5) | Utrifoli | Taxoasen | | | |
| Quad. 2.5 m Intercept40 (50) | Taxoasen | | | | |
| Quad. 2.5 m Intercept41 (2.5) | Rhynchos | Taxoasen | | | |
| Quad. 2.5 m Intercept42 (5) | Elocamp | Elocell | Taxoasen | | |
| Quad. 2.5 m Intercept43 (7.5) | Cladijama | Taxoasen | Elocell | | |
| Quad. 2.5 m Intercept44 (10) | Taxoasen | | | | |
| Quad. 2.5 m Intercept45 (12.5) | Taxoasen | | | | |
| Quad. 2.5 m Intercept46 (15) | Taxoasen | | | | |
| Quad. 2.5 m Intercept47 (17.5) | Utr.foli | Taxoasen | | | |
| Quad. 2.5 m Intercept48 (20) | Taxoasen | | | | |
| Quad. 2.5 m Intercept49 (22.5) | Taxoasen | | | | |
| Quad. 2.5 m Intercept50 (25) | Plucrose | Taxoasen | | | |
| Quad. 2.5 m Intercept51 (27.5) | Elocell | Taxoasen | | | |
| Quad. 2.5 m Intercept52 (30) | Taxoasen | | | | |
| Quad. 2.5 m Intercept53 (32.5) | Cladijama | Taxoasen | | | |
| Quad. 2.5 m Intercept54 (35) | Taxoasen | | | | |
| Quad. 2.5 m Intercept55 (37.5) | Juljana | Taxoasen | | | |
| Quad. 2.5 m Intercept56 (40) | Taxoasen | | | | |
| Quad. 2.5 m Intercept57 (42.5) | Taxoasen | | | | |

| | | | | |
|--------------------------------|-----------|-----------|---------|--|
| Quad. 2.5 m Intercept58 (45) | Clad'jama | Taxo asce | | |
| Quad. 2.5 m Intercept59 (47.5) | Taxo asce | | | |
| Quad. 2.5 m Intercept60 (50) | Clad'jama | Taxo asce | | |
| Quad. 2.5 m Intercept61 (2.5) | Clad'jama | | | |
| Quad. 2.5 m Intercept62 (5) | Clad'jama | Taxo asce | | |
| Quad. 2.5 m Intercept63 (7.5) | Clad'jama | Taxo asce | | |
| Quad. 2.5 m Intercept64 (10) | Taxo asce | | | |
| Quad. 2.5 m Intercept65 (12.5) | Clad'jama | Taxo asce | | |
| Quad. 2.5 m Intercept66 (15) | — | | | |
| Quad. 2.5 m Intercept67 (17.5) | Clad'jama | | | |
| Quad. 2.5 m Intercept68 (20) | Clad'jama | | | |
| Quad. 2.5 m Intercept69 (22.5) | Clad'jama | | | |
| Quad. 2.5 m Intercept70 (25) | Clad'jama | | | |
| Quad. 2.5 m Intercept71 (27.5) | Clad'jama | | | |
| Quad. 2.5 m Intercept72 (30) | Taxo asce | Clad'jama | Baocaro | |
| Quad. 2.5 m Intercept73 (32.5) | Clad'jama | | | |
| Quad. 2.5 m Intercept74 (35) | Taxo asce | | | |
| Quad. 2.5 m Intercept75 (37.5) | Clad'jama | | | |
| Quad. 2.5 m Intercept76 (40) | Clad'jama | | | |
| Quad. 2.5 m Intercept77 (42.5) | Taxo asce | | | |
| Quad. 2.5 m Intercept78 (45) | — | | | |
| Quad. 2.5 m Intercept79 (47.5) | Clad'jama | Taxo asce | | |
| Quad. 2.5 m Intercept80 (50) | Clad'jama | | | |
| Quad. 2.5 m Intercept81 (2.5) | Clad'jama | | | |

| | | | | | |
|--------------------------------|--------------------|------------------|-----------------|--|--|
| Quad. 2.5 m Intercept82 (5) | <i>Cladonia</i> | <i>Taxoasce</i> | | | |
| Quad. 2.5 m Intercept83 (7.5) | <i>Cladonia</i> | <i>Taxoasce</i> | | | |
| Quad. 2.5 m Intercept84 (10) | <i>Taxoasce</i> | | | | |
| Quad. 2.5 m Intercept85 (12.5) | <i>Utricularia</i> | | | | |
| Quad. 2.5 m Intercept86 (15) | <i>Taxoasce</i> | <i>Tillobalb</i> | | | |
| Quad. 2.5 m Intercept87 (17.5) | <i>Taxoasce</i> | | | | |
| Quad. 2.5 m Intercept88 (20) | <i>Taxoasce</i> | | | | |
| Quad. 2.5 m Intercept89 (22.5) | <i>Taxoasce</i> | | | | |
| Quad. 2.5 m Intercept90 (25) | <i>Taxoasce</i> | | | | |
| Quad. 2.5 m Intercept91 (27.5) | <i>Cladagna</i> | <i>Taxoasce</i> | | | |
| Quad. 2.5 m Intercept92 (30) | <i>Cladagna</i> | <i>Taxoasce</i> | | | |
| Quad. 2.5 m Intercept93 (32.5) | <i>Taxoasce</i> | | | | |
| Quad. 2.5 m Intercept94 (35) | <i>Cladagna</i> | <i>Mycicori</i> | <i>Taxoasce</i> | | |
| Quad. 2.5 m Intercept95 (37.5) | <i>Taxoasce</i> | | | | |
| Quad. 2.5 m Intercept96 (40) | <i>Cladagna</i> | | | | |
| Quad. 2.5 m Intercept97 (42.5) | <i>Taxoasce</i> | | | | |
| Quad. 2.5 m Intercept98 (45) | <i>Taxoasce</i> | | | | |
| Quad. 2.5 m Intercept99 (47.5) | <i>Cladagna</i> | <i>Taxoasce</i> | | | |
| Quad. 2.5 m Intercept100 (50) | <i>Taxoasce</i> | | | | |

| Big Cypress NP Data Sheets | | | | | |
|-------------------------------|-----------------|------------------|----------------|-------------|--|
| Date: | 3 July 2003 | | | | |
| County: | Miami-Dade | | | | |
| Region: | | | | | |
| Cell # | | Point # | 47 | | |
| Transect #2 | | | | | |
| Heading (deg.): | 130 | | | | |
| Origin coordinates: | | | | | |
| End coordinates: | 514733 | 286843.8 ± 14.8m | | | |
| Species on line | Cladogram | Schizachyrium | Eupatorium | Floridana | |
| | Tanacetum | Ipmosag | Muhlenbergia | Setaria | |
| | Ruellia | Paspalum | Panicum | Coccoloba | |
| | Persicaria | Baccharis | Carex | Tillandsia | |
| | Myrsinaceae | Mikania | Polygonum | Oxybaphus | |
| | Schizachyridium | Panicaria | Solidago | Panicene | |
| | Dichanthelium | Helepina | Andropogon | Tillandsia | |
| | Pluchea | Dichrocephala | Ludwigia | Utricularia | |
| | Hypochaeris | Lobelia | Smilacina | Tillandsia | |
| | Rhynchosciurus | Ludwigia | Anemone | Tillusne | |
| | Eupatorium | Rapana | Rhynchosciurus | Eriocoma | |
| | Centauria | Bergeron | Solidago | Panicea | |
| | Furcraea | Osmunda | Mitchella | Hydrocotyle | |
| | Rhynchosciurus | Toxicodendron | Cephalaria | Pontederia | |
| | Anemone | Thelephora | Sisyrinchium | | |
| | Hexacassia | Blechnum | Kosteletzkya | | |
| | Phytolacca | Cirsium | Eryngium | | |
| | Prosopis | Thelypteris | Cirsium | | |
| | Rhynchosciurus | Conocarpus | Cassia | | |
| | Hypochaeris | Spartina | Solidago | | |
| Quad. 2.5 m Intercept 1 (2.5) | Schizachyridium | Myrsinaceae | | | |
| Quad. 2.5 m Intercept 2 (5) | Cladogram | Centauria | | | |
| Quad. 2.5 m Intercept3 (7.5) | Pro Cladogram | Persicaria | Phytolacca | | |
| Quad. 2.5 m Intercept4 (10) | Cladogram | | | | |
| Quad. 2.5 m Intercept5 (12.5) | Myrsinaceae | Cladogram | Persicaria | | |
| Quad. 2.5 m Intercept6 (15) | Persicaria | Schizachyridium | | | |
| Quad. 2.5 m Intercept7 (17.5) | Ipmosag | Cladogram | | | |
| Quad. 2.5 m Intercept8 (20) | Rhynchosciurus | | | | |
| Quad. 2.5 m Intercept9 (22.5) | Helepina | Rhynchosciurus | | | |

| | | | | | |
|--------------------------------|------------|-----------|----------|----------|--|
| Quad. 2.5 m Intercept10 (25) | Cladgaura | Centasia | | | |
| Quad. 2.5 m Intercept11 (27.5) | Plurose | Cladgaura | Lobeglan | | |
| Quad. 2.5 m Intercept12 (30) | Eupalept | Myriceri | | | |
| Quad. 2.5 m Intercept13 (32.5) | Cladgaura | Hyptialat | Myriceri | Taxansca | |
| Quad. 2.5 m Intercept14 (35) | Cladgaura | Myriceri | | | |
| Quad. 2.5 m Intercept15 (37.5) | Hyptialat | | | | |
| Quad. 2.5 m Intercept16 (40) | Ipomsgi | Myriceri | | | |
| Quad. 2.5 m Intercept17 (42.5) | Myrceri | Taxansca | | | |
| Quad. 2.5 m Intercept18 (45) | Ilexcass | Berscam | Myriceri | | |
| Quad. 2.5 m Intercept19 (47.5) | Toxiradi | Myriceri | | | |
| Quad. 2.5 m Intercept20 (50) | Cladgaura | Rapapre | | | |
| Quad. 2.5 m Intercept21 (2.5) | Rapapunc | Myriceri | | | |
| Quad. 2.5 m Intercept22 (5) | Crinamer | Rapapre | Myrceri | | |
| Quad. 2.5 m Intercept23 (7.5) | Sporobolus | Myriceri | Perspalu | | |
| Quad. 2.5 m Intercept24 (10) | Myrceri | Conocool | | | |
| Quad. 2.5 m Intercept25 (12.5) | Centasia | Plurose | Myrceri | | |
| Quad. 2.5 m Intercept26 (15) | Eupamilea | Muhlcapi | Myrceri | | |
| Quad. 2.5 m Intercept27 (17.5) | Muhlcapi | | | | |
| Quad. 2.5 m Intercept28 (20) | Rhyndive | Paspmone | Schirher | | |
| Quad. 2.5 m Intercept29 (22.5) | Myrceri | Ipomsgi | Muhlcapi | | |
| Quad. 2.5 m Intercept30 (25) | Rapapunc | Dichdich | | | |
| Quad. 2.5 m Intercept31 (27.5) | Paspmone | Ruelsucc | | | |
| Quad. 2.5 m Intercept32 (30) | Myriceri | Paspmone | | | |
| Quad. 2.5 m Intercept33 (32.5) | Ludwinski | Arispurp | | | |

| | | | | | |
|--------------------------------|--------------|-----------|-----------|----------|--|
| Quad. 2.5 m Intercept34 (35) | Rhyndwe | | | | |
| Quad. 2.5 m Intercept35 (37.5) | Cladgamer | | | | |
| Quad. 2.5 m Intercept36 (40) | Ruelsue | Rapapunc | Cladgamer | | |
| Quad. 2.5 m Intercept37 (42.5) | Thepaluputre | Perspalv | Rapapunc | Taxoasce | |
| Quad. 2.5 m Intercept38 (45) | Myriceri | Cladgamer | Perspalv | Berscan | |
| Quad. 2.5 m Intercept39 (47.5) | Myriceri | Suillaur | Cladgamer | Ruelsue | |
| Quad. 2.5 m Intercept40 (50) | Cladgamer | Myriceti | | | |
| Quad. 2.5 m Intercept41 (2.5) | Perspalv | Cladgamer | | | |
| Quad. 2.5 m Intercept42 (5) | Cladgamer | Rapapunc | Berscan | Perspalv | |
| Quad. 2.5 m Intercept43 (7.5) | Cladgamer | Perspalv | | | |
| Quad. 2.5 m Intercept44 (10) | Perspalv | | | | |
| Quad. 2.5 m Intercept45 (12.5) | Perspalv | Cladgamer | Myriceri | | |
| Quad. 2.5 m Intercept46 (15) | Cladgamer | Myriceri | Taxoasce | | |
| Quad. 2.5 m Intercept47 (17.5) | Amphmuhl | Cladgamer | Myriceri | Perspalv | |
| Quad. 2.5 m Intercept48 (20) | Perspalv | Taxoasce | | | |
| Quad. 2.5 m Intercept49 (22.5) | Rapapunc | Plucrose | Myrceri | Taxoasce | |
| Quad. 2.5 m Intercept50 (25) | Myriceri | Plucrose | | | |
| Quad. 2.5 m Intercept51 (27.5) | Cladgamer | Taxoasce | Plucrose | Myriceri | |
| Quad. 2.5 m Intercept52 (30) | — | | | | |
| Quad. 2.5 m Intercept53 (32.5) | Plucrose | Taxoasce | | | |
| Quad. 2.5 m Intercept54 (35) | — | | | | |
| Quad. 2.5 m Intercept55 (37.5) | — | | | | |
| Quad. 2.5 m Intercept56 (40) | — | | | | |
| Quad. 2.5 m Intercept57 (42.5) | Rhyndwe | Plucrose | | | |

| | | | | | | |
|--------------------------------|-------------|---------------------|----------|----------|--|--|
| Quad. 2.5 m Intercept58 (45) | Anemone | | | | | |
| Quad. 2.5 m Intercept59 (47.5) | Selaginella | Schizidium | | | | |
| Quad. 2.5 m Intercept60 (50) | — | | | | | |
| Quad. 2.5 m Intercept61 (2.5) | Schizidium | | | | | |
| Quad. 2.5 m Intercept62 (5) | Cassifili | | | | | |
| Quad. 2.5 m Intercept63 (7.5) | — | | | | | |
| Quad. 2.5 m Intercept64 (10) | Rhynchosci | | | | | |
| Quad. 2.5 m Intercept65 (12.5) | Perspalt | Taxoasce | | | | |
| Quad. 2.5 m Intercept66 (15) | — | | | | | |
| Quad. 2.5 m Intercept67 (17.5) | Schizidium | Cladogramm Taxoasce | | | | |
| Quad. 2.5 m Intercept68 (20) | Cladogramm | Coelrigea | | | | |
| Quad. 2.5 m Intercept69 (22.5) | Cladogramm | Taxoasce | | | | |
| Quad. 2.5 m Intercept70 (25) | Schizidium | Taxoasce | | | | |
| Quad. 2.5 m Intercept71 (27.5) | Oxyptili | | | | | |
| Quad. 2.5 m Intercept72 (30) | Rhynchosci | Taxoasce | | | | |
| Quad. 2.5 m Intercept73 (32.5) | Rhynchosci | Cladogramm | | | | |
| Quad. 2.5 m Intercept74 (35) | — | | | | | |
| Quad. 2.5 m Intercept75 (37.5) | Taxoasce | | | | | |
| Quad. 2.5 m Intercept76 (40) | Rhynchosci | Cladogramm | Myricari | Taxoasce | | |
| Quad. 2.5 m Intercept77 (42.5) | Cladogramm | E | | | | |
| Quad. 2.5 m Intercept78 (45) | Taxoasce | Myricari | | | | |
| Quad. 2.5 m Intercept79 (47.5) | Bleeding | Taxoasce | | | | |
| Quad. 2.5 m Intercept80 (50) | — | | | | | |
| Quad. 2.5 m Intercept81 (2.5) | Taxoasce | | | | | |

| | | | | | |
|--------------------------------|-----------------------|------------------------|----------|----------|--|
| Quad. 2.5 m Intercept82 (5) | Plu ^r ose | Taxoasce | | | |
| Quad. 2.5 m Intercept83 (7.5) | J ^u stang | Plu ^r ose | Taxoasce | | |
| Quad. 2.5 m Intercept84 (10) | Pro ^g alu | Myri ^c ri. | Taxoasce | | |
| Quad. 2.5 m Intercept85 (12.5) | Clad ^y ana | | | | |
| Quad. 2.5 m Intercept86 (15) | Plu ^r ose | Rhyni ^c er2 | Taxoasce | | |
| Quad. 2.5 m Intercept87 (17.5) | Taxoasce | | | | |
| Quad. 2.5 m Intercept88 (20) | Taxoasce | | | | |
| Quad. 2.5 m Intercept89 (22.5) | — | | | | |
| Quad. 2.5 m Intercept90 (25) | Plu ^r ose | | | | |
| Quad. 2.5 m Intercept91 (27.5) | Pani ^h eni | | | | |
| Quad. 2.5 m Intercept92 (30) | Taxoasce | | | | |
| Quad. 2.5 m Intercept93 (32.5) | Taxoasce | Bacocaro | | | |
| Quad. 2.5 m Intercept94 (35) | Taxoasce | | | | |
| Quad. 2.5 m Intercept95 (37.5) | Clad ^y ana | Taxoasce | | | |
| Quad. 2.5 m Intercept96 (40) | Clad ^y ana | Taxoasce | | | |
| Quad. 2.5 m Intercept97 (42.5) | Blec ^s er | Taxoasce | | | |
| Quad. 2.5 m Intercept98 (45) | Blec ^s er | Taxoasce | | | |
| Quad. 2.5 m Intercept99 (47.5) | Myri ^c ri | Taxoasce | | | |
| Quad. 2.5 m Intercept100 (50) | Blec ^s er | Myri ^c ri | Rupopunc | Taxoasce | |