

TDF NM

Ref ID #46318

Bradley, K. and S. Hodges. 2004. Observations of vascular plants at Big Cypress National Preserve, cell #AT02, Collier County, Florida. 2 April 2004. The Institute for Regional Conservation, Miami, FL.

SiteRefID

59670

59671

SiteID

Big Cypress National Preserve

Big Cypress National Preserve Cell #AT02

Data entered 8/5/04 m²
cell data entered EU 9/1/04

| Plants of Big Cypress based on Muss et al. (2002) | | | |
|---|---------|---|--|
| CELL # | A702 | Point # | |
| Date: | 7/02/03 | Observers: | K.B., S.H. |
| Abrus precatorius ! | | Argemone mexicana | Bucida buceras |
| Abutilon permolle | | Aristida beyrichiana ! | Bulbostylis ciliatifolia |
| Acacia pinetorum | | Aristida patula !! | Bulbostylis stenophylla |
| Acalypha gracilens | | Aristida purpurascens ! | Burmannia capitata ! |
| Acalypha ostryifolia | | Aristida spiciformis | Burmannia flava |
| ✓ Acer rubrum | | Arnoglossum ovatum ! | Bursera simaruba |
| Acmella oppositifolia var. repens ! | | Arundo donax ! | Caesalpinia bonduc |
| Acoelorrhaphis wrightii | | Asclepias curassavica | Calliandra haematocephala |
| Acrostichum aureum *! | | Asclepias incarnata! | Callicarpa americana !! |
| Acrostichum danaeifolium! | | Asclepias lanceolata !! | Calopogon multiflorus! |
| Adiantum capillus-veneris* | | Asclepias longifolia | Calopogon tuberosus! |
| Adiantum tenerum* | | Asclepias tuberosa ! | Calyptocarpus vialis * |
| Aechmea bracteata * | | Asclepias verticillata ! | Calyptanthes pallens! |
| Aechmea cf. distichantha * | | Asimina reticulata | Calyptocarpus sepium subsp. limnophila |
| Aechmea victoriana C* | | Asparagus setaceus *C | Campyloneurum angustifolium* |
| Aeschynomene americana | | Asplenium serratum | Campyloneurum phyllitidis !! |
| Aeschynomene pratensis! | | Aster adnatus | Canna flaccida |
| ✓ Agalinis fasciculata !! | | Aster bracteatus | Caperonia castaneifolia !! |
| Agalinis filifolia | | Aster carolinianus | Capparis cynophallophora * |
| Agalinis linifolia ! | | Aster concolor | Capparis flexuosa |
| Agalinis maritima | | Aster dumosus ! | Capraria biflora ! |
| Agave decipiens * | | Aster ellottii | Cardamine pensylvanica |
| Agave sisalana * | | Aster fontinalis * | Cardiospermum corindum |
| Ageratum houstonianum * | | Aster subulatus ! | Cardiospermum microcarpum |
| Ageratina jucunda | | Avicennia germinans ! | Carex comosa * |
| Albizia lebbeck | | Axonopus compressus *! | Carex gigantea! |
| Aletris bracteata | | Axonopus fissifolius* | Carex longii! |
| Aletris lutea | | Axonopus furcatus ! | Carex lulpiformis ! |
| Allamanda cathartica * | | Azolla caroliniana | Carex verrucosa * |
| Alpinia zerumbet | | Baccharis angustifolia | Carex vexans * |
| Alternanthera flavescens * | | Baccharis glomeruliflora | Carica papaya |
| Alysicarpus ovalifolius | | Baccharis halimifolia | Carphephorus corymbosus |
| Alysicarpus vaginalis | | Bacopa caroliniana !! | Carphephorus odoratissimus |
| Amaranthus australis | | Bacopa monnieri | Carphephorus odoratissimus var. subtropicus* |
| Amaranthus viridis* | | Bambusa sp. C | Caryota mitis |
| Ambrosia artemisiifolia !! | | Bartonia paniculata ! | Cassytha filiformis !! |
| Ammannia latifolia | | Bartonia virginica * | Casuarina equisetifolia |
| ✓ Amorpha fruticosa | | Bauhinia purpurea | Casuarina glauca |
| Amorpha herbacea | | Bauhinia variegata | Catharanthus roseus |
| Ampelopsis arborea !! | | Beadlea cranichoides * | Catopsis berteroniana |
| Amphicarpum muhlenbergianum ! | | Bejaria racemosa | Catopsis floribunda |
| Amyris elemifera | | Berchemia scandens | Celtis laevigata |
| ✓ Anagallis minima * | | Bidens alba var. radiata !! | Cenchrus echinatus * |
| Anagallis pumila * | | Bigelowia nudata subsp. australis | Cenchrus gracillimus* |
| Andropogon glomeratus var. glaucopsis* | | Bischofia javanica | Cenchrus incertus |
| Andropogon glomeratus var. hirsutior | | Blechnum serrulatum !! | Centella asiatica |
| Andropogon glomeratus var. pumilus | | Blechnum pyramidatum | Centrosema virginianum |
| Andropogon gyrans | | Bletia purpurea | Cephalanthus occidentalis |
| Andropogon longiberbis | | Blutaparon vermiculare *! | Ceratophyllum demersum |
| Andropogon ternarius | | Boehmeria cylindrica !! | Ceratopteris thalictroides |
| Andropogon virginicus | | Boerhavia diffusa | Cestrum diurnum * |
| Andropogon virginicus var. decipiens | | Boltonia diffusa | Chamaecrista deeringiana * |
| ✓ Andropogon virginicus var. glaucus | | Borreria frutescens *! | Chamaecrista fasciculata !! |
| Anemia adiantifolia | | Bothriochloa ischaemum var. songarica!+ | Chamaecrista nictitans var. aspera |
| Angadenia berteroii ! | | Bothriochloa pertusa | Chamaesyce blodgettii !! |
| Annas comosus C. | | Brassica rapa | Chamaesyce conferta ! |
| ✓ Annona glabra | | Buchnera americana !! | Chamaesyce hirta !! |

| | | |
|--|---|--|
| <i>Chamaesyce hypericifolia</i> | <i>Ctenitis sloanei</i> | <i>Diospyros virginiana</i> |
| <i>Chamaesyce hyssopifolia</i> ! | <i>Cuphea carthagenensis</i> ! | <i>Dodonaea angustifolia</i> |
| <i>Chamaesyce lasiocarpa</i> | <i>Cuscuta pentagona</i> ! | <i>Dracaena marginata</i> C* |
| <i>Chamaesyce mendezii</i> | <i>Cyclospermum leptophyllum</i> *! | <i>Drosera brevifolia</i> |
| <i>Chamaesyce ophthalmica</i> | <i>Cynanchum blodgettii</i> | <i>Drosera capillaris</i> |
| <i>Chamaesyce pergamenta</i> | <i>Cynanchum scoparium</i> | <i>Drymaria cordata</i> *! |
| <i>Chamaesyce porteriana</i> | <i>Cynodon dactylon</i> ! | <i>Drypetes lateriflora</i> |
| <i>Chaptalia tomentosa</i> | <i>Cyperus articulatus</i> ! | <i>Dypsis lutescens</i> * |
| <i>Chiococca alba</i> | <i>Cyperus compressus</i> | <i>Dyschoriste angusta</i> |
| <i>Chiococca parvifolia</i> | <i>Cyperus croceus</i> | <i>Dyschoriste oblongifolia</i> *! |
| <i>Chlorophytum comosum</i> * | <i>Cyperus distinctus</i> | <i>Echinochloa colona</i> ! |
| <i>Chromolaena odorata</i> * | <i>Cyperus esculentus</i> | <i>Echinochloa crus-galli</i> |
| <i>Chrysobalanus icaco</i> | <i>Cyperus flavescens</i> !! | <i>Echinochloa muricata</i> |
| <i>Chrysophyllum oliviforme</i> | <i>Cyperus haspan</i> | <i>Echinochloa paludigena</i> |
| <i>Chrysopogon pauciflorus</i> | <i>Cyperus involucratus</i> | <i>Echinochloa walteri</i> |
| <i>Chrysopsis mariana</i> *! | <i>Cyperus ligularis</i> | <i>Echinodorus berteroii</i> |
| <i>Chrysopsis subulata</i> | <i>Cyperus odoratus</i> ! | <i>Eclipta prostrata</i> |
| <i>Cirsium horridulum</i> | <i>Cyperus planifolius</i> | <i>Eichhornia crassipes</i> |
| <i>Cirsium nuttallii</i> | <i>Cyperus polystachyos</i> !! | <i>Eleocharis albida</i> |
| <i>Cissus verticillata</i> | <i>Cyperus prolifer</i> * | <i>Eleocharis atropurpurea</i> |
| <i>Citharexylum spinosum</i> ! | <i>Cyperus pumilus</i> | <i>Eleocharis baldwinii</i> !! |
| <i>Citrus aurantium</i> | <i>Cyperus retrorsus</i> !! | <i>Eleocharis cellosa</i> !! |
| <i>Citrus limon</i> ✓ 1/30 10/28 | <i>Cyperus rotundus</i> * | <i>Eleocharis elongata</i> |
| <i>Citrus sinensis</i> | <i>Cyperus surinamensis</i> !! | <i>Eleocharis flavescens</i> |
| <i>Citrus xparadisi</i> | <i>Cyperus tetragonus</i> *! | <i>Eleocharis geniculata</i> ! |
| <i>Cladium jamaicense</i> | <i>Cyrtopodium punctatum</i> | <i>Eleocharis interstincta</i> |
| <i>Clematis baldwinii</i> ! | <i>Dactyloctenium aegyptium</i> !! | <i>Elephantopus elatus</i> !! |
| <i>Clerodendrum chinense</i> *! | <i>Dalbergia sissoo</i> | <i>Eleusine indica</i> !! |
| <i>Clerodendrum Indicum</i> * | <i>Dalea carnea</i> !! | <i>Elionurus tripsacoides</i> ! |
| <i>Clerodendrum speciosissimum</i> * | <i>Dalea carthaginensis</i> var. <i>floridana</i> | <i>Elytraria caroliniana</i> var. <i>angustifolia</i> !! |
| <i>Clitoria mariana</i> | <i>Delonix regia</i> * | <i>Emilia fosbergii</i> *! |
| <i>Cnidoscolus stimulosus</i> | <i>Desmodium floridanum</i> | <i>Encyclia cochleata</i> |
| <i>Coccocoba diversifolia</i> ! | <i>Desmodium incanum</i> !! | <i>Encyclia tampensis</i> |
| <i>Coccocoba uvifera</i> * | <i>Desmodium paniculatum</i> | <i>Epipremnum pinnatum</i> * |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> | <i>Desmodium tortuosum</i> | <i>Epidendrum anceps</i> ! |
| <i>Coelorachis rugosa</i> !! | <i>Desmodium triflorum</i> | <i>Epidendrum floridense</i> |
| <i>Coleus pumilus</i> | <i>Desmodium viridiflorum</i> | <i>Epidendrum nocturnum</i> |
| <i>Colocasia esculenta</i> | <i>Dichanthelium aciculare</i> | <i>Epidendrum rigidum</i> |
| <i>Colubrina arborescens</i> | <i>Dichanthelium commutatum</i> !! | <i>Equisetum hyemale</i> var. <i>affine</i> |
| <i>Commelina caroliniana</i> *! | <i>Dichanthelium dichotomum</i> ! | <i>Eragrostis atrovirens</i> ! |
| <i>Commelina diffusa</i> var. <i>diffusa</i> ! | <i>Dichanthelium ensifolium</i> ! | <i>Eragrostis bahiensis</i> |
| <i>Commelina erecta</i> | <i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i> ! | <i>Eragrostis ciliaris</i> ! |
| <i>Conocarpus erectus</i> ! | <i>Dichanthelium erectifolium</i> !! | <i>Eragrostis elliottii</i> |
| <i>Conoclinium coelestinum</i> !! | <i>Dichanthelium laxiflorum</i> *! | <i>Eragrostis hypnoides</i> *! |
| <i>Conyzza canadensis</i> var. <i>pusilla</i> | <i>Dichanthelium leucothrix</i> *! | <i>Eragrostis secundiflora</i> ssp. <i>oxylepis</i> *! |
| <i>Corchorus hirtus</i> * | <i>Dichanthelium ovale</i> | <i>Eragrostis spectabilis</i> ! |
| <i>Corchorus siliquosus</i> | <i>Dichanthelium portoricense</i> | <i>Eragrostis virginica</i> *! |
| <i>Cordia globosa</i> | <i>Dichanthelium strigosum</i> var. <i>glabrescens</i> | <i>Eréchites hieracifolia</i> |
| <i>Coreopsis leavenworthii</i> | <i>Dichanthium aristatum</i> *! | <i>Eremochloa ophiuroides</i> !! |
| <i>Cornus foemina</i> | <i>Dichondra carolinensis</i> | <i>Erigeron quercifolius</i> |
| <i>Costus spicatus</i> * | <i>Dichondra micrantha</i> | <i>Erigeron vernus</i> |
| <i>Crassocephalum crepidioides</i> *! | <i>Dicliptera sexangularis</i> | <i>Eriobotrya japonica</i> |
| <i>Crinum americanum</i> | <i>Digitaria ciliaris</i> *!+ | <i>Eriocalon compressum</i> |
| <i>Crotalaria lanceolata</i> | <i>Digitaria filiformis</i> var. <i>filiformis</i> ! | <i>Eriocalon decangulare</i> ! |
| <i>Crotalaria pallida</i> var. <i>obovata</i> | <i>Digitaria longiflora</i> | <i>Eriocalon ravenelii</i> ! |
| <i>Crotalaria pumila</i> ! | <i>Digitaria pauciflora</i> * | <i>Eriochloa michauxii</i> var. <i>michauxii</i> * |
| <i>Crotalaria rotundifolia</i> | <i>Digitaria violascens</i> ! | <i>Erucastrum gallicum</i> |
| <i>Crotalaria spectabilis</i> | <i>Diodia virginiana</i> | <i>Eryngium baldwinii</i> |
| <i>Croton glandulosus</i> var. <i>glandulosus</i> *! | <i>Dioscorea bulbifera</i> | <i>Eryngium yuccifolium</i> |
| <i>Croton humilis</i> ! | <i>Dioscorea sansibarensis</i> | <i>Erythrina herbacea</i> |

| | | |
|-----------------------------|---|-------------------------------------|
| Erythrodites querceticola ! | Habenaria repens | Iva microcephala !! |
| Eugenia axillaris | Hamelia patens | Ixora coccinea |
| Eugenia uniflora | Harrisella filiformis ! | Jacquemontia curtisiae |
| Eulophia alta | Hedychium coronarium *! | Jacquemontia pentanthos ! |
| Eupatorium capillifolium | Hedyotis procumbens ! | Jasminum multiflorum * |
| Eupatorium leptophyllum | Hedyotis uniflora | Juncus marginatus ! |
| Eupatorium mikanioides !! | Helenium amarum ! | Juncus megacephalus |
| Eupatorium mohrii !! | Helenium pinnatifidum | Juncus polyccephalus |
| Eupatorium rotundifolium !! | Helianthus angustifolius | Juncus repens |
| Eupatorium serotinum | Helianthus annuus * | Juncus roemerianus |
| Euphorbia graminea *! | Heisanthus radula | Juncus scirpoideus * |
| Euphorbia polyphylla | Heliotropium angiospermum *!+ | Juncus trigonocarpus |
| Eustachys glauca | Heliotropium polypyllum | Justicia angusta! |
| Eustachys petraea !! | Heteropogon contortus ! | Kalanchoe pinnata |
| Eustoma exaltatum | Heteropogon melanocarpus | Kalanchoe tubiflora |
| Euthamia caroliniana | Heterotheca subaxillaris | Kigelia pinnata |
| Evolvulus alsinoides*! | Hibiscus coccineus * | Kosteletzkya virginica |
| Evolvulus sericeus ! | Hibiscus grandiflorus ! | Krugiodendron ferreum |
| Exothea paniculata | Hibiscus poeppigii ! | Kyllinga brevifolia ! |
| Ficus altissima * | Hibiscus rosa-sinensis var. schizopetalus | Lachnanthes carolina *!+ |
| Ficus aurea !! | Hibiscus tiliaceus | Lachnocaulon anceps |
| Ficus benjamina * C | Hieracium megacephalon * | Lachnocaulon engleri *! |
| Ficus citrifolia !! | Hippocratea volubilis | Lactuca floridana * |
| Ficus microcarpa * | Hydrilla verticillata | Lactuca graminifolia * |
| Fimbristylis autumnalis ! | Hydrocotyle bonariensis | Laguncularia racemosa ! |
| Fimbristylis caroliniana | Hydrocotyle umbellata | Lantana camara |
| Fimbristylis cymosa !! | Hydrocotyle verticillata | Lantana depressa var. sanibelensis! |
| Fimbristylis dichotoma *!+ | Hydrolea corymbosa !! | Lantana involucrata |
| Fimbristylis miliacea *! | Hylocereus undatus * | Lasiacis divaricata ! |
| Fimbristylis schoenoides | Hymenocallis palmeri | Lechea sessiliflora *!+ |
| Fimbristylis spadicea! | Hypanthaea rufa | Leersia hexandra !! |
| Flaveria linearis !! | Hypericum brachyphyllum! | Lemna obscura ! |
| Forestiera segregata | Hypericum cistifolium !! | Lemna valdiviana * |
| Fraxinus caroliniana !! | Hypericum crux-andreae! | Lepidium virginicum |
| Fuirena breviseta !! | Hypericum fasciculatum * | Leptochloa fascicularis! |
| Fuirena scirpoidea !! | Hypericum hypericoides | Leucaena leucocephala |
| Furcraea sellowii | Hypericum muticum * | Liatris garberi |
| Galactia elliotii | Hypericum punctatum * | Liatris gracilis |
| Galactia regularis | Hypericum tetrapetalum | Liatris graminifolia |
| Galactia striata | Hypoxis juncea | Liatris pauciflora |
| Galactia volubilis ! | Hypoxis wrightii ! | Liatris spicata |
| Galium hispidulum *! | Hyptis alata !! | Licania michauxii |
| Galium tinctorium * | Hyptis mutabilis | Lilium catesbaei !! |
| Gaura angustifolia | Hyptis pectinata | Limnobium spongia * |
| Glandularia maritima | Hyptis verticillata | Limnophila sessiliflora |
| Gnaphalium falcatum! | Ilex cassine !! | Lindernia crustacea |
| Gnaphalium obtusifolium | Ilex glabra ! | Lindernia dubia var. anagallidea |
| Gnaphalium pennsylvanicum | Imperata brasiliensis | Lindernia grandiflora ! |
| Gnaphalium purpureum | Imperata cylindrica | Linum carteri var. smallii |
| Gomphrena serrata | Indigofera spicata | Linum flordanum |
| Gouania lupuloides | Ionopsis utricularioides | Linum medium var. texanum! |
| Gratiola pilosa *! | Ipomoea alba | Liparis nervosa |
| Gratiola ramosa | Ipomoea batatas | Livistona chinensis *C |
| Grevillea robusta | Ipomoea cordatotriloba | Lobelia feayana |
| Guzmania monostachia | Ipomoea indica var. acuminata | Lobelia glandulosa |
| Gymnopogon brevifolius | Ipomoea sagittata | Lobelia homophylla |
| Gymnopogon chapmanianus | Ipomoea triloba | Lobelia paludosa ! |
| Habenaria floribunda | Iresine diffusa | Ludwigia alata! |
| Habenaria nivea ! | Iris hexagona | Ludwigia curtissii |
| Habenaria quinqueseta | Isoetes flaccida ! | Ludwigia erecta |

| | | |
|---|---|--|
| Ludwigia maritima !! | Najas marina ! | Pectis glaucescens |
| Ludwigia microcarpa !! | Najas wrightiana | Pectis prostrata |
| Ludwigia octovalvis | Nelumbo lutea | Pectis xfloridana*! |
| Ludwigia peruviana | Neoregelia sp. C* | Peltandra virginica ! |
| Ludwigia repens ! | Nephrolepis biserrata !! | Pennisetum purpureum |
| Ludwigia suffruticosa | Nephrolepis cordifolia *! | Penstemon multiflorus |
| Lycium carolinianum | Nephrolepis exaltata !! | Pentalinon luteum |
| Lycopodiella cernua *! | Nephrolepis falcata forma furcans *! | Pentodon pentandrus! |
| Lycopus rubellus | Nephrolepis multiflora! | Peperomia alata |
| Lygodium microphyllum | Neyraudia reynaudiana | Peperomia glabella |
| Lyonia fruticosa | Nicotiana tabacum | Peperomia obtusifolia ! |
| Lyonia lucida | Nuphar lutea subsp. advena ! | Peperomia rotundifolia |
| Lysiloma latifolium | Nymphaea elegans | Persea americana |
| Lýthrum alatum var. lanceolatum !! | Nymphaea lotus | Persea borbonia |
| Lythrum lineare | Nymphaea odorata | Persea palustris |
| Macroptilium atropurpureum | Nymphoides aquatica | Phanopyrum gymnocarpon !* |
| Macroptilium lathyroides | Ocimum campechianum | Phlebodium aureum !! |
| Magnolia grandiflora | Ocotea coriacea | Phlox drummondii |
| Magnolia virginiana ! | Oeceoclades maculata | Phoenix dactylifera C* |
| Malachra urens | Oenothera humifusa | Phoenix sp. * |
| Malaxis spicata | Oncidium ensatum * | Phoradendron leucarpum |
| Malvastrum corchorifolium * | Ophioglossum palmatum ! | Phragmites australis |
| Malvaviscus arboreus var. drummondii ! | Ophioglossum petiolatum ! | Phyla nodiflora !! |
| Mangifera indica | Oplismenus hirtellus !! | Phyla stoechadifolia*! |
| Maxillaria crassifolia | Opuntia humifusa | Phyllanthus amarus * |
| Mecardonia acuminata ssp. peninsularis !! | Osmunda regalis var. spectabilis | Phyllanthus caroliniensis subsp. saxicola |
| Mecardonia procumbens! | Oxalis corniculata | Phyllanthus tenellus * |
| Medicago lupulina*! | Oxypolis filiformis !! | Phyllanthus urinaria ! |
| Melaleuca quinquenervia | Palafoxia feayi | Physalis angustifolia |
| Melaleuca viminalis | Pandanus sp. C* | Physalis pubescens |
| Melanthera angustifolia! | Panicum dichotomiflorum ! | Physalis walteri |
| Melanthera parvifolia | Panicum dichotomiflorum var. bartowense | Physostegia purpurea! |
| Melanthera nivea | Panicum hemitomon | Phytolacca americana ! |
| Melilotus albus | Panicum hians! | Pilea microphylla! |
| Melochia pyramidata | Panicum repens !! | Piloblepharis rigida |
| Melochia spicata | Panicum rigidulum ! | Pinguicula lutea |
| Melothria pendula !! | Panicum tenerum ! | Pinguicula pumila |
| Metopium toxiferum | Panicum virgatum | Pinus elliottii var. densa |
| Micranthemum glomeratum ! | Parietaria floridana | Piper aduncum |
| Micranthemum umbrorum *! | Parthenium hysterophorus *! | Piriqueta caroliniana !! |
| Microgramma heterophylla ! | Parthenocissus quinquefolia | Piscidia piscipula C* |
| Mikania cordifolia | Paspalidium geminatum! | Pisonia aculeata |
| Mikania scandens | Paspalum blodgettii | Pistia stratiotes !! |
| Mitreola petiolata !! | Paspalum caespitosum !! | Pithecellobium unguis-cati |
| Mitreola sessilifolia | Paspalum conjugatum! | Pityopsis graminifolia |
| Momordica charantia * !! | Paspalum dissectum * | Pityrogramma trifoliata |
| Monanthochloe littoralis | Paspalum distichum | Plantago major! |
| Morus alba | Paspalum fimbriatum | Plantago virginica * |
| Morus rubra | Paspalum floridanum! | Pleopeltis polypodioides var. michauxiana !! |
| Mucuna pruriens * | Paspalum laeve * | Pluchea carolinensis |
| Muhlenbergia capillaris | Paspalum monostachyum | Pluchea odorata |
| Murdannia nudiflora | Paspalum notatum | Pluchea rosea !! |
| Murdannia spirata | Paspalum praecox*! | Plumbago scandens |
| Musa xparadisiaca | Paspalum repens | Poinsettia heterophylla |
| Myrcianthes fragrans | Paspalum setaceum | Polygala baudinii |
| Myrica cerifera | Paspalum urvillei ! | Polygala boykinii |
| Myriophyllum aquaticum | Paspalum vaginatum * | Polygala cruciata |
| Myriophyllum heterophyllum | Passiflora pallens ! | Polygala grandiflora !! |
| Myriophyllum pinnatum | Passiflora suberosa | Polygala incarnata |
| Najas guadalupensis | Pecluma ptilodon var. caespitosa * | Polygala lutea |

| | | |
|--|--------------------------------------|--|
| Polygala nana ! | Rhynchospora divergens | Schoenus nigricans |
| Polygala polygama ! | Rhynchospora fascicularis ! | Schoepfia chrysophylloides |
| Polygala rugelii | Rhynchospora globularis | Scirpus tabernaemontani ! |
| Polygala setacea | Rhynchospora intermedia | Scleria baldwinii |
| Polygala verticillata var. isocyccla*! | Rhynchospora inundata | Scleria ciliata var. ciliata! |
| Polygonum densiflorum | Rhynchospora microcarpa! | Scleria georgiana! |
| Polygonum hydropiperoides! | Rhynchospora miliacea !! | Scleria hirtella ! |
| Polygonum punctatum | Rhynchospora nitens | Scleria lithosperma *! |
| Polygonum setaceum | Rhynchospora odorata ! | Scleria reticularis |
| Polypteron procumbens !! | Rhynchospora tracyi !! | Scleria triglomerata! |
| Polyradicion lindenii | Richardia grandiflora | Scleria verticillata ! |
| Polystachya concreta | Richardia scabra | Scoparia dulcis !! |
| Pongamia pinnata | Ricinus communis ! | Senecio glabellus ! |
| Pontederia cordata !! | Rivina humilis ! | Senna alata |
| Ponthieva racemosa | Rorippa teres! | Senna ligustrina |
| Portulaca oleracea! | Rotala ramosior | Senna obtusifolia |
| Portulaca pilosa | Rottboellia cochinchinensis | Senna pendula var. glabrata |
| Portulaca rubricaulis | Roystonea regia | Serenoa repens |
| Potamogeton illinoensis ! | Rubus trivialis | Sesbania herbacea |
| Pouzolzia zeylanica *! | Rudbeckia hirta !! | Sesbania vesicaria |
| Proserpinaca palustris | Ruellia caroliniensis | Sesuvium portulacastrum |
| Pseudelephantopus spicatus !* | Ruellia succulenta | Setaria corrugata |
| Psidium guajava | Ruellia tweediana | Setaria magna |
| Psilotum nudum !! | Rumex verticillatus | Setaria parviflora !! |
| Psychotria nervosa | Ruppia maritima ! | Seymeria pectinata ! |
| Psychotria sulzneri | Russelia equisetiformis C* | Sida acuta |
| Pteridium aquilinum var. caudatum | Sabal palmetto! | Sida cordifolia |
| Pteridium aquilinum var. pseudocaudatum !! | Sabatia bartramii! | Sida elliottii |
| Pteris bahamensis | Sabatia brevifolia | Sida rhombifolia |
| Pteris tripartita | Sabatia calcinea | Sida spinosa * |
| Pteris vittata !! | Sabatia grandiflora | Sideroxylon celastrinum * |
| Pteris xdelchampsii | Sabatia stellaris | Sideroxylon foetidissimum |
| Pterocaulon pycnostachyum | Saccharum giganteum | Sideroxylon reclinatum ssp. reclinatum ! |
| Ptilimnium capillaceum ! | Saccharum officinarum | Sideroxylon salicifolium |
| Quercus chapmanii *! | Sacciolepis indica !! | Simarouba glauca |
| Quercus geminata | Sacciolepis striata | Sisyrinchium angustifolium |
| Quercus laurifolia | Saccola lanceolata | Sisyrinchium nashii* |
| Quercus minima! | Sageretia minutiflora ! | Sisyrinchium rosulatum |
| Quercus pumila | Sagittaria filiformis | Smilax auriculata |
| Quercus virginiana | Sagittaria gramineal | Smilax bona-nox |
| Quesnelia quesnelloides C* | Sagittaria graminea var. chapmanii | Smilax laurifolia !! |
| Randia aculeata | Sagittaria lancifolia | Smilax tamnoides * |
| Rapanea punctata !! | Salix caroliniana | Solanum americanum |
| Reimarochoa oligostachya | Salvia lyrata ! | Solanum capsicoides* |
| Rhabdadenia biflora | Salvia occidentalis | Solanum erianthum |
| Rhipis excelsa | Salvinia minima !! | Solanum verbascifolium |
| Rhexia cubensis | Sambucus canadensis | Solanum viarum |
| Rhexia mariana!! | Samolus ebracteatus | Solidago fistulosa !! |
| Rhexia nashii | Samolus valerandi subsp. parviflorus | Solidago gigantea |
| Rhexia nullallii | Sansevieria hyacinthoides* | Solidago odora var. chapmanii ! |
| Rhexia petiolata *! | Sapindus saponaria ! | Solidago sempervirens |
| Rhizophora mangle | Sarcostemma clausum | Solidago stricta !! |
| Rhus copallinaum !! | Saururus cernuus | Solidago tortifolia! |
| Rhynchelytrum repens | Schefflera actinophylla | Sonchus asper * |
| Rhynchosia minima | Schinus terebinthifolius | Sophora tomentosa var. truncata C* |
| Rhynchosia swartzii* | Schizachyrium gracile ! | Sorghastrum secundum *! |
| Rhynchospora breviseta | Schizachyrium rhizomatum | Sorghum arundinaceum * ! |
| Rhynchospora chapmanii | Schizachyrium sanguineum | Spartina bakeri ! |
| Rhynchospora colorata !! | Schizea pennula * | Spathodea campanulata * |
| Rhynchospora corniculata! | Schoenolirion albiflorum | Spermacoce assurgens !! |

| | | | |
|---|---|--------------------------------------|--|
| Spermacoce floridana | ✓ | Toxicodendron radicans | Xyris smalliana * |
| Spermacoce prostrata ! | | Tradescantia spathacea | Youngia japonica ! |
| Spermacoce terminalis | | Tradescantia zebrina | Zanthoxylum fagara |
| Spermacoce tetraquetra *! | | Trema micranthum | Zea mays subsp. mexicana |
| Spermacoce verticillata !! | | Trichomanes holopterum | Zephyranthes simpsonii |
| Spigelia anthelmia * | | Trichostema dichotomum | Zeuxine strateumatica ! |
| Spiranthes brevilabris | | Trichostigma octandrum | Zizaniopsis milletae ! |
| Spiranthes cernua | | Tridax procumbens | Zoysia matrella var. tenuifolia !+ |
| Spiranthes laciniata ! | | Triphora gentianoides | |
| Spiranthes longilabris | | Tripsacum dactyloides | |
| Spiranthes odorata | | Tripsacum floridanum | Bold = needs to be collected |
| Spiranthes torta | | Turbina corymbosa | * = not on Muss et al. |
| Spiranthes vernalis ! | | Turmera ulmifolia *! | ! = collected by IRC |
| Spirodela polyrhiza! | | Typha domingensis | !! = collected by IRC for addendum |
| Sporobolus domingensis | | Typha latifolia | + = collected again by IRC for documentation |
| Sporobolus indicus | ✓ | Urena lobata !! | C = Cultivated Only |
| Sporobolus indicus var. pyramidalis !! | | Urochloa fasciculata var. reticulata | |
| Sporobolus junceus ! | | Urochloa mutica | |
| Sporobolus pyramidatus | | Urochloa ramosa | |
| Sporobolus virginicus * | ✓ | Utricularia foliosa | |
| Stachytarpheta jamaicensis | ✓ | Utricularia gibba | |
| Stenandrium dulce | | Utricularia inflata | |
| Stenochlaena tenuifolia | | Utricularia purpurea | |
| Stenotaphrum secundatum | | Utricularia radiata | |
| Stillingia aquatica !! | | Utricularia resupinata ! | |
| Stillingia sylvatica !! | | Utricularia simulans | |
| Stylosanthes hamata ! | | Utricularia subulata | |
| Syagrus romanzoffiana * | | Vaccinium darrovii | |
| Syngonium angustatum! | | Vaccinium myrsinutes ! | |
| Syngonium podophyllum | | Vanilla phaeantha | |
| Syzygium cumini | | Verbena bonariensis | |
| Syzygium jambos | | Verbena brasiliensis *! | |
| Tabebuia aurea | ✓ | Verbena scabra! | |
| Taxodium ascendens | | Verbesina virginica | |
| Taxodium distichum | | Vernonia blodgettii | |
| Tectaria heracleifolia | | Viburnum obovatum | |
| Teephrosia spicata! | ✓ | Vicia acutifolia | |
| Teucrium canadense | | Vigna luteola | |
| Thalia geniculata | | Viola lanceolata | |
| Thelypteris dentata *! | | Viola palmata *! | |
| Thelypteris hispidula var. versicolor | | Viola sororia *! | |
| Thelypteris interrupta | | Vitis aestivalis | |
| Thelypteris kunthii! | ✓ | Vitis cinerea var. floridana | |
| Thelypteris ovata! | | Vitis rotundifolia | |
| Thelypteris palustris var. pubescens !! | | Vitis shuttleworthii | |
| Thelypteris reticulata | | Vittaria lineata !! | |
| Thevetia peruviana * | | Waltheria indica !! | |
| Tillandsia balbisiana !! | ✓ | Wedelia trilobata !! | |
| Tillandsia fasciculata var. densispica | | Wolffia columbiana * | |
| Tillandsia flexuosa ! | | Wolfiella oblonga ! | |
| Tillandsia paucifolia | | Woodwardia areolata | |
| Tillandsia pruinosa | | Woodwardia virginica | |
| Tillandsia recurvata! | ✓ | Ximenia americana | |
| Tillandsia setacea !! | | Xyris ambigua !! | |
| Tillandsia usneoides | ✓ | Xyris calcicola * | |
| Tillandsia utriculata | | Xyris caroliniana *! | |
| Tillandsia variabilis | | Xyris difformis var. floridana | |
| Tillandsia xsmalliana | | Xyris elliottii | |
| Tournefortia hirsutissima | | Xyris flabelliformis ! | |
| Tournefortia volubilis | | Xyris jupicai | |

| Big Cypress NP Data Sheets | | | | | |
|--------------------------------|-------------|---------|---------|--|--|
| Date: | 4/26/01 | Cell # | Point # | | |
| County: | | | | | |
| Region: | | | | | |
| Transect #1 | | | | | |
| Heading (deg.): | 83° | | | | |
| Origin coordinates: | 0506250 | 2903122 | | | |
| End coordinates: | 0506497 | 2903169 | | | |
| Species on line | Fimbr. cymo | | | | |
| | Eryngioid | | | | |
| | Eupatorium | | | | |
| | Desmodium | | | | |
| | Spergularia | | | | |
| | Phytolac. | | | | |
| | Cyperus | | | | |
| | Spergulus | | | | |
| | Paspalum | | | | |
| | Desmodium | | | | |
| | Buchnera | | | | |
| | Ridleya | | | | |
| | Axonopus | | | | |
| | Lobelia | | | | |
| Quad. 2.5 m Intercept 1 (2.5) | Eremophila | | | | |
| Quad. 2.5 m Intercept 2 (5) | — | | | | |
| Quad. 2.5 m Intercept 3 (7.5) | Eremophila | | | | |
| Quad. 2.5 m Intercept 4 (10) | Desmodium | | | | |
| Quad. 2.5 m Intercept 5 (12.5) | Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept 6 (15) | Eremophila | | | | |
| Quad. 2.5 m Intercept 7 (17.5) | Phytolac. | | | | |
| Quad. 2.5 m Intercept 8 (20) | Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept 9 (22.5) | Eremophila | | | | |

| | | | | | | |
|--------------------------------|-------------------------|--|--|--|--|--|
| Quad. 2.5 m Intercept10 (25) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept11 (27.5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept12 (30) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept13 (32.5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept14 (35) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept15 (37.5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept16 (40) | Eremoph. Phylospadis | | | | | |
| Quad. 2.5 m Intercept17 (42.5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept18 (45) | Fimbrigrano | | | | | |
| Quad. 2.5 m Intercept19 (47.5) | Fimbrigrano | | | | | |
| Quad. 2.5 m Intercept20 (50) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept21 (2.5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept22 (5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept23 (7.5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept24 (10) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept25 (12.5) | Fimbrigrano Eremoph. | | | | | |
| Quad. 2.5 m Intercept26 (15) | Eremoph. Fimbrigrano | | | | | |
| Quad. 2.5 m Intercept27 (17.5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept28 (20) | Eremoph. Fimbrigrano | | | | | |
| Quad. 2.5 m Intercept29 (22.5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept30 (25) | Fimbrigrano | | | | | |
| Quad. 2.5 m Intercept31 (27.5) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept32 (30) | Eremoph. | | | | | |
| Quad. 2.5 m Intercept33 (32.5) | Eremoph. | | | | | |

| | | | | | | |
|--------------------------------|--------------|--------------|--|--|--|--|
| Quad. 2.5 m Intercept34 (35) | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept35 (37.5) | Eremophila | | | | | |
| | Eragrostis | | | | | |
| Quad. 2.5 m Intercept36 (40) | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept37 (42.5) | Eremophila | | | | | |
| | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept38 (45) | Eremophila | | | | | |
| | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept39 (47.5) | Fimbristylis | | | | | |
| | Eremophila | | | | | |
| Quad. 2.5 m Intercept40 (50) | Fimbristylis | | | | | |
| | Eremophila | | | | | |
| Quad. 2.5 m Intercept41 (2.5) | Eremophila | Fimbristylis | | | | |
| | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept42 (5) | Phytolacca | | | | | |
| Quad. 2.5 m Intercept43 (7.5) | Eremophila | | | | | |
| Quad. 2.5 m Intercept44 (10) | Eremophila | | | | | |
| Quad. 2.5 m Intercept45 (12.5) | Eremophila | | | | | |
| Quad. 2.5 m Intercept46 (15) | Eremophila | | | | | |
| Quad. 2.5 m Intercept47 (17.5) | Eremophila | | | | | |
| | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept48 (20) | Eremophila | | | | | |
| | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept49 (22.5) | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept50 (25) | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept51 (27.5) | Eremophila | | | | | |
| Quad. 2.5 m Intercept52 (30) | Desmodium | | | | | |
| Quad. 2.5 m Intercept53 (32.5) | Fimbristylis | | | | | |
| | Eremophila | | | | | |
| Quad. 2.5 m Intercept54 (35) | Fimbristylis | | | | | |
| Quad. 2.5 m Intercept55 (37.5) | Eremophila | | | | | |
| Quad. 2.5 m Intercept56 (40) | Eremophila | | | | | |
| Quad. 2.5 m Intercept57 (42.5) | Eremophila | | | | | |

| | | | | | |
|--------------------------------|---------------------------|--|--|--|--|
| Quad. 2.5 m Intercept58 (45) | Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept59 (47.5) | Fimbr. cymo Eremophli. | | | | |
| Quad. 2.5 m Intercept60 (50) | Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept61 (2.5) | Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept62 (5) | Eremophli | | | | |
| Quad. 2.5 m Intercept63 (7.5) | — | | | | |
| Quad. 2.5 m Intercept64 (10) | Eremophli | | | | |
| Quad. 2.5 m Intercept65 (12.5) | Fimbr. cymo Eremophli | | | | |
| Quad. 2.5 m Intercept66 (15) | Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept67 (17.5) | Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept68 (20) | Eremophli. | | | | |
| Quad. 2.5 m Intercept69 (22.5) | Eremophli. Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept70 (25) | Eremophli. | | | | |
| Quad. 2.5 m Intercept71 (27.5) | Eremophli | | | | |
| Quad. 2.5 m Intercept72 (30) | Eremophli | | | | |
| Quad. 2.5 m Intercept73 (32.5) | Eremophli Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept74 (35) | Fimbr. cymo Eremophli | | | | |
| Quad. 2.5 m Intercept75 (37.5) | Eremophli Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept76 (40) | Eremophli % | | | | |
| Quad. 2.5 m Intercept77 (42.5) | Erag. & D Phylo. | | | | |
| Quad. 2.5 m Intercept78 (45) | Phylo. Eremophli | | | | |
| Quad. 2.5 m Intercept79 (47.5) | Eremophli | | | | |
| Quad. 2.5 m Intercept80 (50) | Fimbr. cymo | | | | |
| Quad. 2.5 m Intercept81 (2.5) | Eremophli | | | | |

| | | | | | | |
|--------------------------------|---------------------------|--|--|--|--|--|
| Quad. 2.5 m Intercept82 (5) | Fimbr. cymo | | | | | |
| Quad. 2.5 m Intercept83 (7.5) | Eremophl. | | | | | |
| Quad. 2.5 m Intercept84 (10) | Eremophl. | | | | | |
| Quad. 2.5 m Intercept85 (12.5) | Fimbr. cymo Eremophl. | | | | | |
| Quad. 2.5 m Intercept86 (15) | Fimbr. cymo | | | | | |
| Quad. 2.5 m Intercept87 (17.5) | Eremophl. | | | | | |
| Quad. 2.5 m Intercept88 (20) | Eremophl. | | | | | |
| Quad. 2.5 m Intercept89 (22.5) | Eremophl. | | | | | |
| Quad. 2.5 m Intercept90 (25) | Fimbr. cymo Eremophl. | | | | | |
| Quad. 2.5 m Intercept91 (27.5) | Fimbr. cymo Eremophl. | | | | | |
| Quad. 2.5 m Intercept92 (30) | Fimbr. cymo | | | | | |
| Quad. 2.5 m Intercept93 (32.5) | Fimbr. cymo Eremophl. | | | | | |
| Quad. 2.5 m Intercept94 (35) | Fimbr. cymo | | | | | |
| Quad. 2.5 m Intercept95 (37.5) | Fimbr. cymo Eriogonum | | | | | |
| Quad. 2.5 m Intercept96 (40) | Fimbr. cymo | | | | | |
| Quad. 2.5 m Intercept97 (42.5) | Fimbr. cymo | | | | | |
| Quad. 2.5 m Intercept98 (45) | Fimbr. cymo Erag. atr. | | | | | |
| Quad. 2.5 m Intercept99 (47.5) | Fimbr. cymo | | | | | |
| Quad. 2.5 m Intercept100 (50) | Fimbr. cymo | | | | | |

| Big Cypress NP Data Sheets | | | | | |
|----------------------------------|-------------|---------------|--------------|--------------------------|--|
| Date: | 4/2/04 | | | | |
| County: | | | | | |
| Region: | | | | | |
| Cell # | | Point # | | | |
| Transect #2 | | | | | |
| Heading (deg.): | 30° | | | | |
| Origin coordinates: | | | | | |
| End coordinates: | 0506361 | 2903343 | | | |
| Species on line | Fimbriforme | Spermatophyte | Senecioneae | Polygonum | |
| | Eremophila | Plus rosea | Blechnum | Prospalta | |
| | Eupacaria | Myrsinella | Psychotria | Crinum | |
| | Erigeron | Eustachys | Tillandsia | Pluchea | |
| | Psathyro | Aeonium | Vittaria | Poospilia | |
| | Hypoleuce | Bragantina | Dicranum | Saccigera | |
| | Mecocarpus | Sisyrinchium | Smilacina | Hydrocotyle + Hydrocotyl | |
| | Lindernia | Dioscorea | Tillseta | | |
| | Polygonum | Xyridace | Sabicea | | |
| | Lobelia | Anemone | Thelkunt | | |
| | Polygonum | Hypoleuce | Puelia | | |
| | Phytomyzus | Hydrocotyle | Sorogigia | | |
| | Schizandra | Xyriella | Pterospermum | | |
| | Phytolacca | Euphorbia | Cirsium | | |
| | Zygophyllum | Querina | Asteraceo | | |
| | Sidarhoum | Salicornia | Bryophytes | | |
| | Rhytidodon | Juncum | Vicia | | |
| | Centauria | Eustachys | Tillandsia | | |
| | Oenothera | Cladonia | Ludwigia | | |
| | Psathyro | Iponmea | Boehmeria | | |
| Quadrat 2.5 m Intercept 1 (2.5) | Fimbriforme | | | | |
| Quadrat 2.5 m Intercept 2 (5) | Fimbriforme | | | | |
| Quadrat 2.5 m Intercept 3 (7.5) | Erigeron | | | | |
| Quadrat 2.5 m Intercept 4 (10) | Eremophila | | | | |
| Quadrat 2.5 m Intercept 5 (12.5) | Polygonum | | | | |
| Quadrat 2.5 m Intercept 6 (15) | Mecocarpus | Phytolacca | | | |
| Quadrat 2.5 m Intercept 7 (17.5) | Eupacaria | Eremophila | | | |
| Quadrat 2.5 m Intercept 8 (20) | Mecocarpus | Eremophila | | | |
| Quadrat 2.5 m Intercept 9 (22.5) | Schizandra | | | | |
| | Rhytidodon | | | | |

| | | | | | | |
|--------------------------------|---------------------------|---------------------|--|--|--|--|
| Quad. 2.5 m Intercept10 (25) | Rapapunc Oreoloba | | | | | |
| Quad. 2.5 m Intercept11 (27.5) | Eremophli Centaria | | | | | |
| Quad. 2.5 m Intercept12 (30) | Eremophli | | | | | |
| Quad. 2.5 m Intercept13 (32.5) | Eremophli | | | | | |
| Quad. 2.5 m Intercept14 (35) | Eremophli | | | | | |
| Quad. 2.5 m Intercept15 (37.5) | Eremophli Ludwigia | | | | | |
| Quad. 2.5 m Intercept16 (40) | Eremophli Centaria | | | | | |
| Quad. 2.5 m Intercept17 (42.5) | Ludwigia Axonforz | | | | | |
| Quad. 2.5 m Intercept18 (45) | Ludwigia Phlox | Axonforz | | | | |
| Quad. 2.5 m Intercept19 (47.5) | Myrsinai Ludwigia | Phymado | | | | |
| Quad. 2.5 m Intercept20 (50) | Bustglaw Phylmudi | Eragato Centaria | | | | |
| Quad. 2.5 m Intercept21 (2.5) | Phylmudi Axonforz | | | | | |
| Quad. 2.5 m Intercept22 (5) | Phymadic Phloxrose | | | | | |
| Quad. 2.5 m Intercept23 (7.5) | Phylmudi Myrsinai | Eupacapi | | | | |
| Quad. 2.5 m Intercept24 (10) | Myrsinai Phylmudi | Phymado | | | | |
| Quad. 2.5 m Intercept25 (12.5) | Centaria Ludwigia | | | | | |
| Quad. 2.5 m Intercept26 (15) | Milkcan Centaria | | | | | |
| Quad. 2.5 m Intercept27 (17.5) | Eupacaps | | | | | |
| Quad. 2.5 m Intercept28 (20) | Myrsinai Eremophli | Centaria | | | | |
| Quad. 2.5 m Intercept29 (22.5) | Myrsinai Eremophli | | | | | |
| Quad. 2.5 m Intercept30 (25) | Androfragglaw Centaria | | | | | |
| Quad. 2.5 m Intercept31 (27.5) | Phymado | | | | | |
| Quad. 2.5 m Intercept32 (30) | type lyppe Eremophli | | | | | |
| Quad. 2.5 m Intercept33 (32.5) | Sperved Myrsinai | Axonforz | | | | |

| | | | | | |
|--------------------------------|--------------------|------------------|------------------|--|--|
| Quad. 2.5 m Intercept34 (35) | <i>Phyllost.</i> | | | | |
| | <i>Erythroph.</i> | | | | |
| Quad. 2.5 m Intercept35 (37.5) | <i>Ludwigia</i> | | | | |
| | <i>Axonopus</i> | | | | |
| Quad. 2.5 m Intercept36 (40) | <i>Schizach.</i> | <i>Eremog.</i> | | | |
| | <i>Ludwigia</i> | | | | |
| Quad. 2.5 m Intercept37 (42.5) | <i>Spergula</i> | | | | |
| Quad. 2.5 m Intercept38 (45) | — | | | | |
| Quad. 2.5 m Intercept39 (47.5) | <i>Phyloct.</i> | | | | |
| | <i>Axonopus</i> | | | | |
| Quad. 2.5 m Intercept40 (50) | <i>Xyridell.</i> | <i>Ludwigia</i> | <i>Phyllost.</i> | | |
| | Chenop. | <i>Carex</i> | | | |
| Quad. 2.5 m Intercept41 (2.5) | <i>Axonopus</i> | | | | |
| | <i>Myrioc.</i> | | | | |
| Quad. 2.5 m Intercept42 (5) | <i>Xyridell.</i> | <i>Carex</i> | | | |
| | <i>Centaur.</i> | | | | |
| Quad. 2.5 m Intercept43 (7.5) | <i>Axonopus</i> | | | | |
| | <i>Myrioc.</i> | | | | |
| Quad. 2.5 m Intercept44 (10) | <i>Axonopus</i> | | | | |
| Quad. 2.5 m Intercept45 (12.5) | <i>Axonopus</i> | <i>Myrioc.</i> | | | |
| | <i>Quer.</i> | | | | |
| Quad. 2.5 m Intercept46 (15) | <i>Axonopus</i> | | | | |
| | <i>Myrioc.</i> | | | | |
| Quad. 2.5 m Intercept47 (17.5) | <i>Eustachys</i> | | | | |
| | <i>Myrioc.</i> | | | | |
| Quad. 2.5 m Intercept48 (20) | <i>Phyloct.</i> | | | | |
| | <i>Pluchea</i> | | | | |
| Quad. 2.5 m Intercept49 (22.5) | <i>Salticus</i> | | | | |
| | <i>Phyloct.</i> | | | | |
| Quad. 2.5 m Intercept50 (25) | <i>Schizach.</i> | <i>Clad.</i> | | | |
| | <i>Panicum</i> | <i>Salicaria</i> | | | |
| Quad. 2.5 m Intercept51 (27.5) | <i>Myrioc.</i> | | | | |
| Quad. 2.5 m Intercept52 (30) | <i>Overlawn</i> | <i>Overviry</i> | | | |
| | <i>Schizach.</i> | | | | |
| Quad. 2.5 m Intercept53 (32.5) | <i>Sesuvia</i> | <i>Overlawn</i> | | | |
| | <i>Overviry</i> | | | | |
| Quad. 2.5 m Intercept54 (35) | <i>Vapapunk</i> | <i>Overviry</i> | | | |
| | <i>Sesuvia</i> | <i>Overlawn</i> | | | |
| Quad. 2.5 m Intercept55 (37.5) | <i>Overlawn</i> | | | | |
| | <i>Vitis</i> | | | | |
| Quad. 2.5 m Intercept56 (40) | <i>Overviry</i> | | | | |
| Quad. 2.5 m Intercept57 (42.5) | <i>Sasa</i> | <i>Myrioc.</i> | | | |
| | <i>Overviry</i> | <i>Zapypunc</i> | | | |

| | | | | | |
|--------------------------------|------------------------|-----------------------|----------|--|--|
| Quad. 2.5 m Intercept58 (45) | Papapung Querwer | | | | |
| Quad. 2.5 m Intercept59 (47.5) | Papapung Querwer | | | | |
| Quad. 2.5 m Intercept60 (50) | Papapung Scl. tere | Querwer Querwer | | | |
| Quad. 2.5 m Intercept61 (2.5) | Scl. tere | | | | |
| Quad. 2.5 m Intercept62 (5) | Papapung Scl. tere | | | | |
| Quad. 2.5 m Intercept63 (7.5) | Sutibonca Subapaln | Solidene | | | |
| Quad. 2.5 m Intercept64 (10) | Subapaln Myricaria | | | | |
| Quad. 2.5 m Intercept65 (12.5) | — | | | | |
| Quad. 2.5 m Intercept66 (15) | Subapaln | | | | |
| Quad. 2.5 m Intercept67 (17.5) | Myricaria | | | | |
| Quad. 2.5 m Intercept68 (20) | Rhynchos Scl. tere | Pterag. vicaria | | | |
| Quad. 2.5 m Intercept69 (22.5) | Scl. tere | | | | |
| Quad. 2.5 m Intercept70 (25) | Scl. tere | | | | |
| Quad. 2.5 m Intercept71 (27.5) | — | | | | |
| Quad. 2.5 m Intercept72 (30) | Baccharis Scl. tere | | | | |
| Quad. 2.5 m Intercept73 (32.5) | — | | | | |
| Quad. 2.5 m Intercept74 (35) | Scl. tere | | | | |
| Quad. 2.5 m Intercept75 (37.5) | Cirsium Mikascan | Dichrom. Rhynchos | | | |
| Quad. 2.5 m Intercept76 (40) | Sutibonca Blecker | Vicia sat Querwer | Mikascan | | |
| Quad. 2.5 m Intercept77 (42.5) | Blecker Serepe | DAV. vige Erythru. | | | |
| Quad. 2.5 m Intercept78 (45) | — | | | | |
| Quad. 2.5 m Intercept79 (47.5) | Serepe Mikascan | Ludw. gen | | | |
| Quad. 2.5 m Intercept80 (50) | — | | | | |
| Quad. 2.5 m Intercept81 (2.5) | Serepe Mikascan | | | | |

| | | | | | |
|--------------------------------|------------------------------|----------------------|--|--|--|
| Quad. 2.5 m Intercept82 (5) | Ludwperi | | | | |
| Quad. 2.5 m Intercept83 (7.5) | Mikascan | | | | |
| Quad. 2.5 m Intercept84 (10) | Myricei Mikascan | Blesser | | | |
| Quad. 2.5 m Intercept85 (12.5) | Mikascan Serepe | Polyhydr | | | |
| Quad. 2.5 m Intercept86 (15) | Blesser Salicar | | | | |
| Quad. 2.5 m Intercept87 (17.5) | Myricei Salicar | | | | |
| Quad. 2.5 m Intercept88 (20) | Serepe Astecar | | | | |
| Quad. 2.5 m Intercept89 (22.5) | Serepe | | | | |
| Quad. 2.5 m Intercept90 (25) | Serepe Salicar | Arenfer | | | |
| Quad. 2.5 m Intercept91 (27.5) | Viciout | | | | |
| Quad. 2.5 m Intercept92 (30) | Baccalii Mikascan | Hydrovit Ludwperi | | | |
| Quad. 2.5 m Intercept93 (32.5) | Akerrrolor Myricei | | | | |
| Quad. 2.5 m Intercept94 (35) | Mikascan Bacca | Baccalii Querlaut | | | |
| Quad. 2.5 m Intercept95 (37.5) | Schijere Myricei | | | | |
| Quad. 2.5 m Intercept96 (40) | Arenfer Schijere | Myricei | | | |
| Quad. 2.5 m Intercept97 (42.5) | Myricei Phylnod | | | | |
| Quad. 2.5 m Intercept98 (45) | Phylnod Aton purc | Lindgrm | | | |
| Quad. 2.5 m Intercept99 (47.5) | Rhynodr Centrasia | Myricei | | | |
| Quad. 2.5 m Intercept100 (50) | Erigiggle Panilberi | Myricei | | | |