

Ref ID #46294

B47

Bradley, K. B. and S. W. Woodmansee. Observations of vascular plants at Big Cypress National Preserve, cell #AK49, Collier County, Florida. 25 March 2004. The Institute for Regional Conservation, Miami, FL.

SiteRefID

59620

59621

SiteID

Big Cypress National Preserve

B47

Big Cypress National Preserve Cell #AK49

transect data entered
GM

Celtis
W. S.

| Plants of Big Cypress based on Muss et al. (2002) | | | |
|---|---------|--|---|
| CELL # | B47 | Point # 335 | |
| Date: | 3/25/04 | Observers: L3 SW | |
| Abrus precatorius ! | | Argemone mexicana | Bucida buceras |
| Abutilon permolle | | Aristida beyrichiana ! | Bulbostylis ciliatifolia |
| Acacia pinetorum | | Aristida patula !! | Bulbostylis stenophylla |
| Acalypha gracilens | | Aristida purpurascens ! | Burmannia capitata ! |
| Acalypha ostryifolia | | Aristida spiciformis | Burmannia flava |
| Acer rubrum | | Arnoglossum ovatum ! | Bursera simaruba |
| Acmella oppositifolia var. repens ! | | Arundo donax ! | Caesalpinia bonduc |
| Acoelorraphe wrightii | | Asclepias curassavica | Calliandra haematocephala |
| ✓ Acrostichum aureum *! | | Asclepias incarnata | Callicarpa americana !! |
| Acrostichum danaeifolium! | | Asclepias lanceolata !! | Calystegia sepium subsp. limnophila |
| ✓ Adiantum capillus-veneris* | | Asclepias longifolia | Calyptranthes pallens! |
| ✓ Adiantum tenerum* | | Asclepias tuberosa ! | Campanula floridana |
| Aechmea bracteata * | | Asclepias verticillata ! | Campsis radicans ! |
| Aechmea victoriana C* | | Asimina reticulata | Campylocentrum pachyrhizum |
| Aeschynomene americana | | Asparagus setaceus *C | Campyloneurum angustifolium* |
| Aeschynomene pratensis! | | Asplenium serratum | Campyloneurum phyllitidis !! |
| Agalinis fasciculata !! | | Aster adnatus | Canna flaccida |
| Agalinis filifolia | | Aster bracei | Caperonia castaneifolia !! |
| Agalinis linifolia ! | | Aster carolinianus | ✓ Capparis cynophallophora * |
| Agalinis maritima | | Aster concolor | Capraria biflora ! |
| ✓ Agave decipiens * | | Aster dumosus ! | Cardamine pensylvanica* |
| Agave sisalana * | | Aster ellottii | Cardiospermum corindum |
| Ageratum houstonianum * | | Aster fontinale * | Cardiospermum microcarpum |
| Ageratina jucunda | | Aster subulatus ! | Carex comosa *! |
| Albizia lebbeck | | Avicennia germinans ! | Carex gigantea! |
| Aletris bracteata | | Axonopus compressus*! | Carex longii*! |
| Aletris lutea | | Axonopus fissifolius*! | Carex liguiformis ! |
| Allamanda cathartica * | | Axonopus furcatus ! | Carex verrucosa *! |
| Alpinia zerumbet | | Azolla caroliniana | Carex vexans *! |
| Alternanthera flavescens * | | Baccharis angustifolia | Carica papaya |
| Alysicarpus ovalifolius | | Baccharis glomeruliflora | Carphephorus corymbosus |
| Alysicarpus vaginalis | | Baccharis halimifolia | Carphephorus odoratissimus var. subtropicanus ! |
| Amaranthus australis | | Bacopa caroliniana !! | Ambrosia artemisiifolia !! |
| Amaranthus viridis* | | Bacopa monnieri | Bambusa sp. C |
| Ambrosia artemisiifolia !! | | Bartonia paniculata ! | Bartonia virginica * |
| Ammannia latifolia | | Bartsia scordifolia | Bauhinia purpurea |
| Amorpha fruticosa | | Bartsia scordifolia | Bauhinia variegata |
| Amorpha herbacea | | Bartsia scordifolia | Baudinia ciliata |
| Ampelopsis arborea !! | | Bartsia scordifolia | Baudinia ciliata |
| Amphicarpum muhlenbergianum ! | | Beadlea cranichoides * | Begonia ciliata |
| Amyris elemifera | | Bejaria racemosa | Begonia ciliata |
| Anagallis minima * | | Berchemia scandens | Begonia ciliata |
| Anagallis pumila *! | | Bidens alba var. radiata !! | Begonia ciliata |
| Ananas comosus *C | | Bigelowia nudata subsp. australis | Begonia ciliata |
| Andropogon glomeratus var. glaucopsis* | | Bischofia javanica | Begonia ciliata |
| Andropogon glomeratus var. hirsutior | | Blechnum serrulatum !! | Begonia ciliata |
| Andropogon glomeratus var. pumilus | | Blechnum pyramidatum | Begonia ciliata |
| Andropogon gyrans | | Bletia purpurea | Begonia ciliata |
| Andropogon longiberbis | | Blutaparon vermiculare *! | Begonia ciliata |
| Andropogon ternarius | | Boehmeria cylindrica !! | Begonia ciliata |
| Andropogon virginicus | | Boerhavia diffusa | Begonia ciliata |
| Andropogon virginicus var. decipiens | | Boltonia diffusa | Begonia ciliata |
| Andropogon virginicus var. glaucus | | Borreria frutescens *! | Begonia ciliata |
| Anemia adiantifolia | | Bothriochloa ischaemum var. songarica+ | Begonia ciliata |
| Angadenia bertero! ! | | Bothriochloa pertusa | Begonia ciliata |
| Annanas comosus C | | Brassica rapa | Begonia ciliata |
| Annona glabra | | Buchnera americana !! | Begonia ciliata |

Batis maritima

| | | |
|--|---|---|
| <i>Chamaesyce hypericifolia</i> | <i>Ctenitis sloanei</i> | <i>Diospyros virginiana</i> |
| <i>Chamaesyce hyssopifolia</i> ! | <i>Cuphea carthagenensis</i> ! | <i>Distichlis spicata</i> * |
| <i>Chamaesyce lasiocarpa</i> | <i>Cuscuta pentagona</i> ! | <i>Dodonaea angustifolia</i> * |
| <i>Chamaesyce mendezii</i> | <i>Cyclospermum leptophyllum</i> *! | <i>Dracaena marginata</i> C* |
| <i>Chamaesyce ophthalmica</i> | <i>Cynanchum blodgettii</i> | <i>Drosera brevifolia</i> |
| <i>Chamaesyce pergamena</i> | <i>Cynanchum scoparium</i> | <i>Drosera capillaris</i> |
| <i>Chamaesyce porterianna</i> | <i>Cynodon dactylon</i> ! | <i>Drymaria cordata</i> *! |
| <i>Chaptalia tomentosa</i> | <i>Cyperus articulatus</i> ! | <i>Drypetes lateriflora</i> |
| <i>Chiococca alba</i> | <i>Cyperus compressus</i> | <i>Dypsis lutescens</i> * |
| <i>Chiococca parvifolia</i> | <i>Cyperus croceus</i> | <i>Dyschoriste angusta</i> |
| <i>Chlorophytum comosum</i> * | <i>Cyperus distinctus</i> | <i>Dyschoriste oblongifolia</i> !* |
| ✓ <i>Chromolaena odorata</i> * | <i>Cyperus esculentus</i> | <i>Echinocloa colona</i> ! |
| <i>Chrysobalanus icaco</i> | <i>Cyperus flavescens</i> !! | <i>Echinocloa crus-galli</i> |
| <i>Chrysophyllum oliviforme</i> | <i>Cyperus haspan</i> | <i>Echinocloa muricata</i> ! |
| <i>Chrysopogon pauciflorus</i> | <i>Cyperus involucratus</i> | <i>Echinocloa paludigena</i> |
| <i>Chrysopsis mariana</i> *! | <i>Cyperus ligularis</i> | <i>Echinocloa walteri</i> |
| <i>Chrysopsis subulata</i> | <i>Cyperus odoratus</i> ! | <i>Echinodorus bertero</i> |
| <i>Cirsium horridulum</i> | ✓ <i>Cyperus planifolius</i> | <i>Eclipta prostrata</i> |
| <i>Cirsium nuttallii</i> | <i>Cyperus polystachyos</i> !! | <i>Eichornia crassipes</i> |
| <i>Cissus verticillata</i> | <i>Cyperus prolifer</i> * | <i>Eleocharis albida</i> |
| <i>Citharexylum spinosum</i> ! | <i>Cyperus pumilus</i> | <i>Eleocharis atropurpurea</i> |
| <i>Citrus aurantium</i> | <i>Cyperus retrorsus</i> !! | <i>Eleocharis baldwinii</i> ! |
| <i>Citrus limon</i> | <i>Cyperus rotundus</i> * | <i>Eleocharis cellulosa</i> !! |
| <i>Citrus sinensis</i> | <i>Cyperus surinamensis</i> !! | <i>Eleocharis elongata</i> |
| <i>Citrus xparadisi</i> | <i>Cyperus tetragonus</i> *! | <i>Eleocharis flavescens</i> |
| <i>Cladium jamaicense</i> | <i>Cyrtopodium punctatum</i> | <i>Eleocharis geniculata</i> ! |
| <i>Clematis baldwinii</i> ! | <i>Dactyloctenium aegyptium</i> !! | <i>Eleocharis interstincta</i> |
| <i>Clerodendrum chinense</i> *! | <i>Dalbergia sissoo</i> | <i>Elephantopus elatus</i> !! |
| <i>Clerodendrum indicum</i> * | <i>Dalea carnea</i> !! | <i>Eleusine indica</i> !! |
| <i>Clerodendrum speciosissimum</i> * | <i>Dalea carthagenensis</i> var. <i>floridana</i> | <i>Elionurus tripsacoides</i> ! |
| <i>Clitoria mariana</i> | <i>Delonix regia</i> * | <i>Elytraria carolinensis</i> var. <i>angustifolia</i> !! |
| <i>Cnidoscolus stimulosus</i> | <i>Desmodium floridanum</i> | <i>Emilia fosbergii</i> *! |
| ✓ <i>Coccocloba diversifolia</i> ! | <i>Desmodium incanum</i> !! | <i>Encyclia cochleata</i> |
| <i>Coccocloba uvifera</i> * | <i>Desmodium paniculatum</i> | ✓ <i>Encyclia tampensis</i> |
| <i>Codiaeum variegatum</i> var. <i>pictum</i> | <i>Desmodium tortuosum</i> | <i>Epipremnum pinnatum</i> * |
| <i>Coelorachis rugosa</i> !! | <i>Desmodium triflorum</i> | <i>Epidendrum anceps</i> ! |
| <i>Coleus pumilus</i> | <i>Desmodium viridiflorum</i> | <i>Epidendrum floridense</i> |
| <i>Colocasia esculenta</i> | <i>Dichanthelium aciculare</i> | <i>Epidendrum nocturnum</i> |
| ✓ <i>Colubrina arborescens</i> | <i>Dichanthelium commutatum</i> !! | <i>Epidendrum rigidum</i> |
| <i>Commelinia caroliniana</i> *! | <i>Dichanthelium dichotomum</i> ! | <i>Equisetum hyemale</i> var. <i>affine</i> |
| <i>Commelinia diffusa</i> var. <i>diffusa</i> ! | <i>Dichanthelium ensifolium</i> ! | <i>Eragrostis atrovirens</i> ! |
| <i>Commelinia erecta</i> | <i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i> ! | <i>Eragrostis bahiensis</i> |
| ✓ <i>Conocarpus erectus</i> ! | <i>Dichanthelium erectifolium</i> !! | <i>Eragrostis ciliaris</i> ! |
| <i>Conoclinium coelestinum</i> !! | <i>Dichanthelium laxiflorum</i> *! | <i>Eragrostis elliottii</i> |
| <i>Conyzza canadensis</i> var. <i>pusilla</i> | <i>Dichanthelium leucothrix</i> *! | <i>Eragrostis hypnoides</i> ! |
| <i>Corchorus hirtus</i> * | <i>Dichanthelium ovale</i> | <i>Eragrostis secundiflora</i> ssp. <i>oxylepis</i> *! |
| <i>Corchorus siliquosus</i> | <i>Dichanthelium portoricense</i> | <i>Eragrostis spectabilis</i> ! |
| <i>Cordia globosa</i> | <i>Dichanthelium strigosum</i> var. <i>glabrescens</i> | <i>Eragrostis virginica</i> * |
| <i>Coreopsis leavenworthii</i> | <i>Dichanthium aristatum</i> *! | <i>Erechtites hieracifolia</i> |
| <i>Comus foemina</i> | <i>Dichondra carolinensis</i> ! | <i>Eremochloa ophiuroides</i> !! |
| <i>Costus spicatus</i> * | <i>Dichondra micrantha</i> | <i>Erigeron quercifolius</i> |
| <i>Crassocephalum crepidioides</i> *! | ✓ <i>Dicliptera sexangularis</i> | <i>Erigeron vernus</i> |
| <i>Crinum americanum</i> | <i>Digitaria ciliaris</i> *+! | <i>Eriobotrya japonica</i> |
| <i>Crotalaria lanceolata</i> !! | <i>Digitaria filiformis</i> var. <i>filiformis</i> ! | <i>Eriocaulon compressum</i> |
| <i>Crotalaria pallida</i> var. <i>obovata</i> | <i>Digitaria longiflora</i> | <i>Eriocaulon decangulare</i> ! |
| <i>Crotalaria pumila</i> *! | <i>Digitaria pauciflora</i> *! | <i>Eriocaulon ravenelii</i> ! |
| <i>Crotalaria rotundifolia</i> | <i>Digitaria violascens</i> ! | <i>Eriochloa michauxii</i> var. <i>michauxii</i> * |
| <i>Crotalaria spectabilis</i> | <i>Diodia virginiana</i> | <i>Erugastrum gallicum</i> |
| <i>Croton glandulosus</i> var. <i>glandulosus</i> *! | <i>Dioscorea bulbifera</i> | <i>Eryngium baldwinii</i> |
| <i>Croton humilis</i> ! | <i>Dioscorea sansibarensis</i> | <i>Eryngium yuccifolium</i> |

✓ *Dalbergia erecta* pt. 11/11

| | | |
|-----------------------------|---|---------------------------------------|
| Erythrina herbacea | Habenaria quinqueseta | Iris hexagona |
| Erythrodes quercetica ! | Habenaria repens | Isoetes flaccida ! |
| Eugenia axillaris | Hamelia patens | Iva microcephala !! |
| Eugenia uniflora | Hamisella filiformis ! | Ixora coccinea |
| Eulophia alta | Hedychium coronarium *! | Jacquemontia curtissii |
| Eupatorium capillifolium | Hedyotis procumbens ! | Jacquemontia pentanthos ! |
| Eupatorium leptophyllum | Hedyotis uniflora | Jasminum multiflorum * |
| Eupatorium mikanoides !! | Helenium amarum ! | Juncus marginatus ! |
| Eupatorium mohrii !! | Helenium pinnatifidum | Juncus megacephalus |
| Eupatorium rotundifolium !! | Helianthus angustifolius | Juncus polyccephalus |
| Eupatorium serotinum | Helianthus annuus * | Juncus repens !! |
| Euphorbia graminea *! | Helianthus radula | Juncus roemerianus |
| Euphorbia polyphylla | ✓ Heliotropium angiospermum *!+ | Juncus scirpoideus * |
| Eustachys glauca | Heliotropium curacaoicum *! | Juncus trigonocarpus |
| Eustachys petraea !! | Heliotropium polyphyllum | Justicia angusta! |
| Eustoma exaltatum | Heteropogon contortus ! | Kalanchoe pinnata ! |
| Euthamia caroliniana | Heteropogon melanocarpus | Kalanchoe tubiflora |
| Evolvulus alsinoides *! | Heterotheca subaxillaris | Kigelia pinnata |
| Evolvulus sericeus ! | Hibiscus coccineus * | Kosteletzky virginica |
| Exothea paniculata | Hibiscus grandiflorus ! | Krugiodendron ferreum |
| Ficus altissima * | Hibiscus poeppigii ! | Kyllinga brevifolia ! |
| Ficus aurea !! | Hibiscus rosa-sinensis var. schizopetalus | Lachnanthes carolina *!+ |
| Ficus benjamina * C | ✓ Hibiscus tiliaceus | Lachnocaulon anceps |
| Ficus citrifolia !! | ✓ Hieracium megacephalon * | Lachnocaulon engleri *! |
| Ficus microcarpa * | Hippocratea volubilis | Lactuca floridana *! |
| Fimbristylis autumnalis ! | Hydrilla verticillata | Lactuca graminifolia *! |
| Fimbristylis caroliniana | Hydrocotyle bonariensis | Laguncularia racemosa ! |
| Fimbristylis cymosa !! | Hydrocotyle umbellata | Lantana camara |
| Fimbristylis dichotoma *!+ | Hydrocotyle verticillata | Lantana depressa var. sanibelensis *! |
| Fimbristylis miliacea *! | Hydrolea corymbosa !! | Lantana involucrata |
| Fimbristylis schoenoides | Hylocereus undatus * | Lasiacis divaricata ! |
| Fimbristylis spadicea! | Hymenocallis palmeri | Lechea sessiliflora *!+ |
| Flaveria linearis !! | Hyparthenia rufa | Leersia hexandra !! |
| Forestiera segregata | Hypericum brachyphyllum | Lemna obscura ! |
| Fraxinus caroliniana !! | Hypericum cistifolium !! | Lemna valdiviana *! |
| Fuirena breviseta !! | Hypericum crux-andreae! | Lepidium virginicum |
| Fuirena scirpoidea !! | Hypericum fasciculatum *! | Leptochloa fascicularis! |
| Furcraea sellowii | Hypericum hypericoides | Leucaena leucocephala |
| Galactia elliottii | Hypericum muticum * | Liatris garberi |
| Galactia regularis | Hypericum punctatum * | Liatris gracilis |
| Galactia striata ! | Hypericum tetrapetalum | Liatris graminifolia |
| Galactia volubilis ! | Hypoxis juncea | Liatris pauciflora |
| Galium hispidulum *! | Hypoxis wrightii ! | Liatris spicata |
| Galium tinctorium *! | Hyptis alata !! | Licania michauxii |
| Gaura angustifolia | Hyptis mutabilis | Lilium catesbaei !! |
| Glandularia maritima | Hyptis pectinata | Limonium carolinianum * |
| Gnaphalium falcatum! | Hyptis verticillata | Limnobium spongia * |
| Gnaphalium obtusifolium | Ilex cassine !! | Limnophila sessiliflora |
| Gnaphalium pennsylvanicum | Ilex glabra ! | Linaria canadensis *! |
| Gnaphalium purpureum | Imperata brasiliensis !! | Lindernia crustacea |
| Gomphrena serrata | Imperata cylindrica | Lindernia dubia var. anagallidea |
| Gouania lupuloides | Indigofera spicata | Lindernia grandiflora ! |
| Gratiola pilosa *! | Ionopsis utricularioides | Linum carteri var. smallii |
| Gratiola ramosa | Ipomoea alba | Linum floridanum |
| Grevillea robusta | Ipomoea batatas | Linum medium var. texanum! |
| Guzmania monostachia | Ipomoea cordatotriloba | Liparis nervosa |
| Gymnopogon brevifolius | ✓ Ipomoea indica var. acuminata | Livistona chinensis *C |
| Gymnopogon chapmanianus | Ipomoea sagittata | Lobelia feayana |
| Habenaria floribunda | ✓ Ipomoea triloba | Lobelia glandulosa |
| Habenaria nivea ! | Iresine diffusa | Lobelia homophylla |

Egeria docto

| | | |
|---|---|--|
| Lobelia paludosa ! | Myriophyllum aquaticum | Paspalum setaceum |
| Ludwigia alata! | Myriophyllum heterophyllum | Paspalum urvillei ! |
| Ludwigia curtissii | Myriophyllum pinnatum | Paspalum vaginatum *! |
| Ludwigia erecta | Najas guadalupensis | Passiflora pallens ! |
| Ludwigia maritima !! | Najas marina ! | Passiflora suberosa |
| Ludwigia microcarpa !! | Najas wrightiana | Pelium ptilodon var. caespitosa * |
| Ludwigia oculivalvis | Nelumbo lutea | Pectis glaucescens |
| Ludwigia peruviana | Neoregelia sp. C* | Pectis prostrata |
| Ludwigia repens ! | Nephrolepis biserrata !! | Pectis xfloridana*! |
| Ludwigia suffruticosa | Nephrolepis cordifolia * | Peltandra virginica ! |
| Lycium carolinianum | Nephrolepis exaltata !! | Pennisetum purpureum |
| Lycopodiella cernua *! | Nephrolepis falcata forma furcans * | Penstemon multiflorus |
| Lycopus rubellus | Nephrolepis multiflora! | Pentalinon luteum |
| Lygodium microphyllum | Neptunia pubescens * | Pentodon pentandrus! |
| Lyonia fruticosa | Neyraudia reynaudiana | Peperomia alata |
| Lyonia lucida | Nicotiana tabacum | Peperomia glabella |
| Lysiloma latisiliquum | Nuphar lutea subsp. advena ! | Peperomia obtusifolia ! |
| Lythrum alatum var. lanceolatum !! | Nymphaea elegans | Peperomia rotundifolia |
| Lythrum lineare | Nymphaea lotus | Persea americana |
| Macroptilium atropurpureum | Nymphaea odorata | Persea borbonia |
| Macroptilium lathyroides | Nymphoides aquatica | Persea palustris |
| Magnolia grandiflora | Ocimum campechianum | Phanopyrum gymnocarpon ! |
| Magnolia virginiana ! | Ocotea coriacea | Phlebodium aureum !! |
| Malachra urens | Oeceoclades maculata | Phlox drummondii |
| Malaxis spicata | Oenothera humifusa | Phoenix dactylifera C* |
| Malvastrum corchorifolium * | Oncidium ensatum * | Phoenix sp. * |
| Malvaviscus arboreus var. drummondii ! | Ophioglossum palmatum ! | Phoradendron leucarpum |
| Mangifera indica | Ophioglossum petiolatum ! | Phragmites australis |
| Maxillaria crassifolia | Oplismenus hirtellus !! | Phyla nodiflora !! |
| Mecardonia acuminata ssp. peninsularis !! | Opuntia humifusa | Phyla stoechadifolia*! |
| Mecardonia procumbens! | Osmunda regalis var. spectabilis | Phyllanthus amarus *! |
| Medicago lupulina*! | Oxalis corniculata ! | Phyllanthus carolinensis subsp. saxicola |
| Melaleuca quinquenervia | Oxypolis filiformis !! | Phyllanthus tenellus * |
| Melaleuca virinalis | Palafoxia feayi | Phyllanthus urinaria ! |
| Melanthera angustifolia! | Pandanus sp. C* | Physalis angustifolia |
| Melanthera parvifolia | Panicum dichotomiflorum ! | Physalis pubescens ! |
| Melanthera nivea | Panicum dichotomiflorum var. bartowense | Physalis walteri |
| Meliolitus albus | Panicum hemitomon | Physostegia purpurea! |
| Melochia pyramidata | Panicum hiemans! | Phytolacca americana ! |
| Melochia spicata | Panicum maximum * | Pilea microphylla! |
| Melothria pendula !! | Panicum repens !! | Piloblepharis rigida |
| Metopium toxiferum | Panicum rigidulum ! | Pinguicula lutea |
| Micranthemum glomeratum ! | Panicum tenerum ! | Pinguicula pumila |
| Micranthemum umbrosum *! | Panicum virgatum | Pinus elliottii var. densa |
| Microgramma heterophylla ! | Parietaria floridana ! | Piper aduncum |
| Mikania cordifolia | Parthenium hysterophorus *! | Piriqueta caroliniiana !! |
| Mikania scandens | Parthenocissus quinquefolia | Piscidia piscipula C* |
| Mitreola petiolata !! | Paspalidium geminatum! | Pisonia aculeata |
| Mitreola sessilifolia | Paspalum blodgettii | Pistia stratiotes !! |
| Momordica charantia * !! | Paspalum caespitosum !! | Pithecellobium unguis-cati |
| Monanthochloe littoralis | Paspalum conjugatum! | Pityopsis graminifolia |
| Morus alba | Paspalum dissectum * | Pityrogramma trifoliata |
| Morus rubra | Paspalum distichum | Plantago major! |
| Mucuna pruriens * | Paspalum fimbriatum | Plantago virginica *! |
| Muhlenbergia capillaris | Paspalum floridanum! | Pleopeltis polypodioides var. michauxiana !! |
| Murdannia nudiflora | Paspalum laeve * | Pluchea carolinensis |
| Murdannia spirata | Paspalum monostachyum | Pluchea odorata |
| Musa xparadisiaca | Paspalum notatum | Pluchea rosea !! |
| Myrcianthes fragrans | Paspalum praecox* | Plumbago scandens |
| Myrica cerifera | Paspalum repens | Poinsettia cyathophora *! |

✓ Opuntia feayi

| | | |
|--|--|--|
| <i>Poinsettia heterophylla</i> | <i>Rhynchospora repens</i> | <i>Schefflera actinophylla</i> |
| <i>Polygala balduinii</i> | <i>Rhynchosia minima</i> | <i>Schinus terebinthifolius</i> |
| <i>Polygala boykinii</i> | <i>Rhynchosia swartzii*</i> | <i>Schizachyrium gracile *!</i> |
| <i>Polygala cruciata</i> | <i>Rhynchospora breviseta</i> | <i>Schizachyrium rhizomatum</i> |
| <i>Polygala grandiflora</i> !! | <i>Rhynchospora chapmanii</i> | <i>Schizachyrium sanguineum</i> |
| <i>Polygala incarnata</i> | <i>Rhynchospora colorata</i> !! | <i>Schizaea pinnula *</i> |
| <i>Polygala lutea</i> | <i>Rhynchospora corniculata!</i> | <i>Schoenolirion albiflorum</i> |
| <i>Polygala nana</i> ! | <i>Rhynchospora divergens</i> | <i>Schoenus nigricans</i> |
| <i>Polygala polygama</i> ! | <i>Rhynchospora fascicularis</i> ! | <i>Schoepfia chrysophylloides</i> |
| <i>Polygala rugelii</i> | <i>Rhynchospora globularis</i> | <i>Scirpus tabernaemontani</i> ! |
| <i>Polygala setacea</i> | <i>Rhynchospora intermedia</i> | <i>Sclera baldwinii</i> |
| <i>Polygala verticillata</i> var. <i>isocyccla</i> *! | <i>Rhynchospora inundata</i> | <i>Sclera ciliata</i> var. <i>ciliata</i> ! |
| <i>Polygonum densiflorum</i> | <i>Rhynchospora microcarpa!</i> | <i>Sclera georgiana!</i> |
| <i>Polygonum hydropiperoides</i> ! | <i>Rhynchospora milletae</i> !! | <i>Sclera hirtella</i> ! |
| <i>Polygonum punctatum</i> | <i>Rhynchospora nitens</i> | <i>Sclera lithosperma</i> *! |
| <i>Polygonum setaceum</i> | <i>Rhynchospora odorata</i> ! | <i>Sclera reticularis</i> |
| <i>Polypteron procumbens</i> !! | <i>Rhynchospora tracyi</i> !! | <i>Sclera triglomerata</i> ! |
| <i>Polyradicion lindenii</i> | <i>Richardia grandiflora</i> | <i>Sclera verticillata</i> ! |
| <i>Polystachya concreta</i> | <i>Richardia scabra</i> | <i>Scoparia dulcis</i> !! |
| <i>Pongamia pinnata</i> | <i>Ricinus communis</i> ! | <i>Senecio glabellus</i> ! |
| <i>Pontederia cordata</i> !! | <i>Rivina humilis</i> ! | <i>Senna alata</i> |
| <i>Ponthieva racemosa</i> | <i>Rorippa teres</i> ! | <i>Senna ligustrina</i> |
| <i>Portulaca oleracea</i> ! | <i>Rotala ramosior</i> | <i>Senna obtusifolia</i> |
| <i>Portulaca pilosa</i> | <i>Rottboellia cochinchinensis</i> | <i>Senna pendula</i> var. <i>glabrata</i> |
| <i>Portulaca rubricaulis</i> | <i>Roystonea regia</i> | <i>Serenoa repens</i> |
| <i>Potamogeton illinoensis</i> ! | <i>Rubus trivialis</i> | <i>Sesbania herbacea</i> |
| <i>Pouzolzia zeylanica</i> *! | <i>Rudbeckia hirta</i> !! | <i>Sesbania vesicaria</i> |
| <i>Proserpinaca palustris</i> | <i>Ruellia carolinensis</i> | <i>Sesuvium portulacastrum</i> |
| <i>Pseudelephantopus spicatus</i> !!* | <i>Ruellia succulenta</i> | <i>Setaria corrugata</i> |
| <i>Psidium guajava</i> | <i>Ruellia tweediana</i> | <i>Setaria magna</i> |
| <i>Psilotum nudum</i> !! | <i>Rumex verticillatus</i> | <i>Setaria parviflora</i> !! |
| <i>Psychotria nervosa</i> | <i>Ruppia maritima</i> ! | <i>Seymeria pectinata</i> ! |
| <i>Psychotria sulzneri</i> | <i>Russelia equisetiformis</i> C* | <i>Sida acuta</i> |
| <i>Pteridium aquilinum</i> var. <i>caudatum</i> | <i>Sabal palmetto</i> ! | <i>Sida cordifolia</i> |
| <i>Pteridium aquilinum</i> var. <i>pseudocaudatum</i> !! | <i>Sabatia bartramii</i> ! | <i>Sida elliottii</i> |
| <i>Pteris bahamensis</i> | <i>Sabatia brevifolia</i> | <i>Sida rhombifolia</i> |
| <i>Pteris tripartita</i> | <i>Sabatia calycina</i> | <i>Sida spinosa</i> * |
| <i>Pteris vittata</i> !! | <i>Sabatia grandiflora</i> | <i>Sideroxylon celastrinum</i> *! |
| <i>Pteris xdelchampsii</i> | <i>Sabatia stellaris</i> | <i>Sideroxylon foetidissimum</i> |
| <i>Pterocaulon pycnostachyum</i> | <i>Saccharum giganteum</i> | <i>Sideroxylon reclinatum</i> ssp. <i>reclinatum</i> ! |
| <i>Ptilimnium capillaceum</i> ! | <i>Saccharum officinarum</i> | <i>Sideroxylon salicifolium</i> |
| <i>Quercus chapmanii</i> *! | <i>Sacciolepis indica</i> !! | <i>Simarouba glauca</i> |
| <i>Quercus geminata</i> | <i>Sacciolepis striata</i> | <i>Sisyrinchium angustifolium</i> |
| <i>Quercus laurifolia</i> | <i>Saccolia lanceolata</i> | <i>Sisyrinchium nashii</i> * |
| <i>Quercus minima</i> ! | <i>Sageretia minutiflora</i> I+ | <i>Sisyrinchium rosulatum</i> |
| <i>Quercus pumila</i> | <i>Sagittaria filiformis</i> | <i>Smilax auriculata</i> |
| <i>Quercus virginiana</i> | <i>Sagittaria graminea</i> ! | <i>Smilax bona-nox</i> ! |
| <i>Quesnelia quesnelloidies</i> C* | <i>Sagittaria graminea</i> var. <i>chapmanii</i> | <i>Smilax laurifolia</i> !! |
| <i>Randia aculeata</i> | <i>Sagittaria lancifolia</i> | <i>Smilax tamnoides</i> *! |
| <i>Rapanea punctata</i> !! | <i>Salix caroliniana</i> | <i>Solanum americanum</i> |
| <i>Reimarochloa oligostachya</i> | <i>Salvia lyrata</i> ! | <i>Solanum capsicoides</i> * |
| <i>Rhabdadenia biflora</i> | <i>Salvia occidentalis</i> | <i>Golanium eranthum</i> |
| <i>Rhipis excelsa</i> | <i>Salvinia minima</i> !! | <i>Solanum verbascifolium</i> |
| <i>Rhexia cubensis</i> | <i>Sambucus canadensis</i> | <i>Solanum viarum</i> |
| <i>Rhexia mariana</i> !! | <i>Samolus ebracteatus</i> | <i>Solidago fistulosa</i> !! |
| <i>Rhexia nashii</i> | <i>Samolus valerandi</i> subsp. <i>parviflorus</i> | <i>Solidago gigantea</i> |
| <i>Rhexia nuttallii</i> | <i>Sansevieria hyacinthoides</i> * | <i>Solidago odora</i> var. <i>chapmanii</i> ! |
| <i>Rhexia petiolata</i> *! | <i>Sapindus saponaria</i> ! | <i>Solidago sempervirens</i> |
| <i>Rhizophora mangle</i> | <i>Sarcostemma clausum</i> | <i>Solidago stricta</i> !! |
| <i>Rhus copallina</i> !! | <i>Saururus cernuus</i> | <i>Solidago tortifolia</i> |

| | | |
|--|--|---|
| <i>Sonchus asper</i> * | <i>Tillandsia recurvata</i> | <i>Wolffiella oblonga</i> ! |
| <i>Sophora tomentosa</i> var. <i>truncata</i> C* | <i>Tillandsia setacea</i> !! | <i>Woodwardia areolata</i> |
| <i>Sorghastrum secundum</i> * | <i>Tillandsia usneoides</i> | <i>Woodwardia virginica</i> |
| <i>Sorghum arundinaceum</i> * | <i>Tillandsia utriculata</i> | <i>Ximenia americana</i> |
| <i>Spartina bakeri</i> ! | <i>Tillandsia variabilis</i> | <i>Xyris ambigua</i> !! |
| <i>Spathodea campanulata</i> * | <i>Tillandsia xsmalliana</i> | <i>Xyris calcicola</i> * |
| <i>Spermatoce assurgens</i> !! | <i>Tournefortia hirsutissima</i> | <i>Xyris caroliniana</i> * |
| <i>Spermatoce floridana</i> | <i>Tournefortia volubilis</i> | <i>Xyris difformis</i> var. <i>florida</i> |
| <i>Spermatoce prostrata</i> ! | <i>Toxicodendron radicans</i> | <i>Xyris elliottii</i> |
| <i>Spermatoce terminalis</i> | <i>Tradescantia spathacea</i> | <i>Xyris flabelliformis</i> ! |
| <i>Spermatoce tetraptera</i> * | <i>Tradescantia zebrina</i> | <i>Xyris jupicai</i> |
| <i>Spermatoce verticillata</i> !! | <i>Trema micranthum</i> | <i>Xyris smalliana</i> * |
| <i>Spigelia anthelmia</i> * | <i>Trichomanes holopterum</i> | <i>Youngia japonica</i> ! |
| <i>Spiranthes brovilabris</i> | <i>Trichostema dichotomum</i> | <i>Zanthoxylum fagara</i> |
| <i>Spiranthes cemua</i> | <i>Trichostigma octandrum</i> | <i>Zea mays</i> subsp. <i>mexicana</i> |
| <i>Spiranthes laciniata</i> ! | <i>Tridax procumbens</i> | <i>Zephyranthes simpsonii</i> |
| <i>Spiranthes longilabris</i> | <i>Triphora gentianoides</i> | <i>Zeuxine strateumatica</i> ! |
| <i>Spiranthes odorata</i> | <i>Tripsacum dactyloides</i> | <i>Zizaniopsis miliacea</i> ! |
| <i>Spiranthes torta</i> | <i>Tripsacum floridanum</i> | <i>Zoysia matrella</i> var. <i>tenuiflora</i> |
| <i>Spiranthes vernalis</i> ! | <i>Turbina corymbosa</i> | |
| <i>Spirostachys polystachya</i> * | <i>Turnera ulmifolia</i> * | |
| <i>Sporobolus dominicensis</i> | <i>Typha domingensis</i> | Bold = needs to be collected |
| <i>Sporobolus indicus</i> | <i>Typha latifolia</i> | * = not on Muss et al. |
| <i>Sporobolus indicus</i> var. <i>pyramidalis</i> !! | <i>Urena lobata</i> !! | !! = collected by IRC |
| <i>Sporobolus junceus</i> ! | <i>Urochloa fasciculata</i> var. <i>reticulata</i> | !! = collected by IRC for add |
| <i>Sporobolus pyramidatus</i> | <i>Urochloa mutica</i> | + = collected again by IRC f |
| <i>Sporopholus virginicus</i> * | <i>Urochloa ramesa</i> | C = Cultivated Only |
| <i>Stachys jamaicensis</i> | <i>Utricularia cornuta</i> | |
| <i>Stenaria dulce</i> | <i>Utricularia foliosa</i> | |
| <i>Stenaria tenuifolia</i> | <i>Utricularia gibba</i> | |
| <i>Stenocarpus secundatum</i> | <i>Utricularia inflata</i> | |
| <i>Stillingia aquatica</i> !! | <i>Utricularia purpurea</i> | |
| <i>Stillingia sylvatica</i> !! | <i>Utricularia radiata</i> | |
| <i>Styletia hamata</i> ! | <i>Utricularia resupinata</i> ! | |
| <i>Suaeda linearis</i> * | <i>Utricularia simulans</i> | |
| <i>Synurus romanzoffiana</i> * | <i>Utricularia subulata</i> | |
| <i>Synurus angustatum</i> ! | <i>Vaccinium darrovii</i> | |
| <i>Synurus podophyllum</i> | <i>Vaccinium myrsinites</i> ! | |
| <i>Synurus cumini</i> | <i>Vanilla phaeantha</i> | |
| <i>Synurus jambos</i> | <i>Verbena bonariensis</i> | |
| <i>Synurus aurea</i> | <i>Verbena brasiliensis</i> * | |
| <i>Synurus ascendens</i> | <i>Verbena scabra</i> | |
| <i>Synurus distichum</i> | <i>Verbesina virginica</i> | |
| <i>Synurus heracleifolia</i> | <i>Vernonia blodgettii</i> | |
| <i>Synurus spicata</i> * | <i>Vernonia cinerea</i> * | |
| <i>Synurus canadense</i> | <i>Viburnum obovatum</i> | |
| <i>Synurus geniculata</i> | <i>Vicia acutifolia</i> | |
| <i>Synurus dentata</i> * | <i>Vigna luteola</i> | |
| <i>Synurus hispidula</i> var. <i>versicolor</i> | <i>Viola lanceolata</i> | |
| <i>Synurus interrupta</i> | <i>Viola palmata</i> * | |
| <i>Synurus kunthii</i> ! | <i>Viola sororia</i> * | |
| <i>Synurus ovata</i> ! | <i>Vitis aestivalis</i> | |
| <i>Synurus palustris</i> var. <i>pubescens</i> !! | <i>Vitis cinerea</i> var. <i>floridana</i> | |
| <i>Synurus reticulata</i> | <i>Vitis rotundifolia</i> | |
| <i>Syzygium peruviana</i> * | <i>Vitis shuttleworthii</i> | |
| <i>Syzygium balbisiana</i> !! | <i>Vittaria lineata</i> !! | |
| <i>Syzygium fasciculata</i> var. <i>densispica</i> | <i>Waltheria indica</i> !! | |
| <i>Syzygium flexuosa</i> ! | <i>Washingtonia robusta</i> * | |
| <i>Syzygium paucifolia</i> | <i>Wedelia trilobata</i> !! | |
| <i>Syzygium pruinosa</i> | <i>Wolffia columbiana</i> * | |

Trinidad pop vine

| Big Cypress NP Data Sheets | | | | | |
|-------------------------------|--|------------|---------|-----|--|
| Date: | 3/25/04 | | | | |
| County: | | | | | |
| Region: | Mouth of half way Creek | | | | |
| Cell # | 347 | | Point # | new | |
| Transect #1 | | | | | |
| Heading (deg.): | 270° | | | | |
| Origin coordinates: | 24162537 | 2858845 | | | |
| End coordinates: | 24162334 | 2858771 | | | |
| Species on line | Eugo pet Cocci vine Casu ego. Randacea Sel. tere Avic geru Eugeaxil Piso acu Rhizman Burssima Dicksen Phatell Bati ana Lag urace Cenote Lyco rans Capri ex Till i wdb | T.1140x36 | | | |
| Quad. 2.5 m Intercept 1 (2.5) | Randacea | | | | |
| | Piso acu | | | | |
| Quad. 2.5 m Intercept 2 (5) | Randacea | Cocci vine | | | |
| | Burssima | | | | |
| Quad. 2.5 m Intercept3 (7.5) | Sel. tere | | | | |
| | Avic geru | | | | |
| Quad. 2.5 m Intercept4 (10) | Rhizman | | | | |
| | Avic geru | | | | |
| Quad. 2.5 m Intercept5 (12.5) | Dicksen | Avic geru | | | |
| | Rhizman | | | | |
| Quad. 2.5 m Intercept6 (15) | Rhizman | | | | |
| | | | | | |
| Quad. 2.5 m Intercept7 (17.5) | Rhizman | | | | |
| | Avic geru | | | | |
| Quad. 2.5 m Intercept8 (20) | Lag urace | | | | |
| | Avic geru | | | | |
| Quad. 2.5 m Intercept9 (22.5) | Rhizman | | | | |
| | Lag urace | | | | |

| | | | | | | |
|--------------------------------|-----------------------|--|--|--|--|--|
| Quad. 2.5 m Intercept10 (25) | Avicern Rhizomang | | | | | |
| Quad. 2.5 m Intercept11 (27.5) | Avicern Lagurace | | | | | |
| Quad. 2.5 m Intercept12 (30) | Lagurace | | | | | |
| Quad. 2.5 m Intercept13 (32.5) | Avicern Lagurace | | | | | |
| Quad. 2.5 m Intercept14 (35) | Rhizomang Avicern | | | | | |
| Quad. 2.5 m Intercept15 (37.5) | Rhizomang | | | | | |
| Quad. 2.5 m Intercept16 (40) | Avicern Lagurace | | | | | |
| Quad. 2.5 m Intercept17 (42.5) | Lagurace | | | | | |
| Quad. 2.5 m Intercept18 (45) | Lagurace | | | | | |
| Quad. 2.5 m Intercept19 (47.5) | Rhizomang Lagurace | | | | | |
| Quad. 2.5 m Intercept20 (50) | Rhizomang Lagurace | | | | | |
| Quad. 2.5 m Intercept21 (2.5) | Lagurace | | | | | |
| Quad. 2.5 m Intercept22 (5) | Lagurace | | | | | |
| Quad. 2.5 m Intercept23 (7.5) | Rhizomang Lagurace | | | | | |
| Quad. 2.5 m Intercept24 (10) | Lagurace | | | | | |
| Quad. 2.5 m Intercept25 (12.5) | Avicern | | | | | |
| Quad. 2.5 m Intercept26 (15) | Rhizomang Lagurace | | | | | |
| Quad. 2.5 m Intercept27 (17.5) | Lagurace | | | | | |
| Quad. 2.5 m Intercept28 (20) | Lagurace | | | | | |
| Quad. 2.5 m Intercept29 (22.5) | Lagurace | | | | | |
| Quad. 2.5 m Intercept30 (25) | Rhizomang Lagurace | | | | | |
| Quad. 2.5 m Intercept31 (27.5) | Avicern | | | | | |
| Quad. 2.5 m Intercept32 (30) | Lagurace | | | | | |
| Quad. 2.5 m Intercept33 (32.5) | Rhizomang Lagurace | | | | | |

| | | | | | | |
|--------------------------------|----------------------|--|--|--|--|--|
| Quad. 2.5 m Intercept34 (35) | Rhizomay | | | | | |
| Quad. 2.5 m Intercept35 (37.5) | Rhizomay Lagurace | | | | | |
| Quad. 2.5 m Intercept36 (40) | Rhizomay Avicern | | | | | |
| Quad. 2.5 m Intercept37 (42.5) | Rhizomay Avicern | | | | | |
| Quad. 2.5 m Intercept38 (45) | Avicern. Lagurace | | | | | |
| Quad. 2.5 m Intercept39 (47.5) | Avicern Lagurace | | | | | |
| Quad. 2.5 m Intercept40 (50) | Lagurace | | | | | |
| Quad. 2.5 m Intercept41 (2.5) | Rhizomay | | | | | |
| Quad. 2.5 m Intercept42 (5) | Rhizomay | | | | | |
| Quad. 2.5 m Intercept43 (7.5) | Lagurace | | | | | |
| Quad. 2.5 m Intercept44 (10) | Rhizomay Avicern | | | | | |
| Quad. 2.5 m Intercept45 (12.5) | | | | | | |
| Quad. 2.5 m Intercept46 (15) | Lagurace | | | | | |
| Quad. 2.5 m Intercept47 (17.5) | Rhizomay Lagurace | | | | | |
| Quad. 2.5 m Intercept48 (20) | Rhizomay Lagurace | | | | | |
| Quad. 2.5 m Intercept49 (22.5) | Rhizomay Lagurace | | | | | |
| Quad. 2.5 m Intercept50 (25) | Rhizomay Lagurace | | | | | |
| Quad. 2.5 m Intercept51 (27.5) | RH - | | | | | |
| Quad. 2.5 m Intercept52 (30) | Avicern Lagurace | | | | | |
| Quad. 2.5 m Intercept53 (32.5) | Avicern | | | | | |
| Quad. 2.5 m Intercept54 (35) | Avicern | | | | | |
| Quad. 2.5 m Intercept55 (37.5) | Rhizomay Lagurace | | | | | |
| Quad. 2.5 m Intercept56 (40) | Lagurace | | | | | |
| Quad. 2.5 m Intercept57 (42.5) | Rhizomay Avicern | | | | | |

| | | | | | |
|--------------------------------|-----------------------|--|--|--|--|
| Quad. 2.5 m Intercept58 (45) | Ariegeru Lagurus | | | | |
| Quad. 2.5 m Intercept59 (47.5) | Rhizomay | | | | |
| Quad. 2.5 m Intercept60 (50) | Sesuvium Rhizomay | | | | |
| Quad. 2.5 m Intercept61 (2.5) | Zizanioid | | | | |
| Quad. 2.5 m Intercept62 (5) | Rhizomay Ariegeru | | | | |
| Quad. 2.5 m Intercept63 (7.5) | Burmannia Ariegeru | | | | |
| Quad. 2.5 m Intercept64 (10) | Ariegeru Lagurus | | | | |
| Quad. 2.5 m Intercept65 (12.5) | Ariegeru | | | | |
| Quad. 2.5 m Intercept66 (15) | Rhizomay | | | | |
| Quad. 2.5 m Intercept67 (17.5) | Rhizomay Ariegeru | | | | |
| Quad. 2.5 m Intercept68 (20) | Ariegeru Rhizomay | | | | |
| Quad. 2.5 m Intercept69 (22.5) | Rhizomay | | | | |
| Quad. 2.5 m Intercept70 (25) | Ariegeru | | | | |
| Quad. 2.5 m Intercept71 (27.5) | Rhizomay | | | | |
| Quad. 2.5 m Intercept72 (30) | Rhizomay | | | | |
| Quad. 2.5 m Intercept73 (32.5) | Lagurus Rhizomay | | | | |
| Quad. 2.5 m Intercept74 (35) | Rhizomay | | | | |
| Quad. 2.5 m Intercept75 (37.5) | Capparis Coronilla | | | | |
| Quad. 2.5 m Intercept76 (40) | Rhizomay | | | | |
| Quad. 2.5 m Intercept77 (42.5) | Rhizomay | | | | |
| Quad. 2.5 m Intercept78 (45) | Rhizomay Ariegeru | | | | |
| Quad. 2.5 m Intercept79 (47.5) | Ariegeru Rhizomay | | | | |
| Quad. 2.5 m Intercept80 (50) | Ariegeru Rhizomay | | | | |
| Quad. 2.5 m Intercept81 (2.5) | Rhizomay | | | | |

| | | | | | |
|--------------------------------|------------------------|--------------------------|--|--|--|
| Quad. 2.5 m Intercept82 (5) | Rhizomay | | | | |
| Quad. 2.5 m Intercept83 (7.5) | Rhizomay | | | | |
| Quad. 2.5 m Intercept84 (10) | Rhizomay Conocrea | | | | |
| Quad. 2.5 m Intercept85 (12.5) | Rhizomay Conocrea | | | | |
| Quad. 2.5 m Intercept86 (15) | Rhizomay | | | | |
| Quad. 2.5 m Intercept87 (17.5) | Rhizomay | | | | |
| Quad. 2.5 m Intercept88 (20) | Rhizomay Ericfern | | | | |
| Quad. 2.5 m Intercept89 (22.5) | " Rhizomay Ericfern | | | | |
| Quad. 2.5 m Intercept90 (25) | Rhizomay " mar. | | | | |
| Quad. 2.5 m Intercept91 (27.5) | Rhizomay " mar. | Rhizome | | | |
| Quad. 2.5 m Intercept92 (30) | Rhizomay " mar. | 7.1" cl. | | | |
| Quad. 2.5 m Intercept93 (32.5) | Conocrea Rhizomay | rhizome | | | |
| Quad. 2.5 m Intercept94 (35) | Balimari Rhizomay | Fern T. 1.1m Conocrea | | | |
| Quad. 2.5 m Intercept95 (37.5) | Conocrea Rhizomay | | | | |
| Quad. 2.5 m Intercept96 (40) | Ericfern Rhizomay | | | | |
| Quad. 2.5 m Intercept97 (42.5) | Rhizomay | | | | |
| Quad. 2.5 m Intercept98 (45) | Rhizomay LYC (rare) | Rhizome | | | |
| Quad. 2.5 m Intercept99 (47.5) | Rhizomay | | | | |
| Quad. 2.5 m Intercept100 (50) | Rhizomay | | | | |

| | | | | |
|--------------------------------|---------------------------------|----------------------------|------|--|
| Big Cypress NP Data Sheets | | | | |
| Date: | 3/25/04 | | | |
| County: | | | | |
| Region: | Mouth of Vaca Creek | | | |
| Cell # | B 47 | Point # | view | |
| Transect #2 | | | | |
| Heading (deg.): | 240° | | | |
| Origin coordinates: | | | | |
| End coordinates: | | Latitude & Longitude | | |
| Species on line | | | | |
| | <i>Blighia sapida</i> | | | |
| | <i>Lecythis pisonis</i> | | | |
| | <i>Avicennia germinans</i> | | | |
| | <i>Fimbristylis caroliniana</i> | | | |
| | <i>Lumnitzera racemosa</i> | | | |
| | <i>Clusioides</i> | | | |
| | <i>Zizaniopsis miliacea</i> | | | |
| | <i>Taxodium</i> | | | |
| | <i>Cyperus sp.</i> | | | |
| | <i>Thrinax</i> | | | |
| | <i>Crinum americanum</i> | | | |
| | <i>Elaeocarpus</i> | | | |
| | <i>Pithecellobium</i> | | | |
| | <i>Ficus</i> | | | |
| | <i>Acrostichum</i> | | | |
| | <i>Ficus carica</i> | | | |
| Quad. 2.5 m Intercept 1 (2.5) | <i>Blighia sapida</i> | | | |
| Quad. 2.5 m Intercept 2 (5) | <i>Blighia sapida</i> | | | |
| Quad. 2.5 m Intercept 3 (7.5) | <i>Blighia sapida</i> | | | |
| Quad. 2.5 m Intercept 4 (10) | <i>Lyonia ligustrina</i> | | | |
| Quad. 2.5 m Intercept 5 (12.5) | <i>Lyonia ligustrina</i> | | | |
| Quad. 2.5 m Intercept 6 (15) | <i>Lyonia ligustrina</i> | | | |
| Quad. 2.5 m Intercept 7 (17.5) | <i>Sesuvium portulacastrum</i> | | | |
| Quad. 2.5 m Intercept 8 (20) | <i>Croton sp.</i> | | | |
| Quad. 2.5 m Intercept 9 (22.5) | <i>Sesuvium portulacastrum</i> | <i>Lumnitzera racemosa</i> | | |

| | | | | | |
|--------------------------------|-----------|----------|--|--|--|
| Quad. 2.5 m Intercept10 (25) | Covered | | | | |
| | Ave germ | | | | |
| Quad. 2.5 m Intercept11 (27.5) | Batman | | | | |
| | Ave germ | | | | |
| Quad. 2.5 m Intercept12 (30) | Batman | | | | |
| | Concrete | | | | |
| Quad. 2.5 m Intercept13 (32.5) | Soil | | | | |
| | Concrete | | | | |
| Quad. 2.5 m Intercept14 (35) | "L" shape | | | | |
| | Concrete | | | | |
| Quad. 2.5 m Intercept15 (37.5) | Soil | | | | |
| | Concrete | | | | |
| Quad. 2.5 m Intercept16 (40) | Soil | | | | |
| | Concrete | | | | |
| ad. 2.5 m Intercept17 (42.5) | Sand | Concrete | | | |
| | Soil | | | | |
| ad. 2.5 m Intercept18 (45) | Frost | | | | |
| | Soil | | | | |
| ad. 2.5 m Intercept19 (47.5) | Frost | | | | |
| | Soil | | | | |
| ad. 2.5 m Intercept20 (50) | Frost | | | | |
| | Soil | | | | |
| 2.5 m Intercept21 (2.5) | Frost | | | | |
| | Soil | | | | |
| 2.5 m Intercept22 (5) | Frost | | | | |
| | Soil | | | | |
| 2.5 m Intercept23 (7.5) | Ave germ | Sand | | | |
| | Concrete | | | | |
| ad. 2.5 m Intercept24 (10) | Ave germ | | | | |
| | Concrete | | | | |
| d. 2.5 m Intercept25 (12.5) | Frost | Concrete | | | |
| | Soil | | | | |
| d. 2.5 m Intercept26 (15) | Frost | Concrete | | | |
| | Soil | | | | |
| 2.5 m Intercept27 (17.5) | Sand | Concrete | | | |
| | Concrete | | | | |
| 2.5 m Intercept28 (20) | Concrete | | | | |
| | Concrete | | | | |
| 2.5 m Intercept29 (22.5) | Concrete | Concrete | | | |
| | Soil | | | | |
| 2.5 m Intercept30 (25) | Soil | | | | |
| | Soil | | | | |
| .5 m Intercept31 (27.5) | Concrete | Ridge | | | |
| | Concrete | | | | |
| 5 m Intercept32 (30) | Soil | Ridge | | | |
| | Concrete | | | | |
| 5 m Intercept33 (32.5) | Soil | Ridge | | | |
| | Concrete | | | | |

| | | | | | |
|--------------------------------|--------------|-------------|--|--|--|
| Quad. 2.5 m Intercept34 (35) | 2. hiz-mang | | | | |
| Quad. 2.5 m Intercept35 (37.5) | Bal. man. | | | | |
| | 2 hiz-mang | | | | |
| Quad. 2.5 m Intercept36 (40) | Ind. man. | Concert. | | | |
| | 2. de-ele | | | | |
| Quad. 2.5 m Intercept37 (42.5) | Ind. man. | | | | |
| | 2. de-ele | | | | |
| Quad. 2.5 m Intercept38 (45) | Li. griflex | | | | |
| | Bal. man. | | | | |
| Quad. 2.5 m Intercept39 (47.5) | 3. hiz-mang | | | | |
| | Plat. kif | | | | |
| Quad. 2.5 m Intercept40 (50) | Si. pecto | Concert. | | | |
| | 2. de-ele | | | | |
| Quad. 2.5 m Intercept41 (2.5) | 2. hiz-mang | 2. hiz-mang | | | |
| | 2. hiz-mang | | | | |
| Quad. 2.5 m Intercept42 (5) | Bal. man. | Li. griflex | | | |
| | Ind. man. | | | | |
| Quad. 2.5 m Intercept43 (7.5) | " " | Li. griflex | | | |
| | " " | | | | |
| Quad. 2.5 m Intercept44 (10) | Ind. man. | Li. griflex | | | |
| | 2. hiz-mang | | | | |
| Quad. 2.5 m Intercept45 (12.5) | Sch. kif | | | | |
| | | | | | |
| Quad. 2.5 m Intercept46 (15) | Sch. kif | | | | |
| | Concert. | | | | |
| Quad. 2.5 m Intercept47 (17.5) | 2. hiz-mang | P. kif | | | |
| | 2. hiz-mang | | | | |
| Quad. 2.5 m Intercept48 (20) | P. h. kif | | | | |
| | | | | | |
| Quad. 2.5 m Intercept49 (22.5) | Sch. kif | | | | |
| | | | | | |
| Quad. 2.5 m Intercept50 (25) | Sch. kif | | | | |
| | Concert. | | | | |
| Quad. 2.5 m Intercept51 (27.5) | Sch. kif | | | | |
| | | | | | |
| Quad. 2.5 m Intercept52 (30) | P. h. kif | | | | |
| | | | | | |
| Quad. 2.5 m Intercept53 (32.5) | P. h. kif | | | | |
| | | | | | |
| Quad. 2.5 m Intercept54 (35) | C. 2. h. kif | | | | |
| | | | | | |
| Quad. 2.5 m Intercept55 (37.5) | Concert. | | | | |
| | 2. h. kif | | | | |
| Quad. 2.5 m Intercept56 (40) | 2. h. kif | | | | |
| | | | | | |
| Quad. 2.5 m Intercept57 (42.5) | Concert. | | | | |

| | | | | | | |
|--------------------------------|--------------|----------|--|--|--|--|
| Quad. 2.5 m Intercept58 (45) | Schilfzone | | | | | |
| | Süntrelk | | | | | |
| Quad. 2.5 m Intercept59 (47.5) | Zwischen | | | | | |
| | Schilfzone | | | | | |
| Quad. 2.5 m Intercept60 (50) | Zwischen | Auwiesen | | | | |
| | Luftkanal | | | | | |
| Quad. 2.5 m Intercept61 (2.5) | Wasser | | | | | |
| | Wiesengrenze | | | | | |
| Quad. 2.5 m Intercept62 (5) | Wasser | Cavolo | | | | |
| | Wiesen | | | | | |
| Quad. 2.5 m Intercept63 (7.5) | Wiesen | Cavolo | | | | |
| | Zwischen | | | | | |
| Quad. 2.5 m Intercept64 (10) | Zwischen | | | | | |
| | Wiesengrenze | | | | | |
| Quad. 2.5 m Intercept65 (12.5) | Zwischen | | | | | |
| | Wiesengrenze | | | | | |
| Quad. 2.5 m Intercept66 (15) | Zwischen | | | | | |
| | Wiesengrenze | | | | | |
| Quad. 2.5 m Intercept67 (17.5) | Zwischen | | | | | |
| | Süntrelk | | | | | |
| Quad. 2.5 m Intercept68 (20) | Schilfzone | | | | | |
| | Schilfzone | | | | | |
| Quad. 2.5 m Intercept69 (22.5) | Schilfzone | Süntrelk | | | | |
| | Zwischen | | | | | |
| Quad. 2.5 m Intercept70 (25) | Zwischen | | | | | |
| | Wiesengrenze | | | | | |
| Quad. 2.5 m Intercept71 (27.5) | Zwischen | Cavolo | | | | |
| | Wiesengrenze | | | | | |
| Quad. 2.5 m Intercept72 (30) | Zwischen | Cavolo | | | | |
| | Wiesengrenze | | | | | |
| Quad. 2.5 m Intercept73 (32.5) | Wiesengrenze | Cavolo | | | | |
| | Lagurace | | | | | |
| Quad. 2.5 m Intercept74 (35) | Lycium | Zwischen | | | | |
| | Blattgr. | | | | | |
| Quad. 2.5 m Intercept75 (37.5) | Wiesengrenze | | | | | |
| | Zwischen | | | | | |
| Quad. 2.5 m Intercept76 (40) | Wiesengrenze | | | | | |
| | Zwischen | | | | | |
| Quad. 2.5 m Intercept77 (42.5) | Wiesengrenze | | | | | |
| | Zwischen | | | | | |
| Quad. 2.5 m Intercept78 (45) | Zwischen | | | | | |
| | Wiesengrenze | | | | | |
| Quad. 2.5 m Intercept79 (47.5) | Zwischen | Lagurace | | | | |
| | Sesquif. | | | | | |
| Quad. 2.5 m Intercept80 (50) | Wiesengrenze | | | | | |
| | Zwischen | | | | | |
| Quad. 2.5 m Intercept81 (2.5) | Wiesengrenze | | | | | |

| | | | | | |
|--------------------------------|-----------------------|--|--|--|--|
| Quad. 2.5 m Intercept82 (5) | Rhizomang | | | | |
| Quad. 2.5 m Intercept83 (7.5) | Ariegerm Rhizomang | | | | |
| Quad. 2.5 m Intercept84 (10) | Ariegerm Rhizomang | | | | |
| Quad. 2.5 m Intercept85 (12.5) | Ariegerm Rhizomang | | | | |
| Quad. 2.5 m Intercept86 (15) | Ariegerm Rhizomang | | | | |
| Quad. 2.5 m Intercept87 (17.5) | Lagurace Rhizomang | | | | |
| Quad. 2.5 m Intercept88 (20) | Rhizomang Avicgerm | | | | |
| Quad. 2.5 m Intercept89 (22.5) | Rhizomang | | | | |
| Quad. 2.5 m Intercept90 (25) | Rhizomang Lagurace | | | | |
| Quad. 2.5 m Intercept91 (27.5) | Rhizomang Ariegerm | | | | |
| Quad. 2.5 m Intercept92 (30) | Lagurace Avicgerm | | | | |
| Quad. 2.5 m Intercept93 (32.5) | Avicgerm | | | | |
| Quad. 2.5 m Intercept94 (35) | Rhizomang | | | | |
| Quad. 2.5 m Intercept95 (37.5) | Rhizomang | | | | |
| Quad. 2.5 m Intercept96 (40) | Rhizomang | | | | |
| Quad. 2.5 m Intercept97 (42.5) | Rhizomang | | | | |
| Quad. 2.5 m Intercept98 (45) | Rhizomang Lagurace | | | | |
| Quad. 2.5 m Intercept99 (47.5) | Lagurace Rhizomang | | | | |
| Quad. 2.5 m Intercept100 (50) | Lagurace Avicgerm | | | | |