

# **FLORISTIC SURVEY AND RARE SPECIES ASSESSMENT OF THE NON-COUNTY OWNED PROPERTIES IN THE RICHMOND PINE ROCKLANDS**

THE INSTITUTE FOR REGIONAL CONSERVATION  
22601 S.W. 152 AVE.  
MIAMI, FLORIDA 33170

KEITH A. BRADLEY, STEVEN W. WOODMANSEE  
AND GEORGE D. GANN



Report submitted to Miami-Dade County Department of  
Environmental Resources Management

August 30, 2000

## Table of Contents

Acknowledgements	2
Introduction	3
Study Design	4
Results	4
Citations	5

### Tables:

Table 1: The Vascular Plants of Federal Correctional Institution	6
Table 2: The Vascular Plants of Luis Martinez U.S. Army Reserve Center	12
Table 3: The Vascular Plants of National Institute of Health, GSA	20
Table 4: The Vascular Plants of Robert Morgan Technical Institute	25
Table 5: The Vascular Plants of U.S. Air Force Property	
30	
Table 6: The Vascular Plants of U.S. Coast Guard Communications Station	35
Table 7: The Vascular Plants of U.S. Coast Guard Housing	41
Table 8: The Vascular Plants of U.S. Coastal Civil Engineering Property	
47	
Table 9: The Vascular Plants of U.S. General Services Administration Property	52
Table 10: The Vascular Plants of U.S. Naval Observatory, GSA	58
Table 11: The Vascular Plants of University of Miami South Campus	66
Table 12: Rare Plants of the Federal Correctional Institution	74
Table 13: Rare Plants of Luis Martinez U.S. Army Reserve Center	
75	
Table 14: Rare Plants of National Institute of Health, GSA	76
Table 15: Rare Plants of Robert Morgan Technical Institute	77
Table 16: Rare Plants of U.S. Air Force Property	
79	
Table 17: Rare Plants of U.S. Coast Guard Communications Station	80
Table 18: Rare Plants of U.S. Coast Guard Housing	81
Table 19: Rare Plants of U.S. Coastal Civil Engineering Property	
82	
Table 20: Rare Plants of U.S. General Services Administration Property	83
Table 21: Rare Plants of U.S. Naval Observatory, GSA	84
Table 22: Rare Plants of University of Miami South Campus	85
Table 23: Floristic Summary of Richmond Pine Rocklands	86
Table 24: Comprehensive plant list for the Richmond Pine Rocklands	87
Table 25: Rare Plants of non County Properties at the Richmond Pine Rocklands	96

### Appendix A: Contact Information for the Richmond Pine Rockland

## **Acknowledgements**

The Institute for Regional Conservation wishes to thank all of the property managers and owners for their aid and cooperation in this study. We also wish to thank Joy Klein and David W. Hall for assisting us with some of our field surveys.

## **Introduction:**

The Richmond Pine Rockland (“Richmond”) comprises the majority of four square miles of land in central Miami-Dade County, roughly bounded by S.W. 152 St. to S.W. 184 St., and S.W. 117 Ave. to S.W. 137 Ave. This region contains approximately 853 acres of pine rocklands, or approximately 21% of the pine rockland acreage remaining in Miami-Dade County outside of Everglades National Park (DERM 1994).

Richmond was formerly occupied by the Richmond Naval Air Station, a military base during World War II. Since that time it has been divided among numerous public and private agencies. Only three parcels can be considered preserves, Larry & Penny Thompson Park, Metro-zoo, and the Gold Coast Railroad Museum, all owned by Miami-Dade County, which contain approximately 140 and 216 acres of pine rockland respectively. There are currently 11 properties not owned by Miami-Dade County at Richmond:

### LIST OF NON-COUNTY PROPERTIES AT RICHMOND

<i>Federal Correctional Institution</i>
<i>Luis Martinez United States Army Reserve Station</i>
<i>National Institute of Health Property, GSA</i>
<i>Naval Observatory, GSA</i>
<i>Robert Morgan Technical Institute</i>
<i>U.S. Air Force Property</i>
<i>U.S. Coast Guard Communications Station</i>
<i>U.S. Coast Guard Housing</i>
<i>U.S. Coastal Civil Engineering Property</i>
<i>U.S. General Services Administration (GSA) Property</i>
<i>University of Miami South Campus</i>

Two federally listed endangered plant species are known from Richmond, Small's polygala (*Polygala smallii*) and deltoid spurge (*Chamaesyce deltoidea* ssp. *deltoidea*). Detailed surveys for these two species were conducted in the early 1990's (DERM 1994). Comprehensive floristic surveys of each property within Richmond were not conducted. While many additional rare plant species are known from Richmond, their status there has not been previously assessed. These rare species include three species now being considered for federal listing, Blodgett's wild mercury (*Argythamnia blodgettii*), Mosier's false boneset (*Brickellia mosieri*), and Twospike crabgrass (*Digitaria pauciflora*) (Bradley & Gann 2000), as well as a number of species listed by the State of Florida and the Florida Natural Areas Inventory and the Institute for Regional Conservation. Knowing which properties contain rare plant species and their population sizes is extremely important in managing those properties.

## **Study Design:**

1. Contact owners of all non-county held properties at the Richmond Pineland Complex for permission to access properties.
2. Survey the non-county owned properties in the Richmond Pine Rocklands producing species lists for individual parcels and collecting occurrence data for non-federally listed rare species. Field biologists will walk transects across each property in order to fully cover all available habitat types on each property.
  - a) Make list of all plant species on property.
  - b) Estimate population sizes on a  $\log_{10}$  scale of all plant species that are federally listed, state listed, Florida Natural Areas Inventory tracked, and Institute for Regional Conservation (IRC) ranked as imperiled or critically imperiled in southern Florida.

## **Results:**

Eleven properties were surveyed during this study. Nine of these properties are owned by the federal government, one is state owned, and one is privately owned. We were able to survey all non-county properties at Richmond. One of these properties, the former Naval Observatory, now owned by GSA, is being sold to the University of Miami.

A total of 376 native and naturalized plant species were recorded in our surveys. Of these 280 (74%) are considered native to Richmond and 96 (26%) are considered exotic. The number of plant species on each property ranged from 137-249 species, with an average of 175. The number of native plant species ranged from 109-203 species with an average of 149. The number of exotic plant species ranged from 8-52 with an average of 26.

Two plant species listed by the U.S. Fish and Wildlife Service were recorded, deltoid spurge (*Chamaesyce deltoidea* ssp. *deltoidea*) and Small's polygala (*Polygala smallii*). Thirty-three plant species listed by the State of Florida as Threatened or Endangered were recorded. Twenty-two plant species listed by the Florida Natural Areas Inventory (FNAI) as critically Imperiled (S1) or Imperiled (S2) in Florida were recorded. Twenty-seven species considered Critically Imperiled (R1) or Imperiled (R2) in southern Florida by the Institute for Regional Conservation were recorded. Fifty-two rare plant species were recorded at Richmond (Table 21), 14% of the native plant species recorded.

Three plant species being considered for listing by the U.S. Fish and Wildlife Service have been found at Richmond, Blodgett's wild mercury (*Argythamnia blodgettii*), Mosier's false boneset (*Brickellia mosieri*), and Twospike crabgrass (*Digitaria pauciflora*) (Bradley & Gann 2000). During these surveys Mosier's false boneset was found on two properties, the U.S. Naval Observatory and the Luis Martinez U.S. Army Reserve Station. Blodgett's wild mercury was not found on any of the eleven properties, although it is known from Larry & Penny Thompson Park. Twospike crabgrass was discovered in 1995 at the Luis Martinez U.S. Army Reserve Station in marl prairie. Only one plant was discovered at this station. Subsequent surveys before and during this study have failed to relocate the plant. It is presumed to be extirpated at Richmond, and is now found only in Everglades National Park.

Plant inventories for each of the eleven properties surveyed are provided in Tables 1 – 11. Previous surveys, when available, were studied and incorporated into these tables. References are listed for each table if applicable. Lists of rare plant species on each property are provided in Tables 12 – 22. Population size estimates on a  $\log_{10}$  scale of each of these species are noted.

**Citations:**

Bradley, K.A. & G.D. Gann. 1999. Status summaries of 12 rockland plant taxa in southern Florida. Unpublished report submitted to the U.S. Fish and Wildlife Service, Vero Beach, Florida.

DERM. 1994. Management plan for the Richmond Pine Rocklands.

*Table 1:*  
**The Vascular Plants of**  
**FEDERAL CORRECTIONAL INSTITUTION,**  
**RICHMOND PINE ROCKLANDS**  
**15801 S.W. 137 Ave. Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On July 26, 2000

---

**Dicots**

Acanthaceae

- |                            |                                         |
|----------------------------|-----------------------------------------|
| <i>Dyschoriste angusta</i> | Rockland twinflower, Pineland snakeherb |
| <i>Ruellia succulenta</i>  | Thickleaf wild petunia                  |

Anacardiaceae

- |                                   |                                |
|-----------------------------------|--------------------------------|
| <i>Metopium toxiferum</i>         | Poisonwood, Florida poisontree |
| <i>Rhus copallina</i>             | Winged sumac                   |
| E <i>Schinus terebinthifolius</i> | Brazilian-pepper               |
| <i>Toxicodendron radicans</i>     | Poison-ivy, Eastern poison-ivy |

Apocynaceae

- |                          |                                             |
|--------------------------|---------------------------------------------|
| <i>Angadenia bertero</i> | Pineland-allamanda, Pineland golden trumpet |
| <i>Echites umbellata</i> | Devil's-potato, Rubbervine                  |

Asclepiadaceae

- |                             |                                   |
|-----------------------------|-----------------------------------|
| <i>Asclepias tuberosa</i>   | Butterflyweed, Butterfly milkweed |
| <i>Cynanchum blodgettii</i> | Blodgett's swallowwort            |

Asteraceae

- |                                              |                                 |
|----------------------------------------------|---------------------------------|
| <i>Ambrosia artemisiifolia</i>               | Common ragweed                  |
| <i>Aster adnatus</i>                         | Clasping aster, scaleleaf aster |
| <i>Aster concolor</i>                        | Eastern silver aster            |
| <i>Baccharis halimifolia</i>                 | Groundsel tree, Sea-myrtle      |
| <i>Bidens alba</i> var. <i>radiata</i>       | Spanish-needles, beggarticks    |
| <i>Chaptalia albicans</i>                    | White sunbonnets                |
| <i>Chromolaena odorata</i>                   | Jack-in-the-bush                |
| <i>Cirsium horridulum</i>                    | Purple thistle                  |
| <i>Conyza canadensis</i> var. <i>pusilla</i> | Dwarf Canadian horseweed        |
| E <i>Emilia fosbergii</i>                    | Florida tasselflower            |
| <i>Eupatorium capillifolium</i>              | Dog-fennel                      |
| <i>Eupatorium compositifolium</i>            | Dog fennel, Yankeeweed          |
| <i>Eupatorium mohrii</i>                     | Mohr's thoroughwort             |

<i>Eupatorium serotinum</i>	Lateflowering thoroughwort
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Hieracium megacephalon</i>	Coastal plain hawkweed
<i>Liatris gracilis</i>	Slender gayfeather
<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf gayfeather
<i>Melanthera parvifolia</i>	Pineland blackanthers
<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
<i>Pluchea carolinensis</i>	Cure-for-all
<i>Pterocaulon pycnostachyum</i>	Blackroot
<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
E <i>Tridax procumbens</i>	Brittleweed, Coatbuttons
<i>Vernonia blodgettii</i>	Florida ironweed
 <b>Boraginaceae</b>	
<i>Heliotropium polypyllum</i>	Pineland heliotrope
 <b>Cactaceae</b>	
<i>Opuntia humifusa</i>	Pricklypear
 <b>Caricaceae</b>	
E <i>Carica papaya</i>	Papaya
 <b>Celastraceae</b>	
<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
 <b>Chrysobalanaceae</b>	
<i>Licania michauxii</i>	Gopher-apple
 <b>Convolvulaceae</b>	
<i>Evolvulus sericeus</i>	Silver dwarf morningglory
<i>Ipomoea tenuissima</i>	Rockland morningglory
E <i>Ipomoea triloba</i>	Three-lobed morningglory, Littlebell
<i>Jacquemontia curtissii</i>	Pineland clustervine
 <b>Cucurbitaceae</b>	
E <i>Cucumis melo</i>	Dudaim melon, Cantalope
E <i>Momordica charantia</i>	Wild balsam-apple, Balsampear
 <b>Ericaceae</b>	
<i>Vaccinium myrsinites</i>	Shiny blueberry
 <b>Euphorbiaceae</b>	
<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
<i>Chamaesyce mendezii</i>	Mendez's sandmat
<i>Chamaesyce pergamena</i>	Southern Florida sandmat
<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente conmigo
<i>Croton linearis</i>	Pineland croton, Grannybush
<i>Euphorbia polyphylla</i>	Pineland euphorbia, Lesser Florida spurge
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petalled leafflower
<i>Poinsettia pinetorum</i>	Pineland poinsettia, Pineland spurge
<i>Stillingia sylvatica</i>	Queensdelight

<i>Tragia saxicola</i>	Florida Keys noseburn
<i>Tragia urens</i>	Wavyleaf noseburn
<b>Fabaceae</b>	
E <i>Albizia lebbeck</i>	Woman's tongue, rattlepod
E <i>Cajanus cajan</i>	Pigeonpea
<i>Centrosema virginianum</i>	Spurred butterfly-pea
<i>Chamaecrista deeringiana</i>	Deering partridge-pea
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
<i>Crotalaria pumila</i>	Low rattlebox
<i>Crotalaria rotundifolia</i>	Rabbitbells
E <i>Crotalaria spectabilis</i>	Showy rattlebox
<i>Dalea carnea</i> var. <i>carnea</i>	Whitetassels
<i>Desmodium incanum</i>	Beggar's-ticks
<i>Desmodium marilandicum</i>	Smooth ticktrefoil
E <i>Desmodium tortuosum</i>	Dixie ticktrefoil
E <i>Desmodium triflorum</i>	Threeflower ticktrefoil
<i>Galactia pinetorum</i>	Pineland milkpea
<i>Galactia volubilis</i>	Downy milkpea
E <i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
<i>Rhynchosia minima</i>	Least snoutbean
<i>Rhynchosia reniformis</i>	Dollarweed, Dollarleaf
<i>Tephrosia florida</i>	Florida hoarypea
<b>Fagaceae</b>	
<i>Quercus minima</i>	Dwarf live oak
<i>Quercus pumila</i>	Running oak
<b>Lamiaceae</b>	
<i>Hyptis alata</i>	Musky mint, Clustered Bushmint
<i>Piloblepharis rigida</i>	Wild pennyroyal
<i>Trichostema dichotomum</i>	Forked bluecurls
<b>Lauraceae</b>	
<i>Cassytha filiformis</i>	Lovevine, Devil's gut
<b>Loganiaceae</b>	
<i>Spigelia anthelmia</i>	West Indian pinkroot
<b>Malpighiaceae</b>	
<i>Byrsonima lucida</i>	Locustberry
<b>Malvaceae</b>	
<i>Sida acuta</i>	Common wireweed; Common fanpetals
<i>Sida elliottii</i>	Elliott's fanpetals
<b>Melastomataceae</b>	
<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
<b>Moraceae</b>	
<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
<b>Myricaceae</b>	
<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<b>Myrsinaceae</b>	

<i>Ardisia escallionoides</i>	Marlberry
<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Passifloraceae</u>	
<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Phytolaccaceae</u>	
<i>Phytolacca americana</i>	American pokeweed
<u>Polygalaceae</u>	
<i>Polygala grandiflora</i>	Candyweed; Showy milkwort
<u>Ranunculaceae</u>	
<i>Clematis baldwinii</i>	Pine-hyacinth
<u>Rubiaceae</u>	
<i>Chiococca parvifolia</i>	Pineland snowberry
<i>Diodia teres</i>	Poor joe, Rough buttonweed
<i>Galium hispidulum</i>	Coastal bedstraw
<i>Guettarda scabra</i>	Rough velvetseed
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Randia aculeata</i>	White indigoberry
E <i>Richardia grandiflora</i>	Largeflower Mexican clover
<i>Spermacoce terminalis</i>	Everglades Keys false buttonweed
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Scrophulariaceae</u>	
<i>Agalinis fasciculata</i>	Beach false foxglove
<i>Mecardonia acuminata</i> ssp. <i>peninsularis</i>	Axilflower
<u>Solanaceae</u>	
<i>Physalis angulata</i>	Cutleaf groundcherry
<i>Physalis walteri</i>	Walter's groundcherry
<u>Sterculiaceae</u>	
<i>Ayenia euphrasiifolia</i>	Eyebright ayenia
<i>Waltheria indica</i>	Sleepy morning
<u>Turneraceae</u>	
<i>Piriqueta caroliniana</i>	Pitted stripeseed
<u>Ulmaceae</u>	
<i>Trema micranthum</i>	Florida trema, Nettletree
<u>Verbenaceae</u>	
<i>Callicarpa americana</i>	American beautyberry
E <i>Lantana camara</i>	Shrubverbena
E <i>Lantana camara</i> x <i>L. depressa</i> var. <i>depressa</i>	
<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweek
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joeo
<u>Vitaceae</u>	

<i>Cissus verticillata</i>	Possum-grape, Seasonvine
<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine
<i>Vitis rotundifolia</i>	Muscadine

## Gymnosperms

### Pinaceae

<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine
------------------------------------------	--------------------------

### Zamiaceae

<i>Zamia integrifolia</i>	Coontie, Florida arrowroot
---------------------------	----------------------------

## Monocots

### Agavaceae

E <i>Agave sisalana</i>	Sisal-hemp
-------------------------	------------

### Arecaceae

<i>Coccothrinax argentata</i>	Florida silver palm
<i>Sabal palmetto</i>	Cabbage palm
<i>Serenoa repens</i>	Saw palmetto

### Commelinaceae

<i>Commelina erecta</i>	Whitemouth dayflower
-------------------------	----------------------

### Cyperaceae

<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Bulbostylis ciliatifolia</i>	Densetuft hairsedge
<i>Cyperus filiculmis</i>	Wiry flatsedge
<i>Rhynchospora floridensis</i>	Florida whitetop
<i>Rhynchospora grayi</i>	Gray's beaksedge
<i>Scleria ciliata</i> var. <i>ciliata</i>	Fringed nutrush

### Hypoxidaceae

<i>Hypoxis sessilis</i>	Glossyseed yellow stargrass
-------------------------	-----------------------------

### Musaceae

CE <i>Musa xparadisiaca</i>	Common banana
-----------------------------	---------------

### Orchidaceae

<i>Pteroglossaspis ecristata</i>	Giant orchid
----------------------------------	--------------

### Poaceae

<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Andropogon ternarius</i>	Splitbeard bluestem
<i>Andropogon tracyi</i>	Tracy's bluestem
<i>Aristida beyrichiana</i>	Southern wiregrass
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
<i>Cenchrus gracillimus</i>	Slender sandbur
<i>Dichanthelium aciculare</i>	Needleleaf witch grass
<i>Dichanthelium ovale</i>	Eggleaf witchgrass
<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	Caribbean crabgrass

	<i>Eragrostis elliottii</i>	Elliott's lovegrass
E	<i>Eremochloa ophiuroides</i>	Centipedegrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Imperata brasiliensis</i>	Congongrass, Brazilian satintail
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E	<i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crowngrass
	<i>Paspalum monostachyum</i>	Gulfdune paspalum
	<i>Paspalum setaceum</i>	Thin paspalum
E	<i>Rhynchospora repens</i>	Rose Natalgrass
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
	<i>Sorghastrum secundum</i>	Lopsided Indiangrass
	<i>Sporobolus junceus</i>	Pinewoods dropseed

#### Smilacaceae

<i>Smilax auriculata</i>	Earleaf greenbrier
<i>Smilax havanensis</i>	Havana greenbrier, Everglades greenbrier

## Pteridophytes

#### Dennstaedtiaceae

<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
-------------------------------------------------	------------------

#### Polypodiaceae

<i>Phlebodium aureum</i>	Golden polypody
--------------------------	-----------------

#### Pteridaceae

<i>Pteris bahamensis</i>	Bahama ladder brake
--------------------------	---------------------

#### Schizaceae

<i>Anemia adiantifolia</i>	Pine fern, Maidenhair pineland fern
----------------------------	-------------------------------------

#### Thelypteridaceae

<i>Thelypteris kunthii</i>	Southern shield fern
----------------------------	----------------------

**E = Not Native to the site**

*Table 2:*  
**The Vascular Plants of**  
**LUIS MARTINEZ U.S. ARMY RESERVE CENTER,**  
**RICHMOND PINE ROCKLANDS**  
**13601 S.W. 176 St. Miami, Florida**

Field Data Compiled By:

Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, Florida  
 On June 13-16, 2000

**Dicots**

Acanthaceae

<i>Dyschoriste angusta</i>	Rockland twinflower, Pineland snakeherb
<i>Elytraria caroliniensis</i> var. <i>angustifolia</i>	
<i>Ruellia succulenta</i>	Thickleaf wild petunia
<i>Stenandrium dulce</i>	Pinklet

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
<i>Rhus copallina</i>	Winged sumac
E <i>Schinus terebinthifolius</i>	Brazilian-pepper
<i>Toxicodendron radicans</i>	Poison-ivy, Eastern poison-ivy

Apiaceae

<i>Centella asiatica</i>	Coinwort, Spadeleaf
<i>Eryngium baldwinii</i>	Baldwin's eryngo

Apocynaceae

<i>Angadenia bertero</i>	Pineland-allamanda, Pineland golden trumpet
E <i>Catharanthus roseus</i>	Madagascar-periwinkle
<i>Echites umbellata</i>	Devil's-potato, Rubbervine

Araliaceae

E <i>Schefflera actinophylla</i>	Australian umbrella-tree
----------------------------------	--------------------------

Asclepiadaceae

<i>Asclepias tuberosa</i>	Butterflyweed, Butterfly milkweed
<i>Cynanchum blodgettii</i>	Blodgett's swallowwort

Asteraceae

<i>Ambrosia artemisiifolia</i>	Common ragweed
<i>Arnoglossum ovatum</i>	Ovateleaf indian plantain
<i>Aster adnatus</i>	Clasping aster, scaleleaf aster

	<i>Aster concolor</i>	Eastern silver aster
	<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
	<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, beggarticks
	<i>Brickellia mosieri</i>	Mosier's false boneset
	<i>Chaptalia albicans</i>	White sunbonnets
	<i>Chromolaena odorata</i>	Jack-in-the-bush
	<i>Cirsium horridulum</i>	Purple thistle
	<i>Conyza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
E	<i>Emilia sonchifolia</i>	Lilac tasselflower
	<i>Erigeron quercifolius</i>	Southern-fleabane, Oakleaf fleabane
	<i>Eupatorium capillifolium</i>	Dog-fennel
	<i>Flaveria linearis</i>	Narrowleaf yellowtops
	<i>Flaveria trinervia</i>	Annual yellowtop, Clustered yellowtops
	<i>Hieracium megacephalon</i>	Coastal plain hawkweed
	<i>Liatris gracilis</i>	Slender gayfeather
	<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf gayfeather
	<i>Melanthera parvifolia</i>	Pineland blackanthers
	<i>Mikania scandens</i>	Climbing hempweed, Climbing hampvine
	<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
	<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
	<i>Pluchea carolinensis</i>	Cure-for-all
	<i>Pluchea rosea</i>	Rosy camphorweed
	<i>Pterocephalon pycnostachyum</i>	Blackroot
	<i>Sachsia polyccephala</i>	Bahama sachisia
	<i>Solidago gigantea</i>	Giant goldenrod
	<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
	<i>Solidago stricta</i>	Narrow-leaved goldenrod, Wand goldenrod
	<i>Vernonia blodgettii</i>	Florida ironweed
E	<i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye
<u>Boraginaceae</u>		
	<i>Heliotropium polyphyllum</i>	Pineland heliotrope
<u>Buddlejaceae</u>		
	<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
<u>Cactaceae</u>		
	<i>Opuntia humifusa</i>	Pricklypear
<u>Celastraceae</u>		
	<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
<u>Chrysobalanaceae</u>		
	<i>Licania michauxii</i>	Gopher-apple
<u>Cistaceae</u>		
	<i>Lechea torreyi</i>	Piedmont pinweed
<u>Clusiaceae</u>		
	<i>Hypericum brachyphyllum</i>	Coastalplain St. John's-wort
<u>Convolvulaceae</u>		
	<i>Evolvulus sericeus</i>	Silver dwarf morningglory
	<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
	<i>Ipomoea microdactyla</i>	Man-in-the-ground, Bejuco colorado

	<i>Ipomoea tenuissima</i>	Rockland morningglory
	<i>Jacquemontia curtisi</i>	Pineland clustervine
E	<i>Merremia dissecta</i>	Baby woodrose, Noyauvine
E	<i>Merremia tuberosa</i>	Spanish arborvine, Yellow morningglory
<b><u>Crassulaceae</u></b>		
E	<i>Kalanchoe pinnata</i>	Common liveleaf, Cathedral bells, Life plant
<b><u>Cucurbitaceae</u></b>		
E	<i>Momordica charantia</i>	Wild balsam-apple, Balsampear
<b><u>Ericaceae</u></b>		
	<i>Vaccinium myrsinites</i>	Shiny blueberry
<b><u>Euphorbiaceae</u></b>		
	<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
E	<i>Bischofia javanica</i>	Javanese bishopwood
	<i>Chamaesyce conferta</i>	Everglades key sandmat
	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
	<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat
	<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
	<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
	<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente commigo
	<i>Croton linearis</i>	Pineland croton, Grannybush
	<i>Euphorbia polyphylla</i>	Pineland euphorbia, Lesser Florida spurge
E	<i>Phyllanthus amarus</i>	Gale-of-wind, Carry-me-seed
	<i>Phyllanthus caroliniensis</i> ssp. <i>saxicola</i>	Rock Carolina leafflower
	<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petalled leafflower
	<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
	<i>Poinsettia pinetorum</i>	Pineland poinsettia, Pineland spurge
E	<i>Ricinus communis</i>	Castor-bean
	<i>Stillingia sylvatica</i>	Queensdelight
	<i>Tragia saxicola</i>	Florida Keys noseburn
	<i>Tragia urens</i>	Wavyleaf noseburn
<b><u>Fabaceae</u></b>		
E	<i>Abrus precatorius</i>	Rosary-pea, Crab-eyes
E	<i>Acacia auriculiformis</i>	Earleaf acacia
E	<i>Albizia lebbeck</i>	Woman's tongue, rattlepod
E	<i>Alysicarpus vaginalis</i>	White moneywort
E	<i>Canavalia brasiliensis</i>	Brazilian jackbean
	<i>Centrosema virginianum</i>	Spurred butterfly-pea
	<i>Chamaecrista deeringiana</i>	Deering partridge-pea
	<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
E	<i>Crotalaria pallida</i> var. <i>obovata</i>	Smooth rattlebox
	<i>Crotalaria pumila</i>	Low rattlebox
E	<i>Crotalaria spectabilis</i>	Showy rattlebox
E	<i>Dalbergia sissoo</i>	Indian rosewood
	<i>Dalea carnea</i> var. <i>carnea</i>	Whitetassels
E	<i>Delonix regia</i>	Royal poinciana
	<i>Desmodium incanum</i>	Beggar's-ticks
	<i>Desmodium marilandicum</i>	Smooth ticktrefoil
E	<i>Desmodium tortuosum</i>	Dixie ticktrefoil
E	<i>Desmodium triflorum</i>	Threeflower ticktrefoil

E	<i>Galactia pinetorum</i>	Pineland milkpea
E	<i>Indigofera suffruticosa</i>	Shrub indigo
E	<i>Leucaena leucocephala</i>	White leadtree
	<i>Neptunia pubescens</i>	Tropical-puff
	<i>Rhynchosia minima</i>	Least snoutbean
	<i>Rhynchosia reniformis</i>	Dollarweed, Dollarleaf
	<i>Tephrosia florida</i>	Florida hoarypea
	<i>Vigna luteola</i>	Cow-pea, Hairypod cowpea
<b>Fagaceae</b>		
	<i>Quercus minima</i>	Dwarf live oak
	<i>Quercus pumila</i>	Running oak
	<i>Quercus virginiana</i>	Virginia live oak
<b>Flacourtiaceae</b>		
E	<i>Flacourtie indica</i>	Governor's-plum
<b>Lamiaceae</b>		
	<i>Hyptis alata</i>	Musky mint, Clustered Bushmint
	<i>Piloblepharis rigida</i>	Wild pennyroyal
<b>Lauraceae</b>		
	<i>Cassytha filiformis</i>	Lovevine, Devil's gut
C	<i>Persea americana</i>	Avocado
<b>Malpighiaceae</b>		
	<i>Byrsinima lucida</i>	Locustberry
<b>Malvaceae</b>		
	<i>Herissantia crispa</i>	Bladdermallow
	<i>Sida acuta</i>	Common wireweed; Common fanpetals
	<i>Sida elliotii</i>	Elliott's fanpetals
	<i>Sida rhombifolia</i>	Cuban jute, Indian hemp
E	<i>Urena lobata</i>	Caesarweed
<b>Melastomataceae</b>		
	<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
<b>Moraceae</b>		
	<i>Ficus aurea</i>	Strangler fig, Golden fig
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
E	<i>Ficus microcarpa</i>	Laurel fig, Indian laurel
<b>Myricaceae</b>		
	<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<b>Myrsinaceae</b>		
E	<i>Ardisia elliptica</i>	Shoe-button ardisia, Shoe button
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<b>Myrtaceae</b>		
E	<i>Eugenia uniflora</i>	Surinam-cherry
	<i>Psidium longipes</i>	Longstalked-stopper
C	<i>Syzygium jambos</i>	Rose-apple, Malabar-plum
<b>Onagraceae</b>		

<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissom
<b>Passifloraceae</b>	
<i>Passiflora suberosa</i>	Corkystem passionflower
<b>Phytolaccaceae</b>	
<i>Phytolacca americana</i>	American pokeweed
<b>Polygalaceae</b>	
<i>Polygala grandiflora</i>	Candyweed; Showy milkwort
<b>Primulaceae</b>	
<i>Samolus ebracteatus</i>	Water pimpernel, Limewater brookweed
<b>Ranunculaceae</b>	
<i>Clematis baldwinii</i>	Pine-hyacinth
<b>Rubiaceae</b>	
<i>Chiococca parvifolia</i>	Pineland snowberry
<i>Ernodea cokeri</i>	Coker's beach creeper
<i>Galium hispidulum</i>	Coastal bedstraw
<i>Guettarda scabra</i>	Rough velvetseed
<i>Hedyotis nigricans</i> var. <i>floridana</i>	Florida diamond flowers
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Psychotria nervosa</i>	Shiny-leaved wild-coffee
<i>Psychotria sulzneri</i>	Shortleaf wild coffee
<i>Randia aculeata</i>	White indigoberry
E <i>Richardia grandiflora</i>	Largeflower Mexican clover
<i>Spermacoce terminalis</i>	Everglades Keys false buttonweed
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<b>Scrophulariaceae</b>	
<i>Agalinis fasciculata</i>	Beach false foxglove
<i>Bacopa monnieri</i>	Water hyssop, Herb-of-grace
<i>Buchnera americana</i>	American bluehearts
<i>Mecardonia acuminata</i> ssp. <i>peninsularis</i>	Axilflower
<i>Scoparia dulcis</i>	Sweetbroom, Licoriceweed
<b>Solanaceae</b>	
<i>Physalis walteri</i>	Walter's groundcherry
<b>Sterculiaceae</b>	
<i>Ayenia euphrasiifolia</i>	Eyebright ayenia
<i>Waltheria indica</i>	Sleepy morning
<b>Turneraceae</b>	
<i>Piriqueta caroliniana</i>	Pitted stripeseed
<b>Ulmaceae</b>	
<i>Trema micranthum</i>	Florida trema, Nettletree
<b>Urticaceae</b>	
<i>Pilea microphylla</i>	Artillery plant, Rockweed
<b>Verbenaceae</b>	

	<i>Callicarpa americana</i>	American beautyberry
E	<i>Lantana camara</i>	Shrubverbena
	<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena
	<i>Lantana involucrata</i>	Wild-sage, Buttonsage
	<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
	<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee

#### Vitaceae

	<i>Cissus verticillata</i>	Possum-grape, Seasonvine
	<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine
	<i>Vitis rotundifolia</i>	Muscadine
	<i>Vitis shuttleworthii</i>	Calusa grape

## Gymnosperms

#### Pinaceae

	<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine
--	------------------------------------------	--------------------------

#### Zamiaceae

	<i>Zamia integrifolia</i>	Coontie, Florida arrowroot
--	---------------------------	----------------------------

## Monocots

#### Agavaceae

E	<i>Agave sisalana</i>	Sisal-hemp
---	-----------------------	------------

#### Arecaceae

	<i>Coccothrinax argentata</i>	Florida silver palm
	<i>Sabal palmetto</i>	Cabbage palm
	<i>Serenoa repens</i>	Saw palmetto

#### Commelinaceae

	<i>Commelina erecta</i>	Whitemouth dayflower
--	-------------------------	----------------------

#### Cyperaceae

	<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
	<i>Rhynchospora colorata</i>	Starrush whitetop
	<i>Rhynchospora divergens</i>	Spreading beaksedge
	<i>Rhynchospora floridensis</i>	Florida whitetop
	<i>Rhynchospora grayi</i>	Gray's beaksedge
	<i>Schoenus nigricans</i>	Black sedge, Black bogrush

#### Dioscoreaceae

E	<i>Dioscorea bulbifera</i>	Common air-potato
---	----------------------------	-------------------

#### Iridaceae

	<i>Sisyrinchium nashii</i>	Nash's blueeyed-grass
--	----------------------------	-----------------------

#### Liliaceae

	<i>Aletris lutea</i>	Yellow colicroot
--	----------------------	------------------

#### Orchidaceae

	<i>Bletia purpurea</i>	Pinepink
E	<i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
	<i>Spiranthes torta</i>	Southern ladies-tresses

### Poaceae

	<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
	<i>Andropogon longiberbis</i>	Hairy bluestem
	<i>Andropogon ternarius</i>	Splitbeard bluestem
	<i>Aristida condensata</i>	Big threeawn, Piedmont threeawn
	<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
	<i>Cenchrus gracillimus</i>	Slender sandbur
	<i>Dichanthelium aciculare</i>	Needleleaf witch grass
	<i>Dichanthelium ovale</i>	Eggleaf witchgrass
	<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
	<i>Digitaria pauciflora</i>	Everglades crabgrass, Twospike crabgrass
	<i>Eragrostis elliottii</i>	Elliott's lovegrass
	<i>Eustachys glauca</i>	Prairie fingergrass, Saltmarsh fingergrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Imperata brasiliensis</i>	Congongrass, Brazilian satintail
E	<i>Melinis minutiflora</i>	Molassesgrass
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E	<i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
	<i>Panicum hemitomon</i>	Maidencane
E	<i>Panicum repens</i>	Torpedo grass
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crownglass
	<i>Paspalum setaceum</i>	Thin paspalum
E	<i>Rhynchoselytrum repens</i>	Rose Natalgrass
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
	<i>Sorghastrum secundum</i>	Lopsided Indiangrass
E	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
	<i>Sporobolus junceus</i>	Pineywoods dropseed

### Smilacaceae

	<i>Smilax auriculata</i>	Earleaf greenbrier
	<i>Smilax bona-nox</i>	Saw greenbrier
	<i>Smilax havanensis</i>	Havana greenbrier, Everglades greenbrier

## Pteridophytes

### Dennstaedtiaceae

	<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
--	-------------------------------------------------	------------------

### Nephrolepidaceae

	<i>Nephrolepis exaltata</i>	Wild Boston fern
--	-----------------------------	------------------

### Polypodiaceae

	<i>Phlebodium aureum</i>	Golden polypody
--	--------------------------	-----------------

### Psilotaceae

	<i>Psilotum nudum</i>	Whisk-fern
--	-----------------------	------------

### Pteridaceae

	<i>Pteris bahamensis</i>	Bahama ladder brake
--	--------------------------	---------------------

E	<i>Pteris vittata</i>	China brake
---	-----------------------	-------------

### Schizaceae

*Anemia adiantifolia*

Pine fern, Maidenhair pineland fern

Thelypteridaceae

*Thelypteris kunthii*

Southern shield fern

**E = Not Native to the site**

**C = Cultivated on the site**

*Table 3:*  
**The Vascular Plants of**  
**NATIONAL INSTITUTE OF HEALTH, GSA,**  
**RICHMOND PINE ROCKLANDS**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, Florida  
 On May 24 and June 23, 2000

---

**Dicots**

Acanthaceae

<i>Dyschoriste angusta</i>	Rockland twinflower, Pineland snakeherb
<i>Ruellia succulenta</i>	Thickleaf wild petunia

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
<i>Rhus copallina</i>	Winged sumac
E <i>Schinus terebinthifolius</i>	Brazilian-pepper
<i>Toxicodendron radicans</i>	Poison-ivy, Eastern poison-ivy

Apocynaceae

<i>Angadenia bertero</i>	Pineland-allamanda, Pineland golden trumpet
<i>Echites umbellata</i>	Devil's-potato, Rubbervine

Araliaceae

E <i>Schefflera actinophylla</i>	Australian umbrella tree
----------------------------------	--------------------------

Asclepiadaceae

<i>Cynanchum blodgettii</i>	Blodgett's swallowwort
-----------------------------	------------------------

Asteraceae

<i>Ambrosia artemisiifolia</i>	Common ragweed
<i>Aster adnatus</i>	Clasping aster, scaleleaf aster
<i>Aster concolor</i>	Eastern silver aster
<i>Baccharis glomeruliflora</i>	Silverling
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, beggarticks
<i>Cirsium horridulum</i>	Purple thistle
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Liatris gracilis</i>	Slender gayfeather
<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf gayfeather
<i>Melanthera parvifolia</i>	Pineland blackanthers
<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
<i>Solidago gigantea</i>	Giant goldenrod
<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod

E	<i>Tridax procumbens</i>	Brittleweed, Coatbuttons
	<i>Vernonia blodgettii</i>	Florida ironweed
	<u>Boraginaceae</u>	
	<i>Heliotropium polyphyllum</i>	Pineland heliotrope
	<u>Buddlejaceae</u>	
	<i>Polypteron procumbens</i>	Rustweed, Juniperleaf
	<u>Cactaceae</u>	
	<i>Opuntia humifusa</i>	Pricklypear
	<u>Casuarinaceae</u>	
E	<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
E	<i>Casuarina glauca</i>	Suckering Australian-pine, Gray sheoak
	<u>Celastraceae</u>	
	<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
	<u>Chrysobalanaceae</u>	
	<i>Licania michauxii</i>	Gopher-apple
	<u>Convolvulaceae</u>	
	<i>Evolvulus sericeus</i>	Silver dwarf morningglory
	<i>Jacquemontia curtisiae</i>	Pineland clustervine
E	<i>Merremia dissecta</i>	Baby woodrose, Noyauvine
	<u>Euphorbiaceae</u>	
	<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
	<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
	<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente conmigo
	<i>Croton linearis</i>	Pineland croton, Grannybush
	<i>Euphorbia polyphylla</i>	Pineland euphorbia, Lesser Florida spurge
	<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petalled leafflower
	<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
	<i>Poinsettia pinetorum</i>	Pineland poinsettia, Pineland spurge
	<i>Stillingia sylvatica</i>	Queensdelight
	<i>Tragia urens</i>	Wavyleaf noseburn
	<u>Fabaceae</u>	
E	<i>Abrus precatorius</i>	Rosary-pea, Crab-eyes
E	<i>Acacia auriculiformis</i>	Earleaf acacia
E	<i>Albizia lebbeck</i>	Woman's tongue, rattlepod
	<i>Centrosema virginianum</i>	Spurred butterfly-pea
	<i>Chamaecrista deeringiana</i>	Deering partridge-pea
	<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
	<i>Crotalaria pumila</i>	Low rattlebox
	<i>Crotalaria rotundifolia</i>	Rabbitbells
E	<i>Dalbergia sissoo</i>	Indian rosewood
	<i>Dalea carnea</i> var. <i>carnea</i>	Whitetassels
	<i>Desmodium incanum</i>	Beggar's-ticks
	<i>Desmodium marilandicum</i>	Smooth ticktrefoil
	<i>Galactia pinetorum</i>	Pineland milkpea
	<i>Tephrosia florida</i>	Florida hoarypea

<u>Fagaceae</u>		
<i>Quercus minima</i>	Dwarf live oak	
<i>Quercus pumila</i>	Running oak	
<i>Quercus virginiana</i>	Virginia live oak	
<u>Lauraceae</u>		
<i>Cassytha filiformis</i>	Lovevine, Devil's gut	
<u>Malpighiaceae</u>		
<i>Byrsinima lucida</i>	Locustberry	
<u>Malvaceae</u>		
<i>Sida acuta</i>	Common wireweed; Common fanpetals	
<u>Melastomataceae</u>		
<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash	
<u>Meliaceae</u>		
E <i>Swietenia mahagoni</i>	West Indian mahogany	
<u>Moraceae</u>		
<i>Ficus aurea</i>	Strangler fig, Golden fig	
<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree	
<u>Myrsinaceae</u>		
E <i>Ardisia elliptica</i>	Shoe-button ardisia, Shoe button	
<i>Rapanea punctata</i>	Myrsine, Colicwood	
<u>Passifloraceae</u>		
<i>Passiflora suberosa</i>	Corkystem passionflower	
<u>Phytolaccaceae</u>		
<i>Rivina humilis</i>	Rougeplant	
<u>Polygalaceae</u>		
<i>Polygala grandiflora</i>	Candyweed; Showy milkwort	
<u>Rubiaceae</u>		
<i>Chiococca parvifolia</i>	Pineland snowberry	
<i>Galium hispidulum</i>	Coastal bedstraw	
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple	
<i>Randia aculeata</i>	White indigoberry	
E <i>Richardia grandiflora</i>	Largeflower Mexican clover	
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed	
<u>Scrophulariaceae</u>		
<i>Agalinis fasciculata</i>	Beach false foxglove	
<i>Buchnera americana</i>	American bluehearts	
<u>Solanaceae</u>		
<i>Physalis walteri</i>	Walter's groundcherry	
<u>Sterculiaceae</u>		
<i>Ayenia euphrasiifolia</i>	Eyebright ayenia	
<i>Waltheria indica</i>	Sleepy morning	
<u>Turneraceae</u>		

<i>Piriqueta caroliniana</i>	Pitted stripeseed
<u><b>Ulmaceae</b></u>	
<i>Trema micranthum</i>	Florida trema, Nettletree
<u><b>Verbenaceae</b></u>	
<i>Callicarpa americana</i>	American beautyberry
E <i>Lantana camara</i>	Shrubverbena
<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweek
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee
<u><b>Vitaceae</b></u>	
<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine

## Gymnosperms

<u><b>Pinaceae</b></u>	
<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine
<u><b>Zamiaceae</b></u>	
<i>Zamia integrifolia</i>	Coontie, Florida arrowroot

## Monocots

<u><b>Amaryllidaceae</b></u>	
<i>Crinum americanum</i>	Swamp-lily, Seven-sisters, String-lily
<u><b>Arecaceae</b></u>	
<i>Coccothrinax argentata</i>	Florida silver palm
<i>Sabal palmetto</i>	Cabbage palm
<i>Serenoa repens</i>	Saw palmetto
<u><b>Commelinaceae</b></u>	
<i>Commelina erecta</i>	Whitemouth dayflower
<u><b>Cyperaceae</b></u>	
<i>Bulbostylis ciliatifolia</i>	Densetuft hairsedge
<i>Rhynchospora floridensis</i>	Florida whitetop
<i>Rhynchospora grayi</i>	Gray's beaksedge
<i>Scleria ciliata</i> var. <i>ciliata</i>	Fringed nutrush
<u><b>Poaceae</b></u>	
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Aristida beyrichiana</i>	Southern wiregrass
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
<i>Dichanthelium aciculare</i>	Needleleaf witch grass
<i>Dichanthelium ovale</i>	Eggleaf witchgrass
<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
<i>Eragrostis elliottii</i>	Elliott's lovegrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E <i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
<i>Paspalum setaceum</i>	Thin paspalum

E	<i>Rhynchospora repens</i>	Rose Natalgrass
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
	<i>Sorghastrum secundum</i>	Lopsided Indiangrass
E	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass

Smilacaceae

<i>Smilax auriculata</i>	Earleaf greenbrier
--------------------------	--------------------

**Pteridophytes**

Dennstaedtiaceae

<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
-------------------------------------------------	------------------

Nephrolepidaceae

<i>Nephrolepis exaltata</i>	Wild Boston fern
-----------------------------	------------------

Polypodiaceae

<i>Phlebodium aureum</i>	Golden polypody
--------------------------	-----------------

Pteridaceae

E	<i>Pteris vittata</i>	China brake
---	-----------------------	-------------

Schizaceae

<i>Anemia adiantifolia</i>	Pine fern, Maidenhair pineland fern
----------------------------	-------------------------------------

**E = Not Native to the site**

*Table 4:*  
**The Vascular Plants of**  
**ROBERT MORGAN TECHNICAL INSTITUTE,**  
**RICHMOND PINE ROCKLANDS**  
**18180 S.W. 122 Ave., Miami, Florida**

Field Data Compiled By:

Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On June 28, 2000

---

**Dicots**

Acanthaceae

<i>Dyschoriste angusta</i>	Rockland twinflower, Pineland snakeherb
<i>Ruellia succulenta</i>	Thickleaf wild petunia

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
<i>Rhus copallinaum</i>	Winged sumac
E <i>Schinus terebinthifolius</i>	Brazilian-pepper

Apocynaceae

<i>Angadenia berteroii</i>	Pineland-allamanda, Pineland golden trumpet
E <i>Catharanthus roseus</i>	Madagascar-periwinkle
<i>Echites umbellata</i>	Devil's-potato, Rubbervine

Asclepiadaceae

<i>Asclepias tuberosa</i>	Butterflyweed, Butterfly milkweed
<i>Cynanchum blodgettii</i>	Blodgett's swallowwort

Asteraceae

<i>Ambrosia artemisiifolia</i>	Common ragweed
<i>Aster adnatus</i>	Clasping aster, scaleleaf aster
<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, beggarticks
<i>Chromolaena odorata</i>	Jack-in-the-bush
<i>Cirsium horridulum</i>	Purple thistle
<i>Conyza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
E <i>Emilia fosbergii</i>	Florida tasselflower
<i>Eupatorium capillifolium</i>	Dog-fennel
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Koanophyllum villosum</i>	Shrub eupatorium
<i>Melanthera parvifolia</i>	Pineland blackanthers
<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed

	<i>Pityopsis graminifolia</i>	Narrowleaf silkglass
	<i>Pluchea carolinensis</i>	Cure-for-all
	<i>Pluchea rosea</i>	Rosy camphorweed
	<i>Sachsia polycephala</i>	Bahama sachsia
	<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
E	<i>Tridax procumbens</i>	Brittleweed, Coatbuttons
	<i>Vernonia blodgettii</i>	Florida ironweed
 <u>Boraginaceae</u>		
	<i>Heliotropium polypyllum</i>	Pineland heliotrope
 <u>Burseraceae</u>		
	<i>Bursera simaruba</i>	Gumbo-limbo
 <u>Cactaceae</u>		
	<i>Opuntia humifusa</i>	Pricklypear
 <u>Casuarinaceae</u>		
E	<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
 <u>Celastraceae</u>		
	<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
 <u>Chrysobalanaceae</u>		
	<i>Licania michauxii</i>	Gopher-apple
 <u>Convolvulaceae</u>		
	<i>Jacquemontia curtisii</i>	Pineland clustervine
E	<i>Merremia dissecta</i>	Baby woodrose, Noyauvine
 <u>Euphorbiaceae</u>		
	<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
	<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
	<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
	<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente conmigo
	<i>Croton linearis</i>	Pineland croton, Grannybush
	<i>Euphorbia polypylla</i>	Pineland euphorbia, Lesser Florida spurge
	<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petalled leafflower
	<i>Poinsettia pinetorum</i>	Pineland poinsettia, Pineland spurge
	<i>Stillingia sylvatica</i>	Queensdelight
	<i>Tragia saxicola</i>	Florida Keys noseburn
 <u>Fabaceae</u>		
	<i>Abrus precatorius</i>	Rosary-pea, Crab-eyes
E	<i>Albizia lebbeck</i>	Woman's tongue, rattlepod
E	<i>Alysicarpus vaginalis</i>	White moneywort
	<i>Centrosema virginianum</i>	Spurred butterfly-pea
	<i>Chamaecrista deeringiana</i>	Deering partridge-pea
	<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
E	<i>Crotalaria pallida</i> var. <i>obovata</i>	Smooth rattlebox
	<i>Crotalaria pumila</i>	Low rattlebox
	<i>Crotalaria rotundifolia</i>	Rabbitbells
E	<i>Crotalaria spectabilis</i>	Showy rattlebox
	<i>Desmodium incanum</i>	Beggar's-ticks

E	<i>Desmodium triflorum</i>	Threeflower ticktrefoil
E	<i>Leucaena leucocephala</i>	White leadtree
	<i>Neptunia pubescens</i>	Tropical-puff
	<i>Rhynchosia minima</i>	Least snoutbean
	<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
<b>Fagaceae</b>		
	<i>Quercus pumila</i>	Running oak
	<i>Quercus virginiana</i>	Virginia live oak
<b>Lamiaceae</b>		
	<i>Piloblepharis rigida</i>	Wild pennyroyal
<b>Lauraceae</b>		
	<i>Cassytha filiformis</i>	Lovevine, Devil's gut
<b>Malpighiaceae</b>		
	<i>Byrsonima lucida</i>	Locustberry
<b>Malvaceae</b>		
	<i>Sida acuta</i>	Common wireweed; Common fanpetals
	<i>Sida elliotii</i>	Elliott's fanpetals
	<i>Sida rhombifolia</i>	Cuban jute, Indian hemp
<b>Melastomataceae</b>		
	<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
<b>Moraceae</b>		
	<i>Ficus aurea</i>	Strangler fig, Golden fig
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
<b>Myricaceae</b>		
	<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<b>Myrsinaceae</b>		
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<b>Myrtaceae</b>		
	<i>Psidium longipes</i>	Longstalked-stopper
<b>Onagraceae</b>		
	<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissom
<b>Passifloraceae</b>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
<b>Polygalaceae</b>		
	<i>Polygala grandiflora</i>	Candyweed; Showy milkwort
<b>Rubiaceae</b>		
	<i>Chiococca parvifolia</i>	Pineland snowberry
	<i>Guettarda scabra</i>	Rough velvetseed
	<i>Hedyotis nigricans</i> var. <i>floridana</i>	Florida diamond flowers
	<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
	<i>Randia aculeata</i>	White indigoberry
	<i>Spermacoce terminalis</i>	Everglades Keys false buttonweed
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed

**Scrophulariaceae**

<i>Agalinis fasciculata</i>	Beach false foxglove
<i>Mecardonia acuminata</i> ssp. <i>peninsularis</i>	Axilflower
E <i>Russelia equisetiformis</i>	Firecrackerplant, Fountainbush

**Solanaceae**

<i>Physalis walteri</i>	Walter's groundcherry
-------------------------	-----------------------

**Sterculiaceae**

<i>Ayenia euphrasiifolia</i>	Eyebright ayenia
<i>Waltheria indica</i>	Sleepy morning

**Turneraceae**

<i>Piriqueta caroliniana</i>	Pitted stripeseed
E <i>Turnera ulmifolia</i>	Yellow alder, Ramgoat dashalong

**Ulmaceae**

<i>Trema micranthum</i>	Florida trema, Nettletree
-------------------------	---------------------------

**Verbenaceae**

<i>Callicarpa americana</i>	American beautyberry
E <i>Lantana camara</i>	Shrubverbena
<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee

**Vitaceae**

<i>Parthenocissus quinquefolia</i>	Virginia Creeper, Woodbine
------------------------------------	----------------------------

**Gymnosperms****Pinaceae**

<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine
------------------------------------------	--------------------------

**Zamiaceae**

<i>Zamia integrifolia</i>	Coontie, Florida arrowroot
---------------------------	----------------------------

**Monocots****Agavaceae**

E <i>Agave sisalana</i>	Sisal-hemp
-------------------------	------------

**Arecaceae**

<i>Coccothrinax argentata</i>	Florida silver palm
<i>Sabal palmetto</i>	Cabbage palm
<i>Serenoa repens</i>	Saw palmetto

**Cyperaceae**

<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Rhynchospora floridensis</i>	Florida whitetop
<i>Rhynchospora grayi</i>	Gray's beaksedge

**Iridaceae**

<i>Sisyrinchium nashii</i>	Nash's blueeyed-grass
----------------------------	-----------------------

### Poaceae

	<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
	<i>Andropogon longiberbis</i>	Hairy bluestem
	<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
E	<i>Cynodon dactylon</i>	Bermuda grass
	<i>Dichanthelium aciculare</i>	Needleleaf witch grass
	<i>Dichanthelium ovale</i>	Eggleaf witchgrass
	<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
	<i>Eragrostis elliottii</i>	Elliott's lovegrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Imperata brasiliensis</i>	Congongrass, Brazilian satintail
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E	<i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
	<i>Paspalum setaceum</i>	Thin paspalum
E	<i>Rhynchelytrum repens</i>	Rose Natalgrass
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
E	<i>Sorghastrum secundum</i>	Lopsided Indiangrass
E	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass
	<i>Tripsacum floridanum</i>	Florida gamagrass
E	<i>Zoysia tenuifolia</i>	Mascarene templegrass

### Smilacaceae

	<i>Smilax auriculata</i>	Earleaf greenbrier
	<i>Smilax havanensis</i>	Havana greenbrier, Everglades greenbrier

## Pteridophytes

### Dennstaedtiaceae

	<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
--	-------------------------------------------------	------------------

### Pteridaceae

	<i>Pteris bahamensis</i>	Bahama ladder brake
E	<i>Pteris vittata</i>	China brake
E	<i>Pteris x delchampsii</i>	Delchamps' brake

### Schizaceae

	<i>Anemia adiantifolia</i>	Pine fern, Maidenhair pineland fern
--	----------------------------	-------------------------------------

**E = Not Native to the site**

*Table 5:*  
**The Vascular Plants of**  
**U.S. AIR FORCE PROPERTY,**  
**RICHMOND PINE ROCKLANDS**  
**15810 S.W. 129 Ave., Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, Florida  
 On June 16 & 22, July 19, 2000

**Dicots**

Acanthaceae

<i>Dyschoriste angusta</i>	Rockland twinflower, Pineland snakeherb
<i>Ruellia succulenta</i>	Thickleaf wild petunia

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
<i>Rhus copallinaum</i>	Winged sumac
E <i>Schinus terebinthifolius</i>	Brazilian-pepper
<i>Toxicodendron radicans</i>	Poison-ivy, Eastern poison-ivy

Apocynaceae

<i>Angadenia berteroii</i>	Pineland-allamanda, Pineland golden trumpet
----------------------------	---------------------------------------------

Asclepiadaceae

<i>Cynanchum blodgettii</i>	Blodgett's swallowwort
-----------------------------	------------------------

Asteraceae

<i>Ambrosia artemisiifolia</i>	Common ragweed
<i>Aster adnatus</i>	Clasping aster, scaleleaf aster
<i>Aster concolor</i>	Eastern silver aster
<i>Baccharis glomeruliflora</i>	Silverling
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, beggarticks
<i>Chromolaena odorata</i>	Jack-in-the-bush
<i>Cirsium horridulum</i>	Purple thistle
<i>Eupatorium capillifolium</i>	Dog-fennel
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf gayfeather
<i>Melanthera parvifolia</i>	Pineland blackanthers
<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
<i>Pluchea carolinensis</i>	Cure-for-all
<i>Pterocaulon pycnostachyum</i>	Blackroot

<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
<b>Boraginaceae</b>	
<i>Heliotropium polypyllum</i>	Pineland heliotrope
<b>Buddlejaceae</b>	
<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
<b>Cactaceae</b>	
<i>Opuntia humifusa</i>	Pricklypear
<b>Casuarinaceae</b>	
E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
<b>Celastraceae</b>	
<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
<b>Chrysobalanaceae</b>	
<i>Licania michauxii</i>	Gopher-apple
<b>Convolvulaceae</b>	
<i>Evolvulus sericeus</i>	Silver dwarf morningglory
<i>Jacquemontia curtissii</i>	Pineland clustervine
<b>Ericaceae</b>	
<i>Lyonia fruticosa</i>	Staggerbush, Coastalplain staggerbush
<i>Vaccinium myrsinites</i>	Shiny blueberry
<b>Euphorbiaceae</b>	
<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente conmigo
<i>Croton linearis</i>	Pineland croton, Grannybush
<i>Euphorbia polyphylla</i>	Pineland euphorbia, Lesser Florida spurge
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petaled leafflower
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
<i>Poinsettia pinetorum</i>	Pineland poinsettia, Pineland spurge
<i>Stillingia sylvatica</i>	Queensdelight
<i>Tragia saxicola</i>	Florida Keys noseburn
<i>Tragia urens</i>	Wavyleaf noseburn
<b>Fabaceae</b>	
E <i>Acacia auriculiformis</i>	Earleaf acacia
<i>Aeschynomene viscidula</i>	Sticky joint-vetch
<i>Centrosema virginianum</i>	Spurred butterfly-pea
<i>Chamaecrista deeringiana</i>	Deering partridge-pea
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
<i>Crotalaria pumila</i>	Low rattlebox
<i>Crotalaria rotundifolia</i>	Rabbitbells
<i>Dalea carnea</i> var. <i>carnea</i>	Whitetassels
<i>Desmodium incanum</i>	Beggar's-ticks
<i>Desmodium marilandicum</i>	Smooth ticktrefoil
<i>Galactia pinetorum</i>	Pineland milkpea
<i>Neptunia pubescens</i>	Tropical-puff

<i>Rhynchosia reniformis</i>	Dollarweed, Dollarleaf
<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
<i>Tephrosia florida</i>	Florida hoarypea
<i>Zornia bracteata</i>	Shyvine, Viperina
<u>Fagaceae</u>	
<i>Quercus minima</i>	Dwarf live oak
<i>Quercus pumila</i>	Running oak
<i>Quercus virginiana</i>	Virginia live oak
<u>Lamiaceae</u>	
<i>Piloblepharis rigida</i>	Wild pennyroyal
<u>Lauraceae</u>	
<i>Cassytha filiformis</i>	Lovevine, Devil's gut
<u>Malpighiaceae</u>	
<i>Byrsinima lucida</i>	Locustberry
<u>Malvaceae</u>	
<i>Sida acuta</i>	Common wireweed; Common fanpetals
<u>Melastomataceae</u>	
<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
<u>Moraceae</u>	
<i>Ficus aurea</i>	Strangler fig, Golden fig
<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
E <i>Ficus microcarpa</i>	Laurel fig, Indian laurel
<u>Myricaceae</u>	
<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>	
<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Onagraceae</u>	
<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissom
<u>Passifloraceae</u>	
<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Polygalaceae</u>	
<i>Polygala grandiflora</i>	Candyweed; Showy milkwort
<i>Polygala smallii</i>	Small's milkwort
<u>Rubiaceae</u>	
<i>Chiococca parvifolia</i>	Pineland snowberry
<i>Galium hispidulum</i>	Coastal bedstraw
<i>Guettarda scabra</i>	Rough velvetseed
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Randia aculeata</i>	White indigoberry
E <i>Richardia grandiflora</i>	Largeflower Mexican clover
<i>Spermacoce terminalis</i>	Everglades Keys false buttonweed
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Sapotaceae</u>	

<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully
<b>Scrophulariaceae</b>	
<i>Agalinis fasciculata</i>	Beach false foxglove
<b>Solanaceae</b>	
<i>Physalis walteri</i>	Walter's groundcherry
<b>Sterculiaceae</b>	
<i>Ayenia euphrasiifolia</i>	Eyebright ayenia
<i>Waltheria indica</i>	Sleepy morning
<b>Turneraceae</b>	
<i>Piriqueta caroliniana</i>	Pitted stripeseed
<b>Ulmaceae</b>	
<i>Trema micranthum</i>	Florida trema, Nettletree
<b>Verbenaceae</b>	
<i>Callicarpa americana</i>	American beautyberry
E <i>Lantana camara</i>	Shrubverbena
<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee
<b>Vitaceae</b>	
<i>Parthenocissus quinquefolia</i>	Virginia creeper, Woodbine
<i>Vitis rotundifolia</i>	Muscadine
<b>Gymnosperms</b>	
<b>Pinaceae</b>	
<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine
<b>Zamiaceae</b>	
<i>Zamia integrifolia</i>	Coontie, Florida arrowroot
<b>Monocots</b>	
<b>Arecaceae</b>	
<i>Coccothrinax argentata</i>	Florida silver palm
<i>Sabal palmetto</i>	Cabbage palm
<i>Serenoa repens</i>	Saw palmetto
<b>Commelinaceae</b>	
<i>Commelina erecta</i>	Whitemouth dayflower
<b>Cyperaceae</b>	
<i>Abildgaardia ovata</i>	Flatspike sedge
<i>Bulbostylis ciliatifolia</i>	Densetuft hairsedge
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Cyperus filiculmis</i>	Wiry flatsedge
<i>Rhynchospora floridensis</i>	Florida whitetop
<i>Rhynchospora grayi</i>	Gray's beaksedge

<i>Rhynchospora plumosa</i>	Plumed beaksedge
<i>Scleria ciliata</i> var. <i>ciliata</i>	Fringed nutrush

#### Iridaceae

<i>Sisyrinchium nashii</i>	Nash's blueeyed-grass
----------------------------	-----------------------

#### Poaceae

<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
<i>Cenchrus gracillimus</i>	Slender sandbur
<i>Dichanthelium ovale</i>	Eggleaf witchgrass
<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
<i>Eragrostis elliottii</i>	Elliott's lovegrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E <i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
<i>Paspalum monostachyum</i>	Gulfdune paspalum
<i>Paspalum setaceum</i>	Thin paspalum
E <i>Rhynchoselytrum repens</i>	Rose Natalgrass
<i>Schizachyrium gracile</i>	Wire bluestem
<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
<i>Schizachyrium sanguineum</i>	Crimson bluestem
E <i>Sorghastrum secundum</i>	Lopsided Indiangrass
<i>Sporobolus junceus</i>	Pineywoods dropseed
E <i>Stenotaphrum secundatum</i>	St. Augustine grass

#### Smilacaceae

<i>Smilax auriculata</i>	Earleaf greenbrier
<i>Smilax bona-nox</i>	Saw greenbrier
<i>Smilax havanensis</i>	Havana greenbrier, Everglades greenbrier

## Pteridophytes

#### Dennstaedtiaceae

<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
-------------------------------------------------	------------------

#### Nephrolepidaceae

E <i>Nephrolepis multiflora</i>	Asian sword fern
---------------------------------	------------------

#### Polypodiaceae

<i>Phlebodium aureum</i>	Golden polypody
--------------------------	-----------------

#### Pteridaceae

<i>Pteris bahamensis</i>	Bahama ladder brake
E <i>Pteris vittata</i>	China brake
E <i>Pteris x delchimpisii</i>	Delchamps' brake

#### Schizaceae

<i>Anemia adiantifolia</i>	Pine fern, Maidenhair pineland fern
----------------------------	-------------------------------------

#### Thelypteridaceae

<i>Thelypteris kunthii</i>	Southern shield fern
----------------------------	----------------------

**E = Not Native to the site**

*Table 6:*  
**The Vascular Plants of**  
**U.S. COAST GUARD COMMUNICATIONS STATION,**  
**RICHMOND PINE ROCKLANDS**  
**16001 S.W. 117 Ave., Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, Florida  
 On May 23 & 25, July 26, 2000

---

**Dicots**

Acanthaceae

<i>Dyschoriste angusta</i>	Rockland twinflower, Pineland snakeherb
<i>Ruellia succulenta</i>	Thickleaf wild petunia

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
<i>Rhus copallinaum</i>	Winged sumac
E <i>Schinus terebinthifolius</i>	Brazilian-pepper
<i>Toxicodendron radicans</i>	Poison-ivy, Eastern poison-ivy

Apocynaceae

<i>Angadenia berteroii</i>	Pineland-allamanda, Pineland golden trumpet
<i>Echites umbellata</i>	Devil's-potato, Rubbervine

Araliaceae

E <i>Schefflera actinophylla</i>	Australian umbrella-tree
----------------------------------	--------------------------

Asclepiadaceae

<i>Asclepias tuberosa</i>	Butterflyweed, Butterfly milkweed
<i>Asclepias verticillata</i>	Whorled milkweed
<i>Asclepias viridis</i>	Green antelopehorn
<i>Cynanchum blodgettii</i>	Blodgett's swallowwort

Asteraceae

<i>Ambrosia artemisiifolia</i>	Common ragweed
<i>Aster adnatus</i>	Clasping aster, scaleleaf aster
<i>Aster concolor</i>	Eastern silver aster
<i>Baccharis glomeruliflora</i>	Silverling
<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, beggarticks
<i>Chaptalia albicans</i>	White sunbonnets
<i>Cirsium horridulum</i>	Purple thistle

<i>Conyza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Hieracium megacephalon</i>	Coastal plain hawkweed
<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf gayfeather
<i>Melanthera nivea</i>	Snow squarestem
<i>Melanthera parvifolia</i>	Pineland blackanthers
<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
<i>Pluchea carolinensis</i>	Cure-for-all
<i>Pterocaulon pycnostachyum</i>	Blackroot
<i>Solidago gigantea</i>	Giant goldenrod
<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
<i>Vernonia blodgettii</i>	Florida ironweed
E <i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye
 <u>Bignoniaceae</u>	
E <i>Tabebuia heterophylla</i>	White-cedar
 <u>Boraginaceae</u>	
<i>Heliotropium polypyllum</i>	Pineland heliotrope
 <u>Burseraceae</u>	
<i>Bursera simaruba</i>	Gumbo-limbo
 <u>Cactaceae</u>	
<i>Opuntia humifusa</i>	Pricklypear
 <u>Casuarinaceae</u>	
E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
 <u>Celastraceae</u>	
<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
 <u>Chrysobalanaceae</u>	
<i>Licania michauxii</i>	Gopher-apple
 <u>Cistaceae</u>	
<i>Lechea sessiliflora</i>	Pineland pinweed
 <u>Convolvulaceae</u>	
<i>Evolvulus sericeus</i>	Silver dwarf morningglory
<i>Ipomoea microdactyla</i>	Man-in-the-ground, Bejuco colorado
<i>Jacquemontia curtissii</i>	Pineland clustervine
E <i>Merremia dissecta</i>	Baby woodrose, Noyauvine
 <u>Ericaceae</u>	
<i>Lyonia fruticosa</i>	Staggerbush, Coastalplain staggerbush
<i>Vaccinium myrsinites</i>	Shiny blueberry
 <u>Euphorbiaceae</u>	
<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente connigo
<i>Croton linearis</i>	Pineland croton, Grannybush
<i>Euphorbia polyphylla</i>	Pineland euphorbia, Lesser Florida spurge
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petaled leafflower

<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
<i>Poinsettia pinetorum</i>	Pineland poinsettia, Pineland spurge
<i>Stillingia sylvatica</i>	Queensdelight
<i>Tragia saxicola</i>	Florida Keys noseburn
<i>Tragia urens</i>	Wavyleaf noseburn

#### Fabaceae

E <i>Abrus precatorius</i>	Rosary-pea, Crab-eyes
E <i>Acacia auriculiformis</i>	Earleaf acacia
	Aeschynomene viscidula
E <i>Albizia lebbeck</i>	Sticky joint-vetch
E <i>Canavalia brasiliensis</i>	Woman's tongue, rattlepod
	<i>Centrosema virginianum</i>
	<i>Chamaecrista deeringiana</i>
	<i>Crotalaria pumila</i>
	<i>Crotalaria rotundifolia</i>
E <i>Crotalaria spectabilis</i>	Brazilian jackbean
	<i>Dalea carnea</i> var. <i>carnea</i>
	<i>Desmodium incanum</i>
	<i>Desmodium marilandicum</i>
	<i>Galactia pinetorum</i>
E <i>Lysiloma sabicu</i>	Spurred butterfly-pea
	<i>Neptunia pubescens</i>
	<i>Rhynchosia cinerea</i>
	<i>Rhynchosia minima</i>
	<i>Rhynchosia reniformis</i>
	<i>Tephrosia florida</i>
	Deering partridge-pea
	Low rattlebox
	Rabbitbells
	Showy rattlebox
	Whitetassels
	Beggar's-ticks
	Smooth ticktrefoil
	Pineland milkpea
	Sabicu
	Tropical-puff
	Brownhair snoutbean
	Least snoutbean
	Dollarweed, Dollarleaf
	Florida hoarypea

#### Fagaceae

<i>Quercus minima</i>	Dwarf live oak
<i>Quercus pumila</i>	Running oak

#### Lamiaceae

<i>Piloblepharis rigida</i>	Wild pennyroyal
-----------------------------	-----------------

#### Lauraceae

<i>Cassytha filiformis</i>	Lovevine, Devil's gut
----------------------------	-----------------------

#### Malpighiaceae

<i>Byrsinima lucida</i>	Locustberry
-------------------------	-------------

#### Malvaceae

<i>Sida acuta</i>	Common wireweed; Common fanpetals
<i>Sida ciliaris</i>	Bracted fanpetals, Fringed fanpetals

#### Melastomataceae

<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
---------------------------	---------------------------------------

#### Meliaceae

E <i>Swietenia mahagoni</i>	West Indian mahogany
-----------------------------	----------------------

#### Moraceae

	Short-leaf fig, Wild banyan tree
E <i>Ficus microcarpa</i>	Laurel fig, Indian laurel

<u>Myricaceae</u>		
	<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>		
E	<i>Ardisia elliptica</i>	Shoe-button ardisia, Shoe button
	<i>Ardisia escallionoides</i>	Marlberry
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>		
	<i>Psidium longipes</i>	Longstalked-stopper
<u>Onagraceae</u>		
	<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissom
<u>Passifloraceae</u>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Polygalaceae</u>		
	<i>Polygala grandiflora</i>	Candyweed; Showy milkwort
	<i>Polygala smallii</i>	Small's milkwort
<u>Ranunculaceae</u>		
	<i>Clematis baldwinii</i>	Pine-hyacinth
<u>Rubiaceae</u>		
	<i>Chiococca parvifolia</i>	Pineland snowberry
	<i>Diodia teres</i>	Poor joe, Rough buttonweed
	<i>Galium hispidulum</i>	Coastal bedstraw
	<i>Guettarda scabra</i>	Rough velvetseed
	<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
	<i>Randia aculeata</i>	White indigoberry
	<i>Spermacoce terminalis</i>	Everglades Keys false buttonweed
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Scrophulariaceae</u>		
	<i>Buchnera americana</i>	American bluehearts
<u>Solanaceae</u>		
	<i>Physalis walteri</i>	Walter's groundcherry
<u>Sterculiaceae</u>		
	<i>Ayenia euphrasiifolia</i>	Eyebright ayenia
	<i>Waltheria indica</i>	Sleepy morning
<u>Turneraceae</u>		
	<i>Piriqueta caroliniana</i>	Pitted stripeseed
<u>Ulmaceae</u>		
	<i>Trema micranthum</i>	Florida trema, Nettletree
<u>Verbenaceae</u>		
	<i>Callicarpa americana</i>	American beautyberry
E	<i>Lantana camara</i>	Shrubverbena
	<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena
	<i>Lantana involucrata</i>	Wild-sage, Buttonsage
	<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joeo

### Vitaceae

<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine
<i>Vitis shuttleworthii</i>	Calusa grape

### Gymnosperms

#### Pinaceae

<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine
------------------------------------------	--------------------------

#### Zamiaceae

<i>Zamia integrifolia</i>	Coontie, Florida arrowroot
---------------------------	----------------------------

### Monocots

#### Arecaceae

<i>Coccothrinax argentata</i>	Florida silver palm
<i>Sabal palmetto</i>	Cabbage palm
<i>Serenoa repens</i>	Saw palmetto

#### Bromeliaceae

<i>Tillandsia balbisiana</i>	Reflexed wild-pine, Northern needleleaf
------------------------------	-----------------------------------------

#### Commelinaceae

<i>Commelina erecta</i>	Whitemouth dayflower
-------------------------	----------------------

#### Cyperaceae

<i>Bulbostylis ciliatifolia</i>	Densetuft hairsedge
<i>Cyperus filiculmis</i>	Wiry flatsedge
<i>Rhynchospora floridensis</i>	Florida whitetop
<i>Rhynchospora grayi</i>	Gray's beaksedge
<i>Scleria ciliata</i> var. <i>ciliata</i>	Fringed nutrush

#### Hypoxidaceae

<i>Hypoxis sessilis</i>	Glossyseed yellow stargrass
-------------------------	-----------------------------

#### Iridaceae

<i>Sisyrinchium nashii</i>	Nash's blueeyed-grass
----------------------------	-----------------------

#### Liliaceae

E <i>Asparagus densiflorus</i>	Sprenger's asparagus-fern
--------------------------------	---------------------------

#### Orchidaceae

<i>Encyclia tampensis</i>	Butterfly orchid, Florida butterfly orchid
---------------------------	--------------------------------------------

#### Poaceae

<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Andropogon ternarius</i>	Splitbeard bluestem
<i>Andropogon tracyi</i>	Tracy's bluestem
<i>Aristida beyrichiana</i>	Southern wiregrass
<i>Aristida condensata</i>	Big threeawn, Piedmont threeawn
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
<i>Cenchrus gracillimus</i>	Slender sandbur
<i>Dichanthelium aciculare</i>	Needleleaf witch grass
<i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i>	

	<i>Dichanthelium ovale</i>	Eggleaf witchgrass
	<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
	<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	Caribbean crabgrass
	<i>Eragrostis elliottii</i>	Elliott's lovegrass
E	<i>Eremochloa ophiuroides</i>	Centipedegrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Gymnopogon ambiguus</i>	Bearded skeletongrass
	<i>Imperata brasiliensis</i>	Congongrass, Brazilian satintail
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E	<i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crownglass
	<i>Paspalum monostachyum</i>	Gulfdune paspalum
	<i>Paspalum setaceum</i>	Thin paspalum
E	<i>Rhynchospora repens</i>	Rose Natalgrass
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Sorghastrum secundum</i>	Lopsided Indiangrass
	<i>Sporobolus junceus</i>	Pineywoods dropseed
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass
	<i>Tripsacum floridanum</i>	Florida gamagrass

#### Smilacaceae

<i>Smilax auriculata</i>	Earleaf greenbrier
<i>Smilax havanensis</i>	Havana greenbrier, Everglades greenbrier

## Pteridophytes

#### Dennstaedtiaceae

<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
-------------------------------------------------	------------------

#### Polypodiaceae

<i>Phlebodium aureum</i>	Golden polypody
--------------------------	-----------------

#### Pteridaceae

<i>Pteris bahamensis</i>	Bahama ladder brake
E <i>Pteris vittata</i>	China brake

#### Schizaceae

<i>Anemia adiantifolia</i>	Pine fern, Maidenhair pineland fern
----------------------------	-------------------------------------

#### Thelypteridaceae

<i>Thelypteris kunthii</i>	Southern shield fern
----------------------------	----------------------

#### Vittariaceae

<i>Vittaria lineata</i>	Shoestring fern
-------------------------	-----------------

**E = Not Native to the site**

*Table 7:*  
**The Vascular Plants of**  
**U.S. COAST GUARD HOUSING,**  
**RICHMOND PINE ROCKLANDS**  
**15420 S.W. 120 Ave., Miami, Florida**

Field Data Compiled By:

Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On June 26, 2000

---

**Dicots**

Acanthaceae

*Dyschoriste angusta* Rockland twinflower, Pineland snakeherb

Anacardiaceae

*Metopium toxiferum* Poisonwood, Florida poisontree  
*Rhus copallinaum* Winged sumac  
*Schinus terebinthifolius* Brazilian-pepper

Apiaceae

*Centella asiatica* Coinwort, Spadeleaf

Apocynaceae

*Angadenia berteroii* Pineland-allamanda, Pineland golden trumpet  
*Catharanthus roseus* Madagascar-periwinkle  
*Echites umbellata* Devil's-potato, Rubbervine

Asteraceae

*Ambrosia artemisiifolia* Common ragweed  
*Aster adnatus* Clasping aster, scaleleaf aster  
*Bidens alba* var. *radiata* Spanish-needles, beggarticks  
*Chaptalia albicans* White sunbonnets  
*Chromolaena odorata* Jack-in-the-bush  
*Conyza canadensis* var. *pusilla* Dwarf Canadian horseweed  
*Emilia fosbergii* Florida tasselflower  
*Eupatorium capillifolium* Dog-fennel  
*Flaveria linearis* Narrowleaf yellowtops  
*Melanthera parvifolia* Pineland blackanthers  
*Mikania scandens* Climbing hempweed, Climbing hempvine  
*Pectis glaucescens* Tea-blinkum, Sanddune cinchweed  
*Pityopsis graminifolia* Narrowleaf silkgrass  
*Pluchea carolinensis* Cure-for-all  
*Pterocaulon pycnostachyum* Blackroot

<i>Solidago gigantea</i>	Giant goldenrod
<i>Solidago stricta</i>	Narrow-leaved goldenrod, Wand goldenrod
<i>Tridax procumbens</i>	Brittleweed, Coatbuttons
<i>Vernonia blodgettii</i>	Florida ironweed
<i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye
 <u>Boraginaceae</u>	
<i>Heliotropium polyphyllum</i>	Pineland heliotrope
 <u>Buddlejaceae</u>	
<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
 <u>Burseraceae</u>	
<i>Bursera simaruba</i>	Gumbo-limbo
 <u>Casuarinaceae</u>	
<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
 <u>Celastraceae</u>	
<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
 <u>Chrysobalanaceae</u>	
<i>Licania michauxii</i>	Gopher-apple
 <u>Combretaceae</u>	
<i>Terminalia catappa</i>	Tropical-almond, West Indian-almond
 <u>Convolvulaceae</u>	
<i>Jacquemontia curtisii</i>	Pineland clustervine
 <u>Crassulaceae</u>	
<i>Kalanchoe pinnata</i>	Common liveleaf, Cathedral bells, Life plant
 <u>Cucurbitaceae</u>	
<i>Momordica charantia</i>	Wild balsam-apple, Balsampear
 <u>Euphorbiaceae</u>	
<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
<i>Bischofia javanica</i>	Javanese bishopwood
<i>Chamaesyce conferta</i>	Everglades key sandmat
<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat
<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
<i>Chamaesyce prostrata</i>	Prostrate sandmat
<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente conmigo
<i>Croton linearis</i>	Pineland croton, Grannybush
<i>Euphorbia polyphylla</i>	Pineland euphorbia, Lesser Florida spurge
<i>Phyllanthus amarus</i>	Gale-of-wind, Carry-me-seed
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petalled leafflower
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
<i>Stillingia sylvatica</i>	Queensdelight
<i>Tragia saxicola</i>	Florida Keys noseburn
<i>Tragia urens</i>	Wavyleaf noseburn

Fabaceae

<i>Abrus precatorius</i>	Rosary-pea, Crab-eyes
<i>Acacia auriculiformis</i>	Earleaf acacia
<i>Alysicarpus vaginalis</i>	White moneywort
<i>Centrosema virginianum</i>	Spurred butterfly-pea
<i>Chamaecrista deeringiana</i>	Deering partridge-pea
<i>Crotalaria pumila</i>	Low rattlebox
<i>Delonix regia</i>	Royal poinciana
<i>Desmodium incanum</i>	Beggar's-ticks
<i>Desmodium tortuosum</i>	Dixie ticktrefoil
<i>Desmodium triflorum</i>	Threeflower ticktrefoil
<i>Galactia pinetorum</i>	Pineland milkpea
<i>Lysiloma latisiliquum</i>	Wild-tamarind, False tamarind
<i>Rhynchosia reniformis</i>	Dollarweed, Dollarleaf
<i>Tephrosia florida</i>	Florida hoarypea
<i>Vigna luteola</i>	Cow-pea, Hairy pod cowpea

Fagaceae

<i>Quercus pumila</i>	Running oak
<i>Quercus virginiana</i>	Virginia live oak

Lamiaceae

<i>Piloblepharis rigida</i>	Wild pennyroyal
-----------------------------	-----------------

Lauraceae

<i>Cassytha filiformis</i>	Lovevine, Devil's gut
<i>Persea palustris</i>	Swamp bay

Loganiaceae

<i>Spigelia anthelmia</i>	West Indian pinkroot
---------------------------	----------------------

Malpighiaceae

<i>Byrsinima lucida</i>	Locustberry
-------------------------	-------------

Malvaceae

<i>Sida acuta</i>	Common wireweed; Common fanpetals
<i>Sida elliotii</i>	Elliott's fanpetals
<i>Sida rhombifolia</i>	Cuban jute, Indian hemp
<i>Urena lobata</i>	Caesarweed

Melastomataceae

<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
---------------------------	---------------------------------------

Moraceae

<i>Ficus aurea</i>	Strangler fig, Golden fig
<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree

Myricaceae

<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
------------------------	-------------------------------

Myrsinaceae

<i>Ardisia elliptica</i>	Shoe-button ardisia, Shoe button
<i>Rapanea punctata</i>	Myrsine, Colicwood

<u>Onagraceae</u>		
<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissom	
<u>Oxalidaceae</u>		
<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow wood sorrel	
<u>Papaveraceae</u>		
<i>Argemone mexicana</i>	Mexican prickly poppy	
<u>Passifloraceae</u>		
<i>Passiflora suberosa</i>	Corkystem passionflower	
<u>Polygalaceae</u>		
<i>Polygala grandiflora</i>	Candyweed; Showy milkwort	
<u>Rubiaceae</u>		
<i>Chiococca alba</i>	Common snowberry, milkberry	
<i>Chiococca parvifolia</i>	Pineland snowberry	
<i>Galium hispidulum</i>	Coastal bedstraw	
<i>Guettarda scabra</i>	Rough velvetseed	
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple	
<i>Randia aculeata</i>	White indigoberry	
<i>Richardia grandiflora</i>	Largeflower Mexican clover	
<i>Spermacoce assurgens</i>	Woodland false buttonweed	
<i>Spermacoce verticillata</i>	Shrubby false buttonweed	
<u>Solanaceae</u>		
<i>Physalis walteri</i>	Walter's groundcherry	
<u>Sterculiaceae</u>		
<i>Ayenia euphrasiifolia</i>	Eyebright ayenia	
<i>Waltheria indica</i>	Sleepy morning	
<u>Turneraceae</u>		
<i>Piriqueta caroliniana</i>	Pitted stripeseed	
<u>Ulmaceae</u>		
<i>Trema micranthum</i>	Florida trema, Nettletree	
<u>Verbenaceae</u>		
<i>Callicarpa americana</i>	American beautyberry	
<i>Lantana camara</i>	Shrubverbena	
<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena	
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee	
<u>Vitaceae</u>		
<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine	
<i>Vitis rotundifolia</i>	Muscadine	

## Gymnosperms

<u>Pinaceae</u>		
<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine	
<u>Zamiaceae</u>		
<i>Zamia integrifolia</i>	Coontie, Florida arrowroot	

## Monocots

### Agavaceae

*Agave sisalana*

Sisal-hemp

### Araceae

*Syngonium podophyllum*

Nephthytis, American evergreen

### Arecaceae

*Coccothrinax argentata*

Florida silver palm

*Sabal palmetto*

Cabbage palm

*Serenoa repens*

Saw palmetto

### Commelinaceae

*Callisia fragrans*

Basketplant

*Commelina erecta*

Whitemouth dayflower

*Tradescantia spathacea*

Oysterplant, Moses-in-the-cradle, Boatlily

### Cyperaceae

*Cyperus polystachyos*

Manyspike flatsedge

*Rhynchospora floridensis*

Florida whitetop

*Rhynchospora grayi*

Gray's beaksedge

*Scleria ciliata* var. *ciliata*

Fringed nutrush

### Dioscoreaceae

*Dioscorea bulbifera*

Common air-potato

### Iridaceae

*Sisyrinchium nashii*

Nash's blueeyed-grass

### Poaceae

*Andropogon glomeratus* var. *pumilus*

Common bushy bluestem

*Andropogon longiberbis*

Hairy bluestem

*Aristida condensata*

Big threeawn, Piedmont threeawn

*Aristida purpurascens* var. *tenuispica*

Hillsborough threeawn

*Cenchrus gracillimus*

Slender sandbur

*Dactyloctenium aegyptium*

Crow's-foot grass, Durban crowfootgrass

*Dichanthelium aciculare*

Needleleaf witch grass

*Dichanthelium ovale*

Eggleaf witchgrass

*Dichanthelium strigosum* var. *glabrescens*

Glabrescent roughhair witchgrass

*Digitaria ciliaris*

Southern crabgrass

*Eragrostis elliottii*

Elliott's lovegrass

*Eustachys petraea*

Common fingergrass, Pinewoods fingergrass

*Neyraudia reynaudiana*

Burmareed, Silkreed

*Paspalum caespitosum*

Blue paspalum, Blue crowngrass

*Paspalum setaceum*

Thin paspalum

*Rhynchoselytrum repens*

Rose Natalgrass

*Schizachyrium gracile*

Wire bluestem

*Schizachyrium rhizomatum*

Rhizomatus bluestem

*Schizachyrium sanguineum*

Crimson bluestem

*Setaria parviflora*

Knotroot foxtail, Yellow bristlegrass

<i>Sorghastrum secundum</i>	Lopsided Indiangrass
<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
<i>Stenotaphrum secundatum</i>	St. Augustine grass

Smilacaceae

<i>Smilax auriculata</i>	Earleaf greenbrier
--------------------------	--------------------

**Pteridophytes**

Dennstaedtiaceae

<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
-------------------------------------------------	------------------

Nephrolepidaceae

<i>Nephrolepis exaltata</i>	Wild Boston fern
-----------------------------	------------------

Pteridaceae

<i>Pteris bahamensis</i>	Bahama ladder brake
--------------------------	---------------------

Schizaceae

<i>Anemia adiantifolia</i>	Pine fern, Maidenhair pineland fern
----------------------------	-------------------------------------

**E = Not Native to the site**

*Table 8:*  
**The Vascular Plants of**  
**U.S. COASTAL CIVIL ENGINEERING PROPERTY,**  
**U.S. COAST GUARD,**  
**RICHMOND PINE ROCKLANDS**  
**15810 S.W. 129 Ave., Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, Florida  
 On May 24 and Aug. 1, 2000

---

**Dicots**

Acanthaceae

<i>Dyschoriste angusta</i>	Rockland twinflower, Pineland snakeherb
<i>Ruellia succulenta</i>	Thickleaf wild petunia

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
<i>Rhus copallinaum</i>	Winged sumac
E <i>Schinus terebinthifolius</i>	Brazilian-pepper

Apocynaceae

<i>Angadenia berteroii</i>	Pineland-allamanda, Pineland golden trumpet
<i>Echites umbellata</i>	Devil's-potato, Rubbervine

Asclepiadaceae

<i>Asclepias tuberosa</i>	Butterflyweed, Butterfly milkweed
<i>Asclepias viridis</i>	Green antelopehorn
<i>Cynanchum blodgettii</i>	Blodgett's swallowwort

Asteraceae

<i>Aster adnatus</i>	Clasping aster, scaleleaf aster
<i>Aster concolor</i>	Eastern silver aster
<i>Hieracium megacephalon</i>	Coastal plain hawkweed
<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf gayfeather
<i>Melanthera parvifolia</i>	Pineland blackanthers
<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
<i>Pterocaulon pycnostachyum</i>	Blackroot
<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
<i>Solidago stricta</i>	Narrow-leaved goldenrod, Wand goldenrod
<i>Vernonia blodgettii</i>	Florida ironweed

<u>Boraginaceae</u>		
	<i>Heliotropium polypyllum</i>	Pineland heliotrope
<u>Cactaceae</u>		
	<i>Opuntia humifusa</i>	Pricklypear
<u>Celastraceae</u>		
	<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
<u>Chrysobalanaceae</u>		
	<i>Licania michauxii</i>	Gopher-apple
<u>Convolvulaceae</u>		
	<i>Evolvulus sericeus</i>	Silver dwarf morningglory
	<i>Jacquemontia curtissii</i>	Pineland clustervine
<u>Ericaceae</u>		
	<i>Lyonia fruticosa</i>	Staggerbush, Coastalplain staggerbush
	<i>Vaccinium myrsinites</i>	Shiny blueberry
<u>Euphorbiaceae</u>		
	<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
	<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
	<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
	<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente connigo
	<i>Croton linearis</i>	Pineland croton, Grannybush
	<i>Euphorbia polypylla</i>	Pineland euphorbia, Lesser Florida spurge
	<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petalled leafflower
	<i>Stillingia sylvatica</i>	Queensdelight
	<i>Tragia urens</i>	Wavyleaf noseburn
<u>Fabaceae</u>		
E	<i>Acacia auriculiformis</i>	Earleaf acacia
	<i>Aeschynomene viscidula</i>	Sticky joint-vetch
	<i>Centrosema virginianum</i>	Spurred butterfly-pea
	<i>Chamaecrista deeringiana</i>	Deering partridge-pea
	<i>Crotalaria pumila</i>	Low rattlebox
	<i>Crotalaria rotundifolia</i>	Rabbitbells
	<i>Dalea carnea</i> var. <i>carnea</i>	Whitetassels
	<i>Desmodium marilandicum</i>	Smooth ticktrefoil
	<i>Galactia pinetorum</i>	Pineland milkpea
	<i>Neptunia pubescens</i>	Tropical-puff
	<i>Rhynchosia cinerea</i>	Brownhair snoutbean
	<i>Rhynchosia reniformis</i>	Dollarweed, Dollarleaf
	<i>Tephrosia florida</i>	Florida hoarypea
<u>Fagaceae</u>		
	<i>Quercus minima</i>	Dwarf live oak
	<i>Quercus pumila</i>	Running oak
<u>Lamiaceae</u>		
	<i>Piloblepharis rigida</i>	Wild pennyroyal

<u>Lauraceae</u>		
	<i>Cassytha filiformis</i>	Lovevine, Devil's gut
<u>Malpighiaceae</u>		
	<i>Byrsinima lucida</i>	Locustberry
<u>Melastomataceae</u>		
	<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
<u>Moraceae</u>		
	<i>Ficus aurea</i>	Strangler fig, Golden fig
	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
E	<i>Ficus microcarpa</i>	Laurel fig, Indian laurel
<u>Myricaceae</u>		
	<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>		
	<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Onagraceae</u>		
	<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissom
<u>Passifloraceae</u>		
	<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Polygalaceae</u>		
	<i>Polygala grandiflora</i>	Candyweed; Showy milkwort
	<i>Polygala smallii</i>	Small's milkwort
<u>Rubiaceae</u>		
	<i>Chiococca parvifolia</i>	Pineland snowberry
	<i>Diodia teres</i>	Poor joe, Rough buttonweed
	<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
	<i>Randia aculeata</i>	White indigoberry
	<i>Spermacoce terminalis</i>	Everglades Keys false buttonweed
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Scrophulariaceae</u>		
	<i>Agalinis fasciculata</i>	Beach false foxglove
<u>Solanaceae</u>		
	<i>Physalis walteri</i>	Walter's groundcherry
<u>Sterculiaceae</u>		
	<i>Ayenia euphrasiifolia</i>	Eyebright ayenia
	<i>Waltheria indica</i>	Sleepy morning
<u>Turneraceae</u>		
	<i>Piriqueta caroliniana</i>	Pitted stripeseed
<u>Ulmaceae</u>		
	<i>Trema micranthum</i>	Florida trema, Nettletree
<u>Verbenaceae</u>		
	<i>Callicarpa americana</i>	American beautyberry

E	<i>Lantana camara</i>	Shrubverbena
	<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena
	<i>Lantana involucrata</i>	Wild-sage, Buttonsage

## Gymnosperms

### Pinaceae

<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine
------------------------------------------	--------------------------

### Zamiaceae

<i>Zamia integrifolia</i>	Coontie, Florida arrowroot
---------------------------	----------------------------

## Monocots

### Arecaceae

<i>Coccothrinax argentata</i>	Florida silver palm
<i>Sabal palmetto</i>	Cabbage palm
<i>Serenoa repens</i>	Saw palmetto

### Commelinaceae

<i>Commelina erecta</i>	Whitemouth dayflower
-------------------------	----------------------

### Cyperaceae

<i>Bulbostylis ciliatifolia</i>	Densetuft hairsedge
<i>Cyperus filiculmis</i>	Wiry flatsedge
<i>Rhynchospora floridensis</i>	Florida whitetop
<i>Rhynchospora grayi</i>	Gray's beaksedge
<i>Scleria ciliata</i> var. <i>ciliata</i>	Fringed nutrush

### Poaceae

	<i>Andropogon longiberbis</i>	Hairy bluestem
	<i>Andropogon ternarius</i>	Splitbeard bluestem
	<i>Aristida beyrichiana</i>	Southern wiregrass
	<i>Aristida condensata</i>	Big threeawn, Piedmont threeawn
	<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
	<i>Cenchrus gracillimus</i>	Slender sandbur
	<i>Dichanthelium aciculare</i>	Needleleaf witch grass
	<i>Dichanthelium ovale</i>	Eggleaf witchgrass
	<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
	<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	Caribbean crabgrass
	<i>Eragrostis elliottii</i>	Elliott's lovegrass
E	<i>Eremochloa ophiuroides</i>	Centipedegrass
	<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
	<i>Imperata brasiliensis</i>	Congongrass, Brazilian satintail
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E	<i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
	<i>Paspalum setaceum</i>	Thin paspalum
E	<i>Rhynchoselytrum repens</i>	Rose Natalgrass
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Sorghastrum secundum</i>	Lopsided Indiangrass
	<i>Sporobolus junceus</i>	Pineywoods dropseed

<u>Smilacaceae</u>	
<i>Smilax auriculata</i>	Earleaf greenbrier
<b><u>Pteridophytes</u></b>	
<u>Dennstaedtiaceae</u>	
<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
<u>Polypodiaceae</u>	
<i>Phlebodium aureum</i>	Golden polypody
<u>Psilotaceae</u>	
<i>Psilotum nudum</i>	Whisk-fern
<u>Schizaceae</u>	
<i>Anemia adiantifolia</i>	Pine fern, Maidenhair pineland fern

**E = Not Native to the site**

*Table 9:*  
**The Vascular Plants of**  
**U.S. GENERAL SERVICES ADMINISTRATION (GSA) PROPERTY,**  
**RICHMOND PINE ROCKLANDS**  
**Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, Florida  
 On June 16, 23, 29 and July 19, 2000

---

**Dicots**

Acanthaceae

<i>Dyschoriste angusta</i>	Rockland twinflower, Pineland snakeherb
<i>Ruellia succulenta</i>	Thickleaf wild petunia

Anacardiaceae

<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
<i>Rhus copallinaum</i>	Winged sumac
E <i>Schinus terebinthifolius</i>	Brazilian-pepper
<i>Toxicodendron radicans</i>	Poison-ivy, Eastern poison-ivy

Apocynaceae

<i>Angadenia berteroii</i>	Pineland-allamanda, Pineland golden trumpet
E <i>Catharanthus roseus</i>	Madagascar-periwinkle
<i>Echites umbellata</i>	Devil's-potato, Rubbervine

Araliaceae

E <i>Schefflera actinophylla</i>	Australian umbrella-tree
----------------------------------	--------------------------

Asclepiadaceae

<i>Cynanchum blodgettii</i>	Blodgett's swallowwort
-----------------------------	------------------------

Asteraceae

<i>Ambrosia artemisiifolia</i>	Common ragweed
<i>Aster adnatus</i>	Clasping aster, scaleleaf aster
<i>Aster concolor</i>	Eastern silver aster
<i>Baccharis glomeruliflora</i>	Silverling
<i>Berlandiera subacaulis</i>	Florida green-eyes
<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, beggarticks
<i>Chaptalia albicans</i>	White sunbonnets
<i>Cirsium horridulum</i>	Purple thistle
<i>Flaveria linearis</i>	Narrowleaf yellowtops
<i>Liatris gracilis</i>	Slender gayfeather

<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf gayfeather
<i>Melanthera parvifolia</i>	Pineland blackanthers
<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
<i>Pluchea rosea</i>	Rosy camphorweed
<i>Pterocaulon pycnostachyum</i>	Blackroot
<i>Sachsia polyccephala</i>	Bahama sachsia
<i>Solidago gigantea</i>	Giant goldenrod
<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
<i>Solidago stricta</i>	Narrow-leaved goldenrod, Wand goldenrod
E <i>Tridax procumbens</i>	Brittleweed, Coatbuttons
 <b><u>Boraginaceae</u></b>	
<i>Heliotropium polyphyllum</i>	Pineland heliotrope
 <b><u>Buddlejaceae</u></b>	
<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
 <b><u>Cactaceae</u></b>	
<i>Opuntia humifusa</i>	Pricklypear
 <b><u>Casuarinaceae</u></b>	
E <i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
 <b><u>Celastraceae</u></b>	
<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
 <b><u>Chrysobalanaceae</u></b>	
<i>Licania michauxii</i>	Gopher-apple
 <b><u>Cistaceae</u></b>	
<i>Lechea sessiliflora</i>	Pineland pinweed
 <b><u>Combretaceae</u></b>	
E <i>Bucida buceras</i>	Common black-olive
 <b><u>Convolvulaceae</u></b>	
<i>Evolvulus sericeus</i>	Silver dwarf morningglory
<i>Jacquemontia curtissii</i>	Pineland clustervine
 <b><u>Cucurbitaceae</u></b>	
E <i>Momordica charantia</i>	Wild balsam-apple, Balsampear
 <b><u>Ericaceae</u></b>	
<i>Lyonia fruticosa</i>	Staggerbush, Coastalplain staggerbush
<i>Vaccinium myrsinites</i>	Shiny blueberry
 <b><u>Euphorbiaceae</u></b>	
<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
<i>Chamaesyce conferta</i>	Everglades key sandmat
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente commigo
<i>Croton linearis</i>	Pineland croton, Grannybush
<i>Euphorbia polyphylla</i>	Pineland euphorbia, Lesser Florida spurge

<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petaled leafflower
<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
<i>Poinsettia pinetorum</i>	Pineland poinsettia, Pineland spurge
<i>Stillingia sylvatica</i>	Queensdelight
<i>Tragia saxicola</i>	Florida Keys noseburn
<i>Tragia urens</i>	Wavyleaf noseburn

#### Fabaceae

E <i>Acacia auriculiformis</i>	Earleaf acacia
	Aeschynomene viscidula
E <i>Canavalia brasiliensis</i>	Brazilian jackbean
	<i>Centrosema virginianum</i>
	<i>Chamaecrista deeringiana</i>
	<i>Chamaecrista nictitans</i> var. <i>aspera</i>
	<i>Crotalaria pumila</i>
	<i>Crotalaria rotundifolia</i>
	<i>Dalea carnea</i> var. <i>carnea</i>
	<i>Desmodium incanum</i>
	<i>Galactia pinetorum</i>
E <i>Indigofera suffruticosa</i>	Shrub indigo
	<i>Neptunia pubescens</i>
	<i>Rhynchosia reniformis</i>
	<i>Tephrosia florida</i>
	Low rattlebox
	Rabbitbells
	Whitetassels
	Beggar's-ticks
	Pineland milkpea
	Tropical-puff
	Dollarweed, Dollarleaf
	Florida hoarypea

#### Fagaceae

<i>Quercus minima</i>	Dwarf live oak
<i>Quercus pumila</i>	Running oak
<i>Quercus virginiana</i>	Virginia live oak

#### Lamiaceae

<i>Piloblepharis rigida</i>	Wild pennyroyal
<i>Teucrium canadense</i>	Wood sage, Canadian germander

#### Lauraceae

<i>Cassytha filiformis</i>	Lovevine, Devil's gut
<i>Persea palustris</i>	Swamp bay

#### Malpighiaceae

<i>Byrsinima lucida</i>	Locustberry
-------------------------	-------------

#### Malvaceae

<i>Sida elliptii</i>	Elliott's fanpetals
----------------------	---------------------

#### Melastomataceae

<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
---------------------------	---------------------------------------

#### Moraceae

<i>Ficus aurea</i>	Strangler fig, Golden fig
<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree

#### Myricaceae

<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
------------------------	-------------------------------

#### Myrsinaceae

E <i>Ardisia elliptica</i>	Shoe-button ardisia, Shoe button
<i>Rapanea punctata</i>	Myrsine, Colicwood

<u>Myrtaceae</u>	
<i>Melaleuca quinquenervia</i>	Punktree
<i>Psidium longipes</i>	Longstalked-stopper
<u>Passifloraceae</u>	
<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Polygalaceae</u>	
<i>Polygala grandiflora</i>	Candyweed; Showy milkwort
<i>Polygala smallii</i>	Small's milkwort
<u>Primulaceae</u>	
<i>Samolus ebracteatus</i>	Water pimpernel, Limewater brookweed
<u>Ranunculaceae</u>	
<i>Clematis baldwinii</i>	Pine-hyacinth
<u>Rubiaceae</u>	
<i>Chiococca parvifolia</i>	Pineland snowberry
<i>Galium hispidulum</i>	Coastal bedstraw
<i>Guettarda scabra</i>	Rough velvetseed
<i>Hedyotis nigricans</i> var. <i>floridana</i>	Florida diamond flowers
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Randia aculeata</i>	White indigoberry
<i>Spermacoce assurgens</i>	Woodland false buttonweed
<i>Spermacoce prostrata</i>	Prostrate false buttonweed
<i>Spermacoce terminalis</i>	Everglades Keys false buttonweed
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Sapotaceae</u>	
<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully
<u>Scrophulariaceae</u>	
<i>Agalinis fasciculata</i>	Beach false foxglove
<i>Buchnera americana</i>	American bluehearts
<i>Mecardonia acuminata</i> ssp. <i>peninsularis</i>	Axilflower
<u>Solanaceae</u>	
<i>Physalis walteri</i>	Walter's groundcherry
<u>Sterculiaceae</u>	
<i>Ayenia euphrasiifolia</i>	Eyebright ayenia
<i>Waltheria indica</i>	Sleepy morning
<u>Turneraceae</u>	
<i>Piriqueta caroliniana</i>	Pitted stripeseed
<u>Ulmaceae</u>	
<i>Trema micranthum</i>	Florida trema, Nettletree
<u>Verbenaceae</u>	
<i>Callicarpa americana</i>	American beautyberry
E <i>Lantana camara</i>	Shrubverbena
<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena
<i>Lantana involucrata</i>	Wild-sage, Buttonsage
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joeo

Vitaceae

<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine
<i>Vitis rotundifolia</i>	Muscadine
<i>Vitis shuttleworthii</i>	Calusa grape

**Gymnosperms**Pinaceae

<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine
------------------------------------------	--------------------------

Zamiaceae

<i>Zamia integrifolia</i>	Coontie, Florida arrowroot
---------------------------	----------------------------

**Monocots**Arecaceae

<i>Coccothrinax argentata</i>	Florida silver palm
<i>Sabal palmetto</i>	Cabbage palm
<i>Serenoa repens</i>	Saw palmetto

Commelinaceae

<i>Commelina erecta</i>	Whitemouth dayflower
-------------------------	----------------------

Cyperaceae

<i>Bulbostylis ciliatifolia</i>	Densetuft hairsedge
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass
<i>Cyperus filiculmis</i>	Wiry flatsedge
<i>Rhynchospora colorata</i>	Starrush whitetop
<i>Rhynchospora floridensis</i>	Florida whitetop
<i>Rhynchospora grayi</i>	Gray's beaksedge
<i>Rhynchospora plumosa</i>	Plumed beaksedge
<i>Scleria ciliata</i> var. <i>ciliata</i>	Fringed nutrush

Iridaceae

<i>Sisyrinchium nashii</i>	Nash's blueeyed-grass
----------------------------	-----------------------

Liliaceae

<i>Aletris lutea</i>	Yellow colicroot
----------------------	------------------

Orchidaceae

<i>Bletia purpurea</i>	Pinepink
------------------------	----------

Poaceae

<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Andropogon ternarius</i>	Splitbeard bluestem
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
<i>Cenchrus gracillimus</i>	Slender sandbur
<i>Dichanthelium aciculare</i>	Needleleaf witch grass
<i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i>	Eggleaf witchgrass
<i>Dichanthelium ovale</i>	Glabrescent roughhair witchgrass
<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Elliott's lovegrass
<i>Eragrostis elliottii</i>	Prairie fingergrass, Saltmarsh fingergrass
<i>Eustachys glauca</i>	Common fingergrass, Pinewoods fingergrass
<i>Eustachys petraea</i>	

	<i>Imperata brasiliensis</i>	Congongrass, Brazilian satintail
	<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E	<i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
	<i>Panicum hemitomon</i>	Maidencane
	<i>Paspalum caespitosum</i>	Blue paspalum, Blue crownglass
	<i>Paspalum setaceum</i>	Thin paspalum
E	<i>Rhynchospora repens</i>	Rose Natalgrass
	<i>Schizachyrium gracile</i>	Wire bluestem
	<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
	<i>Schizachyrium sanguineum</i>	Crimson bluestem
	<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
	<i>Sorghastrum secundum</i>	Lopsided Indiangrass
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass
	<i>Tripsacum floridanum</i>	Florida gamagrass

#### Smilacaceae

<i>Smilax auriculata</i>	Earleaf greenbrier
<i>Smilax havanensis</i>	Havana greenbrier, Everglades greenbrier

## Pteridophytes

#### Dennstaedtiaceae

<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
-------------------------------------------------	------------------

#### Nephrolepidaceae

<i>Nephrolepis exaltata</i>	Wild Boston fern
-----------------------------	------------------

#### Polypodiaceae

<i>Phlebodium aureum</i>	Golden polypody
<i>Pleopeltis polypodioides</i> var. <i>michauiiana</i>	Resurrection fern

#### Psilotaceae

<i>Psilotum nudum</i>	Whisk-fern
-----------------------	------------

#### Pteridaceae

<i>Pteris bahamensis</i>	Bahama ladder brake
E <i>Pteris vittata</i>	China brake
E <i>Pteris x delchimpisii</i>	Delchamps' brake

#### Schizaceae

<i>Anemia adiantifolia</i>	Pine fern, Maidenhair pineland fern
----------------------------	-------------------------------------

#### Thelypteridaceae

<i>Thelypteris kunthii</i>	Southern shield fern
----------------------------	----------------------

#### Vittariaceae

<i>Vittaria lineata</i>	Shoestring fern
-------------------------	-----------------

**E = Not Native to the site**

*Table 10:*  
**The Vascular Plants of**  
**U.S. NAVAL OBSERVATORY, GSA,**  
**RICHMOND PINE ROCKLANDS**  
**11820 S.W. 166 St., Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On June 20-21, 2000

Compiled from field observations made by the authors and from the sources listed in "References" at the end of this list.

---

**Dicots**

Acanthaceae

- |   |                            |                                         |
|---|----------------------------|-----------------------------------------|
| E | <i>Blechum pyramidatum</i> | Green shrimplant, Browne's blechum      |
|   | <i>Dyschoriste angusta</i> | Rockland twinflower, Pineland snakeherb |
|   | <i>Ruellia succulenta</i>  | Thickleaf wild petunia                  |
|   | <i>Stenandrium dulce</i>   | Pinklet                                 |

Amaranthaceae

- |  |                        |                        |
|--|------------------------|------------------------|
|  | <i>Iresine diffusa</i> | Bloodleaf, Juba's bush |
|--|------------------------|------------------------|

Anacardiaceae

- |   |                                 |                                |
|---|---------------------------------|--------------------------------|
|   | <i>Metopium toxiferum</i>       | Poisonwood, Florida poisontree |
|   | <i>Rhus copallina</i>           | Winged sumac                   |
| E | <i>Schinus terebinthifolius</i> | Brazilian-pepper               |
|   | <i>Toxicodendron radicans</i>   | Poison-ivy, Eastern poison-ivy |

Apiaceae

- |  |                          |                     |
|--|--------------------------|---------------------|
|  | <i>Centella asiatica</i> | Coinwort, Spadeleaf |
|--|--------------------------|---------------------|

Apocynaceae

- |   |                            |                                             |
|---|----------------------------|---------------------------------------------|
|   | <i>Angadenia berteroii</i> | Pineland-allamanda, Pineland golden trumpet |
| E | <i>Catharanthus roseus</i> | Madagascar-periwinkle                       |
|   | <i>Echites umbellata</i>   | Devil's-potato, Rubbervine                  |

Araliaceae

- |   |                                |                          |
|---|--------------------------------|--------------------------|
| E | <i>Schefflera actinophylla</i> | Australian umbrella-tree |
|---|--------------------------------|--------------------------|

Asclepiadaceae

- |  |                               |                                   |
|--|-------------------------------|-----------------------------------|
|  | <i>Asclepias tuberosa</i>     | Butterflyweed, Butterfly milkweed |
|  | <i>Asclepias verticillata</i> | Whorled milkweed                  |

	<i>Asclepias viridis</i>	Green antelopehorn
	<i>Cynanchum blodgettii</i>	Blodgett's swallowwort
	<b>Asteraceae</b>	
	<i>Ambrosia artemisiifolia</i>	Common ragweed
	<i>Aster adnatus</i>	Clasping aster, scaleleaf aster
	<i>Aster concolor</i>	Eastern silver aster
	<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
	<i>Berlandiera subacaulis</i>	Florida green-eyes
	<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, beggarticks
	<i>Brickellia mosieri</i>	Mosier's false boneset
	<i>Chaptalia albicans</i>	White sunbonnets
	<i>Chromolaena odorata</i>	Jack-in-the-bush
	<i>Cirsium horridulum</i>	Purple thistle
	<i>Conyza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
E	<i>Emilia fosbergii</i>	Florida tasselflower
	<i>Eupatorium capillifolium</i>	Dog-fennel
	<i>Flaveria linearis</i>	Narrowleaf yellowtops
	<i>Hieracium megacephalon</i>	Coastal plain hawkweed
	<i>Liatris gracilis</i>	Slender gayfeather
	<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf gayfeather
	<i>Melanthera parvifolia</i>	Pineland blackanthers
E	<i>Parthenium hysterophorus</i>	Santa Maria, Santa Maria feverfew
	<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
	<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
	<i>Pluchea carolinensis</i>	Cure-for-all
	<i>Pluchea rosea</i>	Rosy camphorweed
	<i>Pterocephalon pycnostachyum</i>	Blackroot
	<i>Solidago gigantea</i>	Giant goldenrod
	<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
	<i>Solidago stricta</i>	Narrow-leaved goldenrod, Wand goldenrod
E	<i>Tridax procumbens</i>	Brittleweed, Coatbuttons
	<i>Vernonia blodgettii</i>	Florida ironweed
E	<i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye
	<b>Boraginaceae</b>	
	<i>Heliotropium polyphyllum</i>	Pineland heliotrope
	<b>Buddlejaceae</b>	
	<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
	<b>Burseraceae</b>	
	<i>Bursera simaruba</i>	Gumbo-limbo
	<b>Cactaceae</b>	
	<i>Opuntia humifusa</i>	Pricklypear
	<b>Casuarinaceae</b>	
E	<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
	<b>Celastraceae</b>	
	<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
	<b>Chrysobalanaceae</b>	
	<i>Licania michauxii</i>	Gopher-apple

<u>Cistaceae</u>		
	<i>Lechea torreyi</i>	Piedmont pinweed
<u>Convolvulaceae</u>		
	<i>Evolvulus sericeus</i>	Silver dwarf morningglory
	<i>Ipomoea indica</i> var. <i>acuminata</i>	Ocean-blue morningglory
	<i>Ipomoea microdactyla</i>	Man-in-the-ground, Bejuco colorado
	<i>Ipomoea tenuissima</i>	Rockland morningglory
	<i>Jacquemontia curtisii</i>	Pineland clustervine
E	<i>Merremia dissecta</i>	Baby woodrose, Noyauvine
<u>Ericaceae</u>		
	<i>Vaccinium myrsinites</i>	Shiny blueberry
<u>Euphorbiaceae</u>		
	<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
E	<i>Bischofia javanica</i>	Javanese bishopwood
	<i>Chamaesyce conferta</i>	Everglades key sandmat
	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
	<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat
	<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
E	<i>Chamaesyce lasiocarpa</i>	Roadside sandmat
	<i>Chamaesyce mendezii</i>	Mendez's sandmat
	<i>Chamaesyce ophthalmica</i>	Florida hammock sandmat
	<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
	<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente connigo
	<i>Croton linearis</i>	Pineland croton, Grannybush
	<i>Euphorbia polyphylla</i>	Pineland euphorbia, Lesser Florida spurge
	<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petalled leafflower
	<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
	<i>Poinsettia pinetorum</i>	Pineland poinsettia, Pineland spurge
	<i>Stillingia sylvatica</i>	Queensdelight
	<i>Tragia saxicola</i>	Florida Keys noseburn
	<i>Tragia urens</i>	Wavyleaf noseburn
<u>Fabaceae</u>		
E	<i>Abrus precatorius</i>	Rosary-pea, Crab-eyes
E	<i>Acacia auriculiformis</i>	Earleaf acacia
	<i>Aeschynomene viscidula</i>	Sticky joint-vetch
E	<i>Albizia lebbeck</i>	Woman's tongue, rattlepod
E	<i>Alysicarpus vaginalis</i>	White moneywort
E	<i>Canavalia brasiliensis</i>	Brazilian jackbean
	<i>Centrosema virginianum</i>	Spurred butterfly-pea
	<i>Chamaecrista deeringiana</i>	Deering partridge-pea
	<i>Chamaecrista fasciculata</i>	Partridge pea
	<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
E	<i>Crotalaria pallida</i> var. <i>obovata</i>	Smooth rattlebox
	<i>Crotalaria pumila</i>	Low rattlebox
	<i>Crotalaria rotundifolia</i>	Rabbitbells
E	<i>Crotalaria spectabilis</i>	Showy rattlebox
E	<i>Dalbergia sissoo</i>	Indian rosewood
	<i>Dalea carnea</i> var. <i>carnea</i>	Whitetassels
	<i>Desmodium incanum</i>	Beggar's-ticks
	<i>Desmodium lineatum</i>	Sand tricktrefoil

	<i>Desmodium marilandicum</i>	Smooth ticktrefoil
E	<i>Desmodium tortuosum</i>	Dixie ticktrefoil
E	<i>Desmodium triflorum</i>	Threeflower ticktrefoil
	<i>Galactia pinetorum</i>	Pineland milkpea
E	<i>Indigofera spicata</i>	Creeping indigo, Trailing indigo
E	<i>Indigofera suffruticosa</i>	Shrub indigo
E	<i>Leucaena leucocephala</i>	White leadtree
E	<i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
	<i>Mimosa quadrivalvis</i> var. <i>angustata</i>	Sensitive brier
	<i>Neptunia pubescens</i>	Tropical-puff
	<i>Rhynchosia cinerea</i>	Brownhair snoutbean
	<i>Rhynchosia minima</i>	Least snoutbean
	<i>Rhynchosia reniformis</i>	Dollarweed, Dollarleaf
	<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
	<i>Tephrosia florida</i>	Florida hoarypea
	<i>Zornia bracteata</i>	Shyvine, Viperina

#### Fagaceae

	<i>Quercus minima</i>	Dwarf live oak
	<i>Quercus pumila</i>	Running oak
	<i>Quercus virginiana</i>	Virginia live oak

#### Flacourtiaceae

E	<i>Flacourtie indica</i>	Governor's-plum
---	--------------------------	-----------------

#### Lamiaceae

	<i>Hyptis alata</i>	Musky mint, Clustered Bushmint
	<i>Piloblepharis rigida</i>	Wild pennyroyal
	<i>Trichostema dichotomum</i>	Forked bluecurls

#### Lauraceae

	<i>Cassytha filiformis</i>	Lovevine, Devil's gut
	<i>Persea palustris</i>	Swamp bay

#### Loganiaceae

	<i>Spigelia anthelmia</i>	West Indian pinkroot
--	---------------------------	----------------------

#### Malpighiaceae

	<i>Byrsonima lucida</i>	Locustberry
--	-------------------------	-------------

#### Malvaceae

	<i>Malvastrum corchorifolium</i>	False mallow
	<i>Sida acuta</i>	Common wireweed; Common fanpetals
	<i>Sida elliotii</i>	Elliott's fanpetals
	<i>Sida rhombifolia</i>	Cuban jute, Indian hemp

#### Melastomataceae

	<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
--	---------------------------	---------------------------------------

#### Meliaceae

E	<i>Melia azedarach</i>	Chinaberrytree
E	<i>Swietenia mahagoni</i>	West Indian mahogany

#### Moraceae

C	<i>Ficus benjamina</i>	Weeping fig
---	------------------------	-------------

E	<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
	<i>Ficus microcarpa</i>	Laurel fig, Indian laurel
	<b>Myricaceae</b>	
	<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
	<b>Myrsinaceae</b>	
	<i>Rapanea punctata</i>	Myrsine, Colicwood
	<b>Myrtaceae</b>	
E	<i>Melaleuca quinquenervia</i>	Punktree
	<i>Psidium longipes</i>	Longstalked-stopper
	<b>Onagraceae</b>	
	<i>Gaura angustifolia</i>	Southern gaura, Southern beeblissom
	<b>Papaveraceae</b>	
	<i>Argemone mexicana</i>	Mexican pricklypoppy
	<b>Passifloraceae</b>	
	<i>Passiflora suberosa</i>	Corkystem passionflower
	<b>Polygalaceae</b>	
	<i>Polygala grandiflora</i>	Candyweed; Showy milkwort
	<i>Polygala incarnata</i>	Procession flower
	<b>Ranunculaceae</b>	
	<i>Clematis baldwinii</i>	Pine-hyacinth
	<b>Rubiaceae</b>	
	<i>Chiococca parvifolia</i>	Pineland snowberry
	<i>Diodia teres</i>	Poor joe, Rough buttonweed
	<i>Galium hispidulum</i>	Coastal bedstraw
	<i>Guettarda scabra</i>	Rough velvetseed
	<i>Hedyotis nigricans</i> var. <i>floridana</i>	Florida diamond flowers
	<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
	<i>Randia aculeata</i>	White indigoberry
E	<i>Richardia grandiflora</i>	Largeflower Mexican clover
	<i>Spermacoce assurgens</i>	Woodland false buttonweed
	<i>Spermacoce terminalis</i>	Everglades Keys false buttonweed
E	<i>Spermacoce verticillata</i>	Shrubby false buttonweed
	<b>Sapotaceae</b>	
	<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully
	<b>Scrophulariaceae</b>	
	<i>Agalinis fasciculata</i>	Beach false foxglove
	<i>Buchnera americana</i>	American bluehearts
	<i>Mecardonia acuminata</i> ssp. <i>peninsularis</i>	Axilflower
	<b>Solanaceae</b>	
E	<i>Cestrum diurnum</i>	Dayflowering jessamine
	<i>Physalis walteri</i>	Walter's groundcherry
	<b>Sterculiaceae</b>	
	<i>Ayenia euphrasiifolia</i>	Eyebright ayenia
	<i>Waltheria indica</i>	Sleepy morning

<u>Turneraceae</u>		
	<i>Piriqueta caroliniana</i>	Pitted stripeseed
<u>Ulmaceae</u>		
	<i>Trema micranthum</i>	Florida trema, Nettletree
<u>Urticaceae</u>		
	<i>Pilea microphylla</i>	Artillery plant, Rockweed
<u>Verbenaceae</u>		
	<i>Callicarpa americana</i>	American beautyberry
E	<i>Lantana camara</i>	Shrubverbena
E	<i>Lantana camara</i> x <i>L. depressa</i> var. <i>depressa</i>	
	<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena
	<i>Lantana involucrata</i>	Wild-sage, Buttonsage
	<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweek
	<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee
<u>Vitaceae</u>		
	<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine
	<i>Vitis rotundifolia</i>	Muscadine

## Gymnosperms

<u>Pinaceae</u>		
	<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine
<u>Zamiaceae</u>		
	<i>Zamia integrifolia</i>	Coontie, Florida arrowroot

## Monocots

<u>Agavaceae</u>		
E	<i>Agave angustifolia</i>	Sisal-hemp
E	<i>Agave sisalana</i>	Spineless yucca
C	<i>Yucca guatemalensis</i>	
<u>Arecaceae</u>		
	<i>Coccothrinax argentata</i>	Florida silver palm
	<i>Sabal palmetto</i>	Cabbage palm
	<i>Serenoa repens</i>	Saw palmetto
<u>Commelinaceae</u>		
	<i>Commelina erecta</i>	Whitemouth dayflower
C	<i>Tradescantia pallida</i>	Purplequeen
<u>Cyperaceae</u>		
	<i>Abildgaardia ovata</i>	Flatspike sedge
	<i>Bulbostylis ciliatifolia</i>	Densetuft hairsedge
	<i>Cyperus filiculmis</i>	Wiry flatsedge
	<i>Cyperus ligularis</i>	Swamp flatsedge
	<i>Cyperus retrorsus</i>	Pinebarren flatsedge
	<i>Rhynchospora colorata</i>	Starrush whitetop
	<i>Rhynchospora floridensis</i>	Florida whitetop

<i>Rhynchospora grayi</i>	Gray's beaksedge
<i>Scleria ciliata</i> var. <i>ciliata</i>	Fringed nutrush
<b>Iridaceae</b>	
<i>Sisyrinchium nashii</i>	Nash's blueeyed-grass
<b>Liliaceae</b>	
E <i>Asparagus setaceus</i>	Common asparagus-fern
<b>Orchidaceae</b>	
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<i>Pteroglossaspis ecristata</i>	Giant orchid
<b>Poaceae</b>	
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Andropogon ternarius</i>	Splitbeard bluestem
<i>Aristida beyrichiana</i>	Southern wiregrass
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
<i>Cenchrus gracillimus</i>	Slender sandbur
<i>Cenchrus incertus</i>	Coastal sandbur
<i>Dichanthelium aciculare</i>	Needleleaf witch grass
<i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i>	
<i>Dichanthelium ovale</i>	Eggleaf witchgrass
<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	Caribbean crabgrass
<i>Eragrostis elliottii</i>	Elliott's lovegrass
E <i>Eremochloa ophiuroides</i>	Centipedegrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Gymnopogon ambiguus</i>	Bearded skeletongrass
<i>Imperata brasiliensis</i>	Congongrass, Brazilian satintail
E <i>Melinis minutiflora</i>	Molassesgrass
<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E <i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
E <i>Panicum maximum</i>	Guineagrass
<i>Paspalum blodgettii</i>	Coral paspalum, Blodgett's crownglass
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crownglass
<i>Paspalum monostachyum</i>	Gulfdune paspalum
<i>Paspalum setaceum</i>	Thin paspalum
E <i>Rhynchelytrum repens</i>	Rose Natalgrass
<i>Schizachyrium gracile</i>	Wire bluestem
<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
<i>Schizachyrium sanguineum</i>	Crimson bluestem
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass
<i>Sorghastrum secundum</i>	Lopsided Indiangrass
E <i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
<i>Sporobolus junceus</i>	Pineywoods dropseed
E <i>Stenotaphrum secundatum</i>	St. Augustine grass
<i>Tripsacum floridanum</i>	Florida gamagrass
<b>Smilacaceae</b>	
<i>Smilax auriculata</i>	Earleaf greenbrier
<i>Smilax havanensis</i>	Havana greenbrier, Everglades greenbrier

## **Pteridophytes**

### Blechnaceae

*Blechnum serrulatum* Swamp fern, Toothed midsorus fern

### Dennstaedtiaceae

*Pteridium aquilinum* var. *caudatum* Lacy braken fern

### Nephrolepidaceae

*Nephrolepis exaltata* Wild Boston fern

### Polypodiaceae

*Phlebodium aureum* Golden polypody

### Psilotaceae

*Psilotum nudum* Whisk-fern

### Pteridaceae

*Pteris bahamensis* Bahama ladder brake

E    *Pteris vittata* China brake

E    *Pteris x delchampsii* Delchamps' brake

### Schizaceae

*Anemia adiantifolia* Pine fern, Maidenhair pineland fern

### Thelypteridaceae

*Thelypteris kunthii* Southern shield fern

### Vittariaceae

*Vittaria lineata* Shoestring fern

**E = Not Native to the site**

**C = Cultivated on the site**

### **References:**

Bradley, K.A. & G.D. Gann. 1996. Plants of the U.S. Naval Observatory. June 5, 1996. 7 pp. Unpublished.

Robinson, E. & M. McMahon. 1999. Plants observed in various habitats at Navy property in Richmond Area. BEC, Inc. Unpublished.

*Table 11:*  
**The Vascular Plants of**  
**UNIVERSITY OF MIAMI SOUTH CAMPUS,**  
**RICHMOND PINE ROCKLANDS**  
**Miami, Florida**  
**12500 S.W. 152 St., Miami, Florida**

Field Data Compiled By:

Keith A. Bradley, Steven W. Woodmansee, and David W. Hall  
 The Institute for Regional Conservation  
 Miami, Florida  
 On August 3-4, 2000

---

**Dicots**

Acanthaceae

	<i>Dyschoriste angusta</i>	Rockland twinflower, Pineland snakeherb
E	<i>Ruellia ciliatiflora</i>	Hairyflower wild petunia
	<i>Ruellia succulenta</i>	Thickleaf wild petunia

Amaranthaceae

E	<i>Amaranthus viridis</i>	Slender amaranth
---	---------------------------	------------------

Anacardiaceae

	<i>Metopium toxiferum</i>	Poisonwood, Florida poisontree
	<i>Rhus copallina</i>	Winged sumac
E	<i>Schinus terebinthifolius</i>	Brazilian-pepper
	<i>Toxicodendron radicans</i>	Poison-ivy, Eastern poison-ivy

Apocynaceae

E	<i>Alstonia macrophylla</i>	Devil-tree
	<i>Angadenia bertero</i>	Pineland-allamanda, Pineland golden trumpet
E	<i>Catharanthus roseus</i>	Madagascar-periwinkle
	<i>Echites umbellata</i>	Devil's-potato, Rubervine
	<i>Pentalinon luteum</i>	Wild-allamanda, Hammock viperstail

Araliaceae

E	<i>Schefflera actinophylla</i>	Australian umbrella-tree
---	--------------------------------	--------------------------

Asclepiadaceae

	<i>Asclepias tuberosa</i>	Butterflyweed, Butterfly milkweed
	<i>Asclepias viridis</i>	Green antelopehorn
	<i>Cynanchum blodgettii</i>	Blodgett's swallowwort

Asteraceae

	<i>Ambrosia artemisiifolia</i>	Common ragweed
	<i>Aster adnatus</i>	Clasping aster, scaleleaf aster
	<i>Aster concolor</i>	Eastern silver aster
	<i>Baccharis glomeruliflora</i>	Silverling
	<i>Baccharis halimifolia</i>	Groundsel tree, Sea-myrtle
	<i>Bidens alba</i> var. <i>radiata</i>	Spanish-needles, beggarticks
	<i>Chaptalia albicans</i>	White sunbonnets
	<i>Chromolaena odorata</i>	Jack-in-the-bush
	<i>Cirsium horridulum</i>	Purple thistle
	<i>Conyza canadensis</i> var. <i>pusilla</i>	Dwarf Canadian horseweed
E	<i>Emilia fosbergii</i>	Florida tasselflower
	<i>Eupatorium capillifolium</i>	Dog-fennel
	<i>Eupatorium serotinum</i>	Lateflowering thoroughwort
	<i>Flaveria linearis</i>	Narrowleaf yellowtops
	<i>Hieracium megacephalon</i>	Coastal plain hawkweed
	<i>Liatris gracilis</i>	Slender gayfeather
	<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	Shortleaf gayfeather
	<i>Mikania scandens</i>	Climbing hempweed, Climbing hempvine
	<i>Pectis glaucescens</i>	Tea-blinkum, Sanddune cinchweed
	<i>Pityopsis graminifolia</i>	Narrowleaf silkgrass
	<i>Pluchea carolinensis</i>	Cure-for-all
	<i>Pluchea rosea</i>	Rosy camphorweed
	<i>Pterocaulon pycnostachyum</i>	Blackroot
	<i>Sachsia polyccephala</i>	Bahama sachisia
	<i>Solidago gigantea</i>	Giant goldenrod
	<i>Solidago odora</i> var. <i>chapmanii</i>	Chapman's goldenrod
	<i>Solidago stricta</i>	Narrow-leaved goldenrod, Wand goldenrod
E	<i>Tridax procumbens</i>	Brittleweed, Coatbuttons
	<i>Vernonia blodgettii</i>	Florida ironweed
E	<i>Wedelia trilobata</i>	Creeping wedelia, Creeping oxeye

Boraginaceae

	<i>Heliotropium polyphyllum</i>	Pineland heliotrope
--	---------------------------------	---------------------

Buddlejaceae

	<i>Polypremum procumbens</i>	Rustweed, Juniperleaf
--	------------------------------	-----------------------

Burseraceae

	<i>Bursera simaruba</i>	Gumbo-limbo
--	-------------------------	-------------

Cactaceae

	<i>Opuntia humifusa</i>	Pricklypear
--	-------------------------	-------------

Casuarinaceae

E	<i>Casuarina equisetifolia</i>	Australian-pine, Horsetail casuarina
---	--------------------------------	--------------------------------------

Celastraceae

	<i>Crossopetalum ilicifolium</i>	Quailberry, Christmasberry
--	----------------------------------	----------------------------

Chrysobalanaceae

	<i>Chrysobalanus icaco</i>	Coco-plum
	<i>Licania michauxii</i>	Gopher-apple

<u>Cistaceae</u>	<i>Lechea sessiliflora</i>	Pineland pinweed
<u>Combretaceae</u>		
E	<i>Terminalia muelleri</i>	
<u>Convolvulaceae</u>		
	<i>Evolvulus sericeus</i>	Silver dwarf morningglory
	<i>Ipomoea microdactyla</i>	Man-in-the-ground, Bejucu colorado
	<i>Ipomoea tenuissima</i>	Rockland morningglory
	<i>Jacquemontia curtisii</i>	Pineland clustervine
E	<i>Merremia dissecta</i>	Baby woodrose, Noyauvine
<u>Cucurbitaceae</u>		
E	<i>Momordica charantia</i>	Wild balsam-apple, Balsampear
<u>Ericaceae</u>		
	<i>Lyonia fruticosa</i>	Staggerbush, Coastalplain staggerbush
	<i>Vaccinium myrsinites</i>	Shiny blueberry
<u>Euphorbiaceae</u>		
	<i>Acalypha chamaedrifolia</i>	Three-seeded mercury, Bastard copperleaf
	<i>Chamaesyce conferta</i>	Everglades key sandmat
	<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	Wedge sandmat
	<i>Chamaesyce hirta</i>	Hairy spurge, Pillpod sandmat
	<i>Chamaesyce hypericifolia</i>	Eyebane, Graceful sandmat
E	<i>Chamaesyce lasiocarpa</i>	Roadside sandmat
	<i>Chamaesyce mendezii</i>	Mendez's sandmat
	<i>Cnidoscolus stimulosus</i>	Tread-softly, Finger-rot
	<i>Croton glandulosus</i> var. <i>glandulosus</i>	Vente connigo
	<i>Croton linearis</i>	Pineland croton, Grannybush
	<i>Euphorbia polyphylla</i>	Pineland euphorbia, Lesser Florida spurge
	<i>Phyllanthus caroliniensis</i> ssp. <i>saxicola</i>	Rock Carolina leafflower
	<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida five-petalled leafflower
	<i>Poinsettia cyathophora</i>	Paintedleaf, Fire-on-the-mountain
	<i>Poinsettia heterophylla</i>	Fiddler's spurge, Mexican fireplant
	<i>Stillingia sylvatica</i>	Queensdelight
	<i>Tragia saxicola</i>	Florida Keys noseburn
	<i>Tragia urens</i>	Wavyleaf noseburn
<u>Fabaceae</u>		
E	<i>Acacia auriculiformis</i>	Earleaf acacia
	<i>Acacia farnesiana</i>	Sweet acacia
	<i>Aeschynomene viscidula</i>	Sticky joint-vetch
E	<i>Alysicarpus vaginalis</i>	White moneywort
E	<i>Canavalia brasiliensis</i>	Brazilian jackbean
	<i>Centrosema virginianum</i>	Spurred butterfly-pea
	<i>Chamaecrista deeringiana</i>	Deering partridge-pea
	<i>Chamaecrista nictitans</i> var. <i>aspera</i>	Hairy partridge-pea
E	<i>Crotalaria pallida</i> var. <i>obovata</i>	Smooth rattlebox
	<i>Crotalaria pumila</i>	Low rattlebox
	<i>Crotalaria rotundifolia</i>	Rabbitbells
E	<i>Crotalaria spectabilis</i>	Showy rattlebox

E	<i>Dalbergia sissoo</i>	Indian rosewood
	<i>Dalea carnea</i> var. <i>carnea</i>	Whitetassels
	<i>Desmodium incanum</i>	Beggar's-ticks
	<i>Desmodium marilandicum</i>	Smooth ticktrefoil
E	<i>Desmodium tortuosum</i>	Dixie ticktrefoil
E	<i>Desmodium triflorum</i>	Threeflower ticktrefoil
	<i>Galactia pinetorum</i>	Pineland milkpea
	<i>Galactia volubilis</i>	Downy milkpea
	<i>Indigofera miniata</i> var. <i>florida</i>	Florida coastal indigo
E	<i>Indigofera spicata</i>	Creeping indigo, Trailing indigo
E	<i>Indigofera suffruticosa</i>	Shrub indigo
E	<i>Leucaena leucocephala</i>	White leadtree
	<i>Lysiloma latisiliquum</i>	Wild-tamarind, False tamarind
E	<i>Macroptilium lathyroides</i>	Wild-bean, Wild bushbean
	<i>Neptunia pubescens</i>	Tropical-puff
	<i>Rhynchosia cinerea</i>	Brownhair snoutbean
	<i>Rhynchosia minima</i>	Least snoutbean
	<i>Rhynchosia reniformis</i>	Dollarweed, Dollarleaf
	<i>Stylosanthes hamata</i>	Pencilflower, Cheesytoes
	<i>Tephrosia florida</i>	Florida hoarypea
	<i>Zornia bracteata</i>	Shyvine, Viperina

Fagaceae

	<i>Quercus minima</i>	Dwarf live oak
	<i>Quercus pumila</i>	Running oak
	<i>Quercus virginiana</i>	Virginia live oak

Flacourtiaceae

E	<i>Flacourtie indica</i>	Governor's-plum
---	--------------------------	-----------------

Hydrophyllaceae

	<i>Nama jamaicense</i>	Jamaicanweed
--	------------------------	--------------

Lamiaceae

	<i>Piloblepharis rigida</i>	Wild pennyroyal
--	-----------------------------	-----------------

Lauraceae

	<i>Cassytha filiformis</i>	Lovevine, Devil's gut
	<i>Persea palustris</i>	Swamp bay

Loganiaceae

	<i>Spigelia anthelmia</i>	West Indian pinkroot
--	---------------------------	----------------------

Malpighiaceae

	<i>Byrsonima lucida</i>	Locustberry
--	-------------------------	-------------

Malvaceae

	<i>Sida acuta</i>	Common wireweed; Common fanpetals
--	-------------------	-----------------------------------

Melastomataceae

	<i>Tetrazygia bicolor</i>	West Indian-lilac, Florida clover ash
--	---------------------------	---------------------------------------

Meliaceae

E	<i>Swietenia mahagoni</i>	West Indian mahogany
---	---------------------------	----------------------

Moraceae

<i>Ficus citrifolia</i>	Short-leaf fig, Wild banyan tree
<u>Myricaceae</u>	
<i>Myrica cerifera</i>	Wax myrtle, Southern Bayberry
<u>Myrsinaceae</u>	
E <i>Ardisia elliptica</i>	Shoe-button ardisia, Shoe button
<i>Rapanea punctata</i>	Myrsine, Colicwood
<u>Myrtaceae</u>	
<i>Psidium longipes</i>	Longstalked-stopper
E <i>Syzygium cumini</i>	Jambolan-plum, Java-plum
<u>Oxalidaceae</u>	
<i>Oxalis corniculata</i>	Lady's-sorrel, Common yellow wood sorrel
<u>Passifloraceae</u>	
<i>Passiflora suberosa</i>	Corkystem passionflower
<u>Polygalaceae</u>	
<i>Polygala grandiflora</i>	Candyweed; Showy milkwort
<i>Polygala smallii</i>	Small's milkwort
<u>Polygonaceae</u>	
<i>Coccoloba uvifera</i>	Seagrape
<u>Portulacaceae</u>	
<i>Portulaca oleracea</i>	Purslane, Little hogweed
<u>Primulaceae</u>	
<i>Samolus ebracteatus</i>	Water pimpernel, Limewater brookweed
<u>Rubiaceae</u>	
<i>Cephaelanthus occidentalis</i>	Common buttonbush
<i>Chiococca alba</i>	Common snowberry, milkberry
<i>Chiococca parvifolia</i>	Pineland snowberry
<i>Diodia teres</i>	Poor joe, Rough buttonweed
<i>Galium hispidulum</i>	Coastal bedstraw
<i>Guettarda scabra</i>	Rough velvetseed
<i>Morinda royoc</i>	Yellowroot, Redgal, Mouse's pineapple
<i>Psychotria sulzneri</i>	Shortleaf wild coffee
<i>Randia aculeata</i>	White indigoberry
E <i>Richardia grandiflora</i>	Largeflower Mexican clover
<i>Spermacoce assurgens</i>	Woodland false buttonweed
<i>Spermacoce prostrata</i>	Prostrate false buttonweed
<i>Spermacoce terminalis</i>	Everglades Keys false buttonweed
E <i>Spermacoce verticillata</i>	Shrubby false buttonweed
<u>Sapotaceae</u>	
<i>Sideroxylon reclinatum</i> ssp. <i>reclinatum</i>	Recline Florida bully
<i>Sideroxylon salicifolium</i>	Willow-bustic, White bully
<u>Scrophulariaceae</u>	
<i>Agalinis fasciculata</i>	Beach false foxglove
<i>Buchnera americana</i>	American bluehearts
<i>Mecardonia acuminata</i> ssp. <i>peninsularis</i>	Axilflower

<u>Solanaceae</u>		
E <i>Cestrum diurnum</i>	Dayflowering jessamine	
<i>Physalis walteri</i>	Walter's groundcherry	
<i>Solanum americanum</i>	Common nightshade, American black nightshade	
<u>Sterculiaceae</u>		
<i>Ayenia euphrasiifolia</i>	Eyebright ayenia	
<i>Waltheria indica</i>	Sleepy morning	
<u>Turneraceae</u>		
<i>Piriqueta caroliniana</i>	Pitted stripeseed	
<u>Ulmaceae</u>		
<i>Trema micranthum</i>	Florida trema, Nettletree	
<u>Verbenaceae</u>		
<i>Callicarpa americana</i>	American beautyberry	
E <i>Lantana camara</i>	Shrubverbena	
<i>Lantana depressa</i> var. <i>depressa</i>	Pineland lantana, Rockland shrubverbena	
<i>Lantana involucrata</i>	Wild-sage, Buttonsage	
<i>Phyla nodiflora</i>	Frog fruit, Turkey tangle fogfruit, Capeweed	
<i>Stachytarpheta jamaicensis</i>	Blue porterweed, Joee	
<u>Vitaceae</u>		
<i>Ampelopsis arborea</i>	Peppervine	
<i>Parthenocissus quinquefolia</i>	Virginia-creeper, Woodbine	
<i>Vitis cinerea</i> var. <i>floridana</i>	Florida grape	
<i>Vitis rotundifolia</i>	Muscadine	

## Gymnosperms

<u>Pinaceae</u>		
<i>Pinus elliottii</i> var. <i>densa</i>	South Florida slash pine	
<u>Zamiaceae</u>		
<i>Zamia integrifolia</i>	Coontie, Florida arrowroot	

## Monocots

<u>Amaryllidaceae</u>		
<i>Hymenocallis palmeri</i>	Alligatorlily	
<u>Arecaceae</u>		
<i>Coccothrinax argentata</i>	Florida silver palm	
<i>Sabal palmetto</i>	Cabbage palm	
<i>Serenoa repens</i>	Saw palmetto	
<u>Commelinaceae</u>		
<i>Commelina erecta</i>	Whitemouth dayflower	
E <i>Tradescantia spathacea</i>	Oysterplant, Moses-in-the-cradle, Boatlily	
<u>Cyperaceae</u>		
<i>Abildgaardia ovata</i>	Flatspike sedge	
<i>Bulbostylis ciliatifolia</i>	Densetuft hairsedge	
<i>Cladium jamaicense</i>	Saw-grass, Jamaica swamp sawgrass	
<i>Cyperus compressus</i>	Poorland flatsedge	

<i>Cyperus croceus</i>	Baldwin's flatsedge
<i>Cyperus filiculmis</i>	Wiry flatsedge
<i>Cyperus ligularis</i>	Swamp flatsedge
<i>Fimbristylis cymosa</i>	Hurricane sedge, Hurricanegrass
<i>Rhynchospora colorata</i>	Starrush whitetop
<i>Rhynchospora divergens</i>	Spreading beaksedge
<i>Rhynchospora floridensis</i>	Florida whitetop
<i>Rhynchospora grayi</i>	Gray's beaksedge
<i>Scleria ciliata</i> var. <i>ciliata</i>	Fringed nutrush
<u>Hypoxidaceae</u>	
<i>Hypoxis sessilis</i>	Glossyseed yellow stargrass
<u>Musaceae</u>	
CE <i>Musa xparadisiaca</i>	Common banana
<u>Orchidaceae</u>	
E <i>Oeceoclades maculata</i>	African ground orchid, Monk orchid
<u>Poaceae</u>	
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	Common bushy bluestem
<i>Andropogon longiberbis</i>	Hairy bluestem
<i>Andropogon ternarius</i>	Splitbeard bluestem
<i>Aristida beyrichiana</i>	Southern wiregrass
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	Hillsborough threeawn
E <i>Bothriochloa pertusa</i>	Pitted bluestem, Pitted beardgrass
<i>Cenchrus gracillimus</i>	Slender sandbur
E <i>Cynodon dactylon</i>	Bermuda grass
E <i>Dactyloctenium aegyptium</i>	Crow's-foot grass, Durban crowfootgrass
<i>Dichanthelium aciculare</i>	Needleleaf witch grass
<i>Dichanthelium erectifolium</i>	Erectleaf witchgrass
<i>Dichanthelium ovale</i>	Eggleaf witchgrass
<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	Glabrescent roughhair witchgrass
<i>Digitaria ciliaris</i>	Southern crabgrass
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	Caribbean crabgrass
E <i>Eleusine indica</i>	Indian goose grass
E <i>Eragrostis ciliaris</i>	Gophertail lovegrass
<i>Eragrostis ellottii</i>	Elliott's lovegrass
E <i>Eremochloa ophiuroides</i>	Centipedegrass
<i>Eustachys petraea</i>	Common fingergrass, Pinewoods fingergrass
<i>Muhlenbergia capillaris</i>	Muhlygrass, Hairawnmuhly
E <i>Neyraudia reynaudiana</i>	Burmareed, Silkreed
<i>Panicum virgatum</i>	Switch grass
<i>Paspalum caespitosum</i>	Blue paspalum, Blue crownglass
<i>Paspalum monostachyum</i>	Gulfdune paspalum
E <i>Paspalum notatum</i>	Bahia grass
E <i>Pennisetum purpureum</i>	Napier grass, Elephantgrass
E <i>Rhynchoselytrum repens</i>	Rose Natalgrass
<i>Saccharum giganteum</i>	Sugarcane plumegrass
<i>Schizachyrium gracile</i>	Wire bluestem
<i>Schizachyrium rhizomatum</i>	Rhizomatus bluestem
<i>Schizachyrium sanguineum</i>	Crimson bluestem
<i>Setaria parviflora</i>	Knotroot foxtail, Yellow bristlegrass

	<i>Sorghastrum secundum</i>	Lopsided Indiangrass
E	<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	West Indian dropseed
	<i>Sporobolus junceus</i>	Pineywoods dropseed
E	<i>Stenotaphrum secundatum</i>	St. Augustine grass
E	<i>Zoysia tenuifolia</i>	Mascarene templegrass

#### Smilacaceae

	<i>Smilax auriculata</i>	Earleaf greenbrier
	<i>Smilax bona-nox</i>	Saw greenbrier
	<i>Smilax havanensis</i>	Havana greenbrier, Everglades greenbrier

## Pteridophytes

#### Dennstaedtiaceae

	<i>Pteridium aquilinum</i> var. <i>caudatum</i>	Lacy braken fern
--	-------------------------------------------------	------------------

#### Nephrolepidaceae

	<i>Nephrolepis exaltata</i>	Wild Boston fern
E	<i>Nephrolepis multiflora</i>	Asian sword fern

#### Polypodiaceae

	<i>Phlebodium aureum</i>	Golden polypody
	<i>Pleopeltis polypodioides</i> var. <i>michauiiana</i>	Resurrection fern

#### Psilotaceae

	<i>Psilotum nudum</i>	Whisk-fern
--	-----------------------	------------

#### Pteridaceae

	<i>Acrostichum danaeifolium</i>	Giant leather fern
	<i>Pteris bahamensis</i>	Bahama ladder brake
E	<i>Pteris vittata</i>	China brake

#### Schizaceae

	<i>Anemia adiantifolia</i>	Pine fern, Maidenhair pineland fern
--	----------------------------	-------------------------------------

#### Thelypteridaceae

	<i>Thelypteris kunthii</i>	Southern shield fern
--	----------------------------	----------------------

#### Vittariaceae

	<i>Vittaria lineata</i>	Shoestring fern
--	-------------------------	-----------------

**E = Not Native to the site**

*Table 12:*  
**The Rare Vascular Plants of**  
**FEDERAL CORRECTIONAL INSTITUTION,**  
**RICHMOND PINE ROCKLANDS**  
**15801 S.W. 137 Ave. Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On July 26, 2000

<u>Species</u>	<u>State Status</u>	<u>Federal Status</u>	<u>FNAI Status</u>	<u>IRC Status</u>	<u>Size Range:</u>
<i>Andropogon tracyi</i>				R1	11-100
<i>Byrsinima lucida</i>	T				101-1,000
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	101-1,000
<i>Chamaesyce pergamena</i>	T				101-1,000
<i>Chaptalia albicans</i>	T				11-100
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum ilicifolium</i>	T		S2		101-1,000
<i>Cynanchum blodgettii</i>	T				101-1,000
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	T			R2	11-100
<i>Eupatorium compositifolium</i>				R1	2-10
<i>Galactia pinetorum</i>			S2	R2	101-1,000
<i>Hypoxis sessilis</i>				R1	11-100
<i>Ipomoea tenuissima</i>	E		S1S2	R2	101-1,000
<i>Jacquemontia curtisi</i>	T		S2		101-1,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		101-1,000
<i>Melanthera parvifolia</i>	T				101-1,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		1,001-10,000
<i>Poinsettia pinetorum</i>	E		S2		11-100
<i>Pteris bahamensis</i>	T				11-100
<i>Pteroglossaspis ecristata</i>	T		S2	R2	2-10
<i>Rhynchospora floridensis</i>			S2		1,001-10,000
<i>Smilax havanensis</i>	T				101-1,000
<i>Spermacoce terminalis</i>	T				101-1,000
<i>Tragia saxicola</i>	T		S2		101-1,000
<i>Vernonia blodgettii</i>	E				11-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 13:*  
**The Rare Vascular Plants of**  
**LUIS MARTINEZ U.S. ARMY RESERVE CENTER,**  
**RICHMOND PINE ROCKLANDS**  
**13601 S.W. 176 St. Miami, Florida**

Field Data Compiled By:

Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On June 13-16, 2000

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
<i>Bletia purpurea</i>	T				2-10
<i>Brickellia mosieri</i>	E		S1	R1	101-1,000
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	1,001-10,000
<i>Chaptalia albicans</i>	T				11-100
<i>Coccothrinax argentata</i>	T		S2?		1,001-10,000
<i>Crossopetalum ilicifolium</i>	T		S2		1,001-10,000
<i>Cynanchum blodgettii</i>	T				1,001-10,000
<i>Digitaria pauciflora</i>	E		S1	R1	100,001-1,000,000
<i>Elytraria caroliniensis</i> var. <i>angustifolia</i>			S2		2-10
<i>Ernodea cokeri</i>	E			R1	2-10
<i>Galactia pinetorum</i>			S2	R2	1,001-10,000
<i>Ipomoea microdactyla</i>	E		S1S2	R2	101-1,000
<i>Ipomoea tenuissima</i>	E		S1S2	R2	101-1,000
<i>Jacquemontia curtisii</i>	T		S2		1,001-10,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		1,001-10,000
<i>Melanthera parvifolia</i>	T				10,001-100,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		100,001-1,000,000
<i>Poinsettia pinetorum</i>	E		S2		1,001-10,000
<i>Psidium longipes</i>	T				101-1,000
<i>Pteris bahamensis</i>	T				1,001-10,000
<i>Rhynchospora floridensis</i>			S2		10,001-100,000
<i>Sachsia polyccephala</i>	E		S1		101-1,000
<i>Smilax havanensis</i>	T				1,001-10,000
<i>Spermacoce terminalis</i>	T				1,001-10,000
<i>Spiranthes torta</i>	E		S1	R1	11-100
<i>Tragia saxicola</i>	T		S2		10,001-100,000
<i>Vernonia blodgettii</i>	E				1,001-10,000

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 14:*  
**The Rare Vascular Plants of**  
**NATIONAL INSTITUTE OF HEALTH, GSA,**  
**RICHMOND PINE ROCKLANDS**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, Florida  
 On May 24 and June 23, 2000

---

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
<i>Byrsinima lucida</i>	T				1,001-10,000
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	101-1,000
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum ilicifolium</i>	T		S2		101-1,000
<i>Cynanchum blodgettii</i>	T				1,001-10,000
<i>Galactia pinetorum</i>			S2	R2	101-1,000
<i>Jacquemontia curtisii</i>	T		S2		101-1,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		101-1,000
<i>Melanthera parvifolia</i>	T				1,001-10,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		1,001-10,000
<i>Poinsettia pinetorum</i>	E		S2		101-1,000
<i>Rhynchospora floridensis</i>			S2		1,001-10,000
<i>Vernonia blodgettii</i>	E				101-1,000

---

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 15:*  
**The Rare Vascular Plants of**  
**ROBERT MORGAN TECHNICAL INSTITUTE,**  
**RICHMOND PINE ROCKLANDS**  
**18180 S.W. 122 Ave., Miami, Florida**

Field Data Compiled By:

Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On June 28, 2000

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
<i>Byrsinima lucida</i>	T				101-1,000
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	11-100
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum ilicifolium</i>	T		S2		101-1,000
<i>Cynanchum blodgettii</i>	T				101-1,000
<i>Jacquemontia curtisiae</i>	T		S2		101-1,000
<i>Koanophyllum villosum</i>	E		S2		101-1,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		11-100
<i>Melanthera parvifolia</i>	T				101-1,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		10,001-100,000
<i>Poinsettia pinetorum</i>	E		S2		101-1,000
<i>Psidium longipes</i>	T				2-10
<i>Pteris bahamensis</i>	T				101-1,000
<i>Rhynchospora floridensis</i>			S2		1,001-10,000
<i>Sachsenia polyccephala</i>	E		S1		101-1,000
<i>Smilax havanensis</i>	T				1,001-10,000
<i>Spermacoce terminalis</i>	T				101-1,000
<i>Tragia saxicola</i>	T		S2		1,001-10,000
<i>Tripsacum floridanum</i>	T		S2		11-100
<i>Vernonia blodgettii</i>	E				11-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 16:*  
**The Rare Vascular Plants of**  
**U.S. AIR FORCE PROPERTY,**  
**RICHMOND PINE ROCKLANDS**  
**15810 S.W. 129 Ave., Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On June 16 & 22, July 19, 2000

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
<i>Byrsinima lucida</i>	T				101-1,000
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	11-100
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum ilicifolium</i>	T		S2		101-1,000
<i>Cynanchum blodgettii</i>	T				1,001-10,000
<i>Galactia pinetorum</i>			S2	R2	101-1,000
<i>Jacquemontia curtisii</i>	T		S2		101-1,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		101-1,000
<i>Melanthera parvifolia</i>	T				101-1,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		1,001-10,000
<i>Poinsettia pinetorum</i>	E		S2		101-1,000
<i>Polygala smallii</i>	E	E	S1	R2	11-100
<i>Pteris bahamensis</i>	T				101-1,000
<i>Rhynchospora floridensis</i>			S2		1,001-10,000
<i>Smilax havanensis</i>	T				101-1,000
<i>Spermacoce terminalis</i>	T				101-1,000
<i>Tragia saxicola</i>	T		S2		101-1,000
<i>Zornia bracteata</i>				R1	11-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 17:*  
**The Rare Vascular Plants of**  
**U.S. COAST GUARD COMMUNICATIONS STATION,**  
**RICHMOND PINE ROCKLANDS**  
**16001 S.W. 117 Ave., Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On May 23 & 25, July 26, 2000

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
<i>Andropogon tracyi</i>				R1	11-100
<i>Asclepias viridis</i>				R1	11-100
<i>Byrsinima lucida</i>	T				101-1,000
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	101-1,000
<i>Chaptalia albicans</i>	T				2-10
<i>Coccothrinax argentata</i>	T		S2?		1,001-10,000
<i>Crossopetalum ilicifolium</i>	T		S2		1,001-10,000
<i>Cynanchum blodgettii</i>	T				1,001-10,000
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	T			R2	11-100
<i>Galactia pinetorum</i>			S2	R2	1,001-10,000
<i>Gymnopogon ambiguus</i>				R1	2-10
<i>Hypoxis sessilis</i>				R1	2-10
<i>Ipomoea microdactyla</i>	E		S1S2	R2	11-100
<i>Jacquemontia curtisii</i>	T		S2		1,001-10,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		101-1,000
<i>Melanthera parvifolia</i>	T				1,001-10,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		10,001-100,000
<i>Poinsettia pinetorum</i>	E		S2		101-1,000
<i>Polygala smallii</i>	E	E	S1	R2	101-1,000
<i>Psidium longipes</i>	T				101-1,000
<i>Pteris bahamensis</i>	T				101-1,000
<i>Rhynchospora floridensis</i>			S2		1,001-10,000
<i>Smilax havanensis</i>	T				101-1,000
<i>Spermacoce terminalis</i>	T				101-1,000
<i>Swietenia mahagoni</i>	E		S2		11-100
<i>Tillandsia balbisiana</i>	T				11-100
<i>Tragia saxicola</i>	T		S2		10,001-100,000
<i>Tripsacum floridanum</i>	T		S2		2-10
<i>Vernonia blodgettii</i>	E				11-100

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 18:*  
**The Vascular Plants of**  
**U.S. COAST GUARD HOUSING,**  
**RICHMOND PINE ROCKLANDS**  
**15420 S.W. 120 Ave., Miami, Florida**

Field Data Compiled By:

Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On June 26, 2000

---

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
<i>Byrsinima lucida</i>	T				11-100
<i>Chaptalia albicans</i>	T				2-10
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum ilicifolium</i>	T		S2		11-100
<i>Galactia pinetorum</i>			S2		101-1,000
<i>Jacquemontia curtissii</i>	T		S2		11-100
<i>Lantana depressa var. depressa</i>	E		S1		11-100
<i>Melanthera parvifolia</i>	T				101-1,000
<i>Phyllanthus pentaphyllus var. floridanus</i>			S2		1,001-10,000
<i>Pteris bahamensis</i>	T				11-100
<i>Rhynchospora floridensis</i>			S2		1,001-10,000
<i>Tragia saxicola</i>	T		S2		11-100
<i>Vernonia blodgettii</i>	E				11-100

---

T = Threatened  
E = Endangered  
S1 = Critically Imperiled in Florida  
S2 = Imperiled in Florida  
R1 = Critically Imperiled in southern Florida  
R2 = Imperiled in southern Florida

*Table 19:*  
**The Rare Vascular Plants of**  
**U.S. COASTAL CIVIL ENGINEERING PROPERTY,**  
**U.S. COAST GUARD,**  
**RICHMOND PINE ROCKLANDS**  
**15810 S.W. 129 Ave., Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
 The Institute for Regional Conservation  
 Miami, Florida  
 On May 24 and Aug. 1, 2000

---

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
<i>Asclepias viridis</i>				R1	11-100
<i>Byrsinima lucida</i>	T				11-100
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	101-1,000
<i>Coccothrinax argentata</i>	T		S2?		101-1,000
<i>Crossopetalum ilicifolium</i>	T		S2		101-1,000
<i>Cynanchum blodgettii</i>	T				101-1,000
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	T			R2	2-10
<i>Galactia pinetorum</i>			S2	R2	101-1,000
<i>Jacquemontia curtissii</i>	T		S2		101-1,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		101-1,000
<i>Melanthera parvifolia</i>	T				101-1,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		1,001-10,000
<i>Polygonia smallii</i>	E	E	S1	R2	11-100
<i>Rhynchospora floridensis</i>			S2		101-1,000
<i>Spermatoce terminalis</i>	T				11-100
<i>Vernonia blodgettii</i>	E				11-100

---

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 20:*  
**The Rare Vascular Plants of**  
**U.S. GENERAL SERVICES ADMINISTRATION (GSA) PROPERTY,**  
**RICHMOND PINE ROCKLANDS**  
**Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On June 16, 23 and July 19, 2000

---

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
					R1 1
<i>Berlandiera subacaulis</i>					2-10
<i>Bletia purpurea</i>	T				1,001-10,000
<i>Byrsinima lucida</i>	T				101-1,000
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	2-10
<i>Chaptalia albicans</i>	T				101-1,000
<i>Coccothrinax argentata</i>	T		S2?		1,001-10,000
<i>Crossopetalum ilicifolium</i>	T		S2		1,001-10,000
<i>Cynanchum blodgettii</i>	T				1,001-10,000
<i>Galactia pinetorum</i>			S2	R2	1,001-10,000
<i>Jacquemontia curtissii</i>	T		S2		1,001-10,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		101-1,000
<i>Melanthera parvifolia</i>	T				1,001-10,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		10,001-100,000
<i>Poinsettia pinetorum</i>	E		S2		101-1,000
<i>Polygonia smallii</i>	E	E	S1	R2	2-10
<i>Psidium longipes</i>	T				101-1,000
<i>Pteris bahamensis</i>	T				101-1,000
<i>Rhynchospora floridensis</i>			S2		1,001-10,000
<i>Sachsenia polyccephala</i>	E		S1		11-100
<i>Smilax havanensis</i>	T				101-1,000
<i>Spermacoce terminalis</i>	T				101-1,000
<i>Tragia saxicola</i>	T		S2		1,001-10,000
<i>Tripsacum floridanum</i>	T		S2		2-10

---

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 21:*  
**The Rare Vascular Plants of**  
**U.S. NAVAL OBSERVATORY, GSA,**  
**RICHMOND PINE ROCKLANDS**  
**11820 S.W. 166 St., Miami, Florida**

Field Data Compiled By:

Keith A. Bradley and Steven W. Woodmansee  
The Institute for Regional Conservation  
Miami, Florida  
On June 20-21, 2000

---

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
<i>Asclepias viridis</i>				R1	101-1,000
<i>Berlandiera subacaulis</i>				R1	11-100
<i>Brickellia mosieri</i>	E		S1	R1	11-100
<i>Byrsinima lucida</i>	T				101-1,000
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	101-1,000
<i>Chaptalia albicans</i>	T				2-10
<i>Coccothrinax argentata</i>	T		S2?		1,001-10,000
<i>Crossopetalum ilicifolium</i>	T		S2		1,001-10,000
<i>Cynanchum blodgettii</i>	T				1,001-10,000
<i>Desmodium lineatum</i>				R1	101-1,000
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	T			R2	101-1,000
<i>Galactia pinetorum</i>			S2	R2	1,001-10,000
<i>Gymnopogon ambiguus</i>				R1	2-10
<i>Ipomoea microdactyla</i>	E		S1S2	R2	11-100
<i>Ipomoea tenuissima</i>	E		S1S2	R2	11-100
<i>Jacquemontia curtissii</i>	T		S2		1,001-10,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		1,001-10,000
<i>Melanthera parvifolia</i>	T				1,001-10,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		10,001-100,000
<i>Poinsettia pinetorum</i>	E		S2		101-1,000
<i>Psidium longipes</i>	T				11-100
<i>Pteris bahamensis</i>	T				2-10
<i>Pteroglossaspis ecristata</i>	T		S2	R2	11-100
<i>Rhynchospora floridensis</i>			S2		1,001-10,000
<i>Smilax havanensis</i>	T				1,001-10,000
<i>Spermacoce terminalis</i>	T				1,001-10,000
<i>Tragia saxicola</i>	T		S2		101-1,000
<i>Tripsacum floridanum</i>	T		S2		11-100
<i>Vernonia blodgettii</i>	E				101-1,000
<i>Zornia bracteata</i>				R1	11-100

---

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 22:*  
**The Rare Vascular Plants of**  
**UNIVERSITY OF MIAMI SOUTH CAMPUS,**  
**RICHMOND PINE ROCKLANDS**  
**12500 S.W. 152 St., Miami, Florida**  
**Miami, Florida**

Field Data Compiled By:

Keith A. Bradley, Steven W. Woodmansee, and David W. Hall  
 The Institute for Regional Conservation  
 Miami, Florida  
 On August 3-4, 2000

<b>Species</b>	<b>State Status</b>	<b>Federal Status</b>	<b>FNAI Status</b>	<b>IRC Status</b>	<b>Size Range:</b>
<i>Asclepias viridis</i>				R1	2-10
<i>Brysonima lucida</i>	T				1,001-10,000
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2	101-1,000
<i>Chaptalia albicans</i>	T				101-1,000
<i>Coccothrinax argentata</i>	T		S2?		1,001-10,000
<i>Crossopetalum ilicifolium</i>	T		S2		1,001-10,000
<i>Cynanchum blodgettii</i>	T				1,001-10,000
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	T			R2	101-1,000
<i>Galactia pinetorum</i>			S2	R2	1,001-10,000
<i>Hypoxis sessilis</i>				R1	11-100
<i>Ipomoea microdactyla</i>	E		S1S2	R2	2-10
<i>Ipomoea tenuissima</i>	E		S1S2	R2	2-10
<i>Jacquemontia curtisiae</i>	T		S2		1,001-10,000
<i>Lantana depressa</i> var. <i>depressa</i>	E		S1		101-1,000
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>			S2		1,001-10,000
<i>Polygala smallii</i>	E	E	S1	R2	101-1,000
<i>Psidium longipes</i>	T				2-10
<i>Pteris bahamensis</i>	T				101-1,000
<i>Rhynchospora floridensis</i>			S2		1,001-10,000
<i>Sachsenia polyccephala</i>	E		S1		11-100
<i>Smilax havanensis</i>	T				1,001-10,000
<i>Spermacoce terminalis</i>	T				1,001-10,000
<i>Tragia saxicola</i>	T			S2	101-1,000
<i>Vernonia blodgettii</i>	E				101-1,000
<i>Zornia bracteata</i>				R1	2-10

T = Threatened

E = Endangered

S1 = Critically Imperiled in Florida

S2 = Imperiled in Florida

R1 = Critically Imperiled in southern Florida

R2 = Imperiled in southern Florida

*Table 23:*  
**Floristic Summary of**  
**RICHMOND PINE ROCKLANDS**

---

	Total Species	Exotic	Native	Total Rare	State Listed	Federal	FNAI <sup>1</sup>	IRC <sup>2</sup>
<i>Federal Correctional Institution</i>	177	22	155	25	19	1	12	8
<i>Luis Martinez U.S. Army Reserve Center</i>	232	45	187	28	24	1	17	8
<i>National Institute of Health, GSA</i>	132	20	112	13	10	1	9	2
<i>Robert Morgan Technical Institute</i>	145	27	118	20	18	1	12	1
<i>U.S. Air Force Property</i>	148	14	134	18	14	2	11	4
<i>U.S. Coast Guard Communications Station</i>	177	24	153	28	21	2	13	10
<i>U.S. Coast Guard Housing</i>	137	28	109	13	10	0	8	1
<i>U.S. Coastal Civil Engineering Property</i>	122	8	114	16	12	2	9	5
<i>U.S. General Services Administration (GSA)</i>	179	18	161	23	19	2	13	4
<i>U.S. Naval Observatory</i>	249	52	197	30	22	1	15	12
<i>University of Miami South Campus</i>	228	25	203	25	19	2	13	9

---

<sup>1</sup> Florida Natural Areas Inventory, taxa listed as Critically Imperiled (S1) or Imperiled (S2) in Florida

<sup>2</sup> The Institute for Regional Conservation, taxa listed as Critically Imperiled (R1) or Imperiled (R2) in southern Florida

*Table 24:*  
**Comprehensive Plant List of Non-County Properties at the**  
**Richmond Pine Rocklands**

---

**FCI**=Federal Correctional Inst.; **ARMY**=Luis Martinez U.S. Army Reserve; **NIH**=National Institute of Health;  
**ROB**=Robert Morgan; **AIR**=U.S. Air Force; **CG**=Coast Guard Communications Station; **CGH**=Coast Guard Housing;  
**CCE**=Coastal Civil Engineering; **GSA**=U.S. General Services Administration; **NAV**=U.S. Naval Observatory;  
**UM**=University Of Miami

**N**=Native to the Site; **E**=Exotic to the Site; **C**=Cultivated on the Site

<b>Species</b>	<b>FCI</b>	<b>ARMY</b>	<b>NIH</b>	<b>ROB</b>	<b>AIR</b>	<b>CG</b>	<b>CGH</b>	<b>CCE</b>	<b>GSA</b>	<b>NAV</b>	<b>UM</b>
<i>Abildgaardia ovata</i>	N			N	N					N	N
<i>Abrus precatorius</i>		E	E	E	E	E	E			E	
<i>Acacia auriculiformis</i>		E	E		E	E	E	E	E	E	
<i>Acacia farnesiana</i>											N
<i>Acalypha chamaedrifolia</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Acrostichum danaeifolium</i>											N
<i>Aeschynomene viscidula</i>					N	N		N	N	N	N
<i>Agalinis fasciculata</i>	N	N	N	N	N			N	N	N	N
<i>Agave angustifolia</i>										E	
<i>Agave sisalana</i>	E	E		E			E			E	
<i>Albizia lebbeck</i>	E	E	E	E		E				E	
<i>Aletris lutea</i>		N							N		
<i>Alstonia macrophylla</i>											E
<i>Alysicarpus vaginalis</i>		E		E						E	E
<i>Amaranthus viridis</i>											E
<i>Ambrosia artemisiifolia</i>	N	N	N	N	N	N			N	N	N
<i>Ampelopsis arborea</i>											N
<i>Andropogon glomeratus</i> var. <i>pumilus</i>	N	N	N	N	N		N		N	N	N
<i>Andropogon longiberbis</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Andropogon ternarius</i>	N	N				N		N	N	N	N
<i>Andropogon tracyi</i>	N				N						
<i>Anemia adiantifolia</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Angadenia berteroii</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Ardisia elliptica</i>		E	E			E	E		E		E
<i>Ardisia escallionoides</i>	N					N					
<i>Argemone mexicana</i>										N	
<i>Aristida beyrichiana</i>	N		N			N		N		N	N
<i>Aristida condensata</i>		N				N	N	N			
<i>Aristida purpurascens</i> var. <i>tenuispica</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Arnoglossum ovatum</i>	N										
<i>Asclepias tuberosa</i>	N	N		N		N		N		N	N
<i>Asclepias verticillata</i>						N				N	
<i>Asclepias viridis</i>						N		N		N	N
<i>Asparagus densiflorus</i>							E				
<i>Asparagus setaceus</i>									E		
<i>Aster adnatus</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Aster concolor</i>	N	N	N	N	N	N	N	N	N	N	N

<b>Species</b>	<b>FCI</b>	<b>ARMY</b>	<b>NIH</b>	<b>ROB</b>	<b>AIR</b>	<b>CG</b>	<b>CGH</b>	<b>CCE</b>	<b>GSA</b>	<b>NAV</b>	<b>UM</b>
<i>Ayenia euphrasiifolia</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Baccharis glomeruliflora</i>			N	N	N				N	N	
<i>Baccharis halimifolia</i>	N	N		N	N					N	N
<i>Bacopa monnieri</i>			N								
<i>Berlandiera subacaulis</i>									N	N	N
<i>Bidens alba</i> var. <i>radiata</i>	N	N	N	N	N	N		N	N	N	
<i>Bischofia javanica</i>		E				E			E		
<i>Blechnum serrulatum</i>									N		
<i>Blechum pyramidatum</i>								E			
<i>Bletia purpurea</i>		N						N			
<i>Bothriochloa pertusa</i>										E	
<i>Brickellia mosieri</i>	N									N	
<i>Buchnera americana</i>	N	N				N			N	N	
<i>Bucida buceras</i>								E			
<i>Bulbostylis ciliatifolia</i>	N		N		N	N		N	N	N	N
<i>Bursera simaruba</i>			N		N	N	N		N	N	N
<i>Byrsonima lucida</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Cajanus cajan</i>	E										
<i>Callicarpa americana</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Callisia fragrans</i>						E					
<i>Canavalia brasiliensis</i>		E				E			E	E	E
<i>Carica papaya</i>	E										
<i>Cassytha filiformis</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Casuarina equisetifolia</i>			E	E	E	E			E	E	E
<i>Casuarina glauca</i>			E								
<i>Catharanthus roseus</i>		E		E			E		E	E	E
<i>Cenchrus gracillimus</i>	N	N			N	N	N	N	N	N	N
<i>Cenchrus incertus</i>									N	N	
<i>Centella asiatica</i>		N								N	
<i>Centrosema virginianum</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Cephaelanthus occidentalis</i>											N
<i>Cestrum diurnum</i>										E	E
<i>Chamaecrista deeringiana</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Chamaecrista fasciculata</i>									N		
<i>Chamaecrista nictitans</i> var. <i>aspera</i>	N	N	N	N	N				N	N	N
<i>Chamaesyce conferta</i>		N							N	N	N
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	N	N	N	N	N	N		N	N	N	N
<i>Chamaesyce hirta</i>		N							N	N	N
<i>Chamaesyce hypericifolia</i>	N	N		N	N			N	N	N	N
<i>Chamaesyce lasiocarpa</i>									E	E	
<i>Chamaesyce mendezii</i>	N								N	N	
<i>Chamaesyce ophthalmica</i>									N		
<i>Chamaesyce pergamenta</i>	N										
<i>Chaptalia albicans</i>	N	N				N	N		N	N	N
<i>Chiococca alba</i>							N				
<i>Chiococca parvifolia</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Chromolaena odorata</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Chrysobalanus icaco</i>											N
<i>Cirsium horridulum</i>	N	N	N	N	N	N			N	N	N
<i>Cissus verticillata</i>	N	N									
<i>Cladium jamaicense</i>		N			N				N		N

<b>Species</b>	<b>FCI</b>	<b>ARMY</b>	<b>NIH</b>	<b>ROB</b>	<b>AIR</b>	<b>CG</b>	<b>CGH</b>	<b>CCE</b>	<b>GSA</b>	<b>NAV</b>	<b>UM</b>
<i>Clematis baldwinii</i>	N	N				N			N	N	
<i>Cnidoscolus stimulosus</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Coccoloba uvifera</i>											N
<i>Coccothrinax argentata</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Commelina erecta</i>	N	N	N		N	N	N	N	N	N	N
<i>Conyza canadensis</i> var. <i>pusilla</i>	N	N		N	N	N			N	N	
<i>Crinum americanum</i>				N							
<i>Crossopetalum ilicifolium</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Crotalaria pallida</i> var. <i>obovata</i>		E		E					E	E	
<i>Crotalaria pumila</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Crotalaria rotundifolia</i>	N		N	N	N	N		N	N	N	N
<i>Crotalaria spectabilis</i>	E	E		E	E				E	E	
<i>Croton glandulosus</i> var. <i>glandulosus</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Croton linearis</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Cucumis melo</i>	E										
<i>Cynanchum blodgettii</i>	N	N	N	N	N	N		N	N	N	N
<i>Cynodon dactylon</i>				E					E		
<i>Cyperus compressus</i>										N	
<i>Cyperus croceus</i>										N	
<i>Cyperus filiculmis</i>	N				N	N		N	N	N	N
<i>Cyperus ligularis</i>									N	N	N
<i>Cyperus retrorsus</i>									N		
<i>Dactyloctenium aegyptium</i>										E	
<i>Dalbergia sissoo</i>		E	E						E	E	
<i>Dalea carnea</i> var. <i>carnea</i>	N	N	N		N	N		N	N	N	N
<i>Delonix regia</i>		E				E					
<i>Desmodium incanum</i>	N	N	N	N	N	N	N		N	N	N
<i>Desmodium lineatum</i>									N	N	
<i>Desmodium marilandicum</i>	N	N	N		N	N		N	N	N	N
<i>Desmodium tortuosum</i>	E	E							E	E	
<i>Desmodium triflorum</i>	E	E		E			E		E	E	
<i>Dichanthelium aciculare</i>	N	N	N	N		N	N	N	N	N	N
<i>Dichanthelium ensifolium</i> var. <i>unciphyllum</i>					N			N	N	N	
<i>Dichanthelium erectifolium</i>										N	
<i>Dichanthelium ovale</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Dichanthelium strigosum</i> var. <i>glabrescens</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Digitaria ciliaris</i>										N	
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	N				N			N		N	N
<i>Digitaria pauciflora</i>		E									
<i>Diodia teres</i>	N				N			N		N	N
<i>Dioscorea bulbifera</i>		E				E					
<i>Dyschoriste angusta</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Echites umbellata</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Eleusine indica</i>										E	
<i>Elytraria caroliniensis</i> var. <i>angustifolia</i>		N									
<i>Emilia fosbergii</i>	E			E			E		E	E	
<i>Emilia sonchifolia</i>		E									
<i>Encyclia tampensis</i>					E						
<i>Eragrostis ciliaris</i>										E	
<i>Eragrostis elliotii</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Eremochloa ophiuroides</i>	E				E		E	N	E	E	

<u>Species</u>	FCI	ARMY	NIH	ROB	AIR	CG	CGH	CCE	GSA	NAV	UM
<i>Erigeron quercifolius</i>		N									
<i>Ernodea cokeri</i>		N									
<i>Eryngium baldwinii</i>		N									
<i>Eugenia uniflora</i>		E									
<i>Eupatorium capillifolium</i>	N	N		N	N		N			N	N
<i>Eupatorium compositifolium</i>	N										
<i>Eupatorium mohrii</i>	N										
<i>Eupatorium serotinum</i>	N										N
<i>Euphorbia polyphylla</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Eustachys glauca</i>		N									
<i>Eustachys petraea</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Evolvulus sericeus</i>	N	N	N	N	N		N	N	N	N	N
<i>Ficus aurea</i>		N	N	N	N		N	N			
<i>Ficus benjamina</i>									C		
<i>Ficus citrifolia</i>	N	N	N	N	N	N	N	N	N	N	
<i>Ficus microcarpa</i>		E			E	E		E			
<i>Fimbristylis cymosa</i>											N
<i>Flacourtie indica</i>				E					E	E	
<i>Flaveria linearis</i>	N	N	N	N	N	N		N	N	N	
<i>Flaveria trinervia</i>		N									
<i>Galactia pinetorum</i>	N	N	N		N	N	N	N	N	N	
<i>Galactia volubilis</i>	N										N
<i>Galium hispidulum</i>	N	N	N		N	N	N		N	N	N
<i>Gaura angustifolia</i>		N			N	N	N		N	N	
<i>Guettarda scabra</i>	N	N		N	N	N	N		N	N	N
<i>Gymnopogon ambiguus</i>					N						
<i>Hedyotis nigricans</i> var. <i>floridana</i>		N		N				N	N	N	
<i>Heliotropium polypyllum</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Herissantia crispa</i>		N									
<i>Hieracium megacephalon</i>	N	N				N		N		N	N
<i>Hymenocallis palmeri</i>											N
<i>Hypericum brachyphyllum</i>		N									
<i>Hypoxis sessilis</i>	N					N					N
<i>Hyptis alata</i>	N	N								N	
<i>Imperata brasiliensis</i>	N	N		N		N		N	N	N	
<i>Indigofera miniata</i> var. <i>florida</i>											N
<i>Indigofera spicata</i>									E	E	
<i>Indigofera suffruticosa</i>		E						E	E	E	
<i>Ipomoea indica</i> var. <i>acuminata</i>		N								N	
<i>Ipomoea microdactyla</i>		N				N				N	N
<i>Ipomoea tenuissima</i>	N	N								N	N
<i>Ipomoea triloba</i>	E										
<i>Iresine diffusa</i>										N	
<i>Jacquemontia curtisii</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Kalanchoe pinnata</i>		E				E					
<i>Koanophyllum villosum</i>				N							
<i>Lantana camara</i>	E	E	E	E	E	E	E	E	E	E	E
<i>Lantana camara</i> x <i>L. depressa</i> var. <i>depressa</i>	E										
<i>Lantana depressa</i> var. <i>depressa</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Lantana involucrata</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Lechea sessiliflora</i>					N			N			

<u>Species</u>	FCI	ARMY	NIH	ROB	AIR	CG	CGH	CCE	GSA	NAV	UM
<i>Lechea torreyi</i>		N								N	
<i>Leucaena leucocephala</i>		E		E					E	E	
<i>Liatris gracilis</i>	N	N	N						N	N	N
<i>Liatris tenuifolia</i> var. <i>tenuifolia</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Licania michauxii</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Lyonia fruticosa</i>				N	N		N	N		N	
<i>Lysiloma latisiliquum</i>						N				N	
<i>Lysiloma sabicu</i>						E					
<i>Macropodium lathyroides</i>	E								E	E	
<i>Malvastrum corchorifolium</i>									N		
<i>Mecardonia acuminata</i> ssp. <i>peninsularis</i>	N	N		N					N	N	N
<i>Melaleuca quinquenervia</i>									N	E	
<i>Melanthera nivea</i>					N						
<i>Melanthera parvifolia</i>	N	N	N	N	N	N	N	N	N	N	
<i>Melia azedarach</i>									E		
<i>Melinis minutiflora</i>	E								E	E	
<i>Merremia dissecta</i>	E	E	E	E		E			E	E	
<i>Merremia tuberosa</i>	E										
<i>Metopium toxiferum</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Mikania scandens</i>	N	N					N			N	
<i>Mimosa quadrivalvis</i> var. <i>angustata</i>									N		
<i>Momordica charantia</i>	E	E					E		E	E	
<i>Morinda royoc</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Muhlenbergia capillaris</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Musa xparadisiaca</i>	E									E	
<i>Myrica cerifera</i>	N	N		N	N	N	N	N	N	N	N
<i>Nama jamaicense</i>										N	
<i>Nephrolepis exaltata</i>		N	N				N		N	N	
<i>Nephrolepis multiflora</i>					E					E	
<i>Neptunia pubescens</i>											
<i>Neyraudia reynaudiana</i>	E	E	E	E	E	E	E	E	E	E	E
<i>Oeceoclades maculata</i>	E								E	E	E
<i>Opuntia humifusa</i>	N	N	N	N	N	N		N	N	N	N
<i>Oxalis corniculata</i>											N
<i>Panicum hemitomon</i>									N		
<i>Panicum maximum</i>										E	
<i>Panicum repens</i>			E								
<i>Panicum virgatum</i>											N
<i>Parthenium hysterophorus</i>									E		
<i>Parthenocissus quinquefolia</i>	N	N	N	N	N	N	N		N	N	N
<i>Paspalum blodgettii</i>									N	N	N
<i>Paspalum caespitosum</i>	N	N				N	N		N	N	N
<i>Paspalum monostachyum</i>	N				N	N			N	N	N
<i>Paspalum notatum</i>										E	
<i>Paspalum setaceum</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Passiflora suberosa</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Pectis glaucescens</i>	N	N		N	N		N	N	N	N	N
<i>Pennisetum purpureum</i>										E	
<i>Pentalinon luteum</i>										N	
<i>Persea americana</i>			C					N		N	N
<i>Persea palustris</i>								N		N	N

<b>Species</b>	<b>FCI</b>	<b>ARMY</b>	<b>NIH</b>	<b>ROB</b>	<b>AIR</b>	<b>CG</b>	<b>CGH</b>	<b>CCE</b>	<b>GSA</b>	<b>NAV</b>	<b>UM</b>
<i>Phlebodium aureum</i>	N	N	N	N	N	N		N	N	N	N
<i>Phyla nodiflora</i>	N	N	N	N	N				N	N	
<i>Phyllanthus amarus</i>		E					E				
<i>Phyllanthus caroliniensis</i> ssp. <i>saxicola</i>	N										N
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Physalis angulata</i>	N										
<i>Physalis walteri</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Phytolacca americana</i>	N	N									
<i>Pilea microphylla</i>		N								N	
<i>Piloblepharis rigida</i>	N	N		N	N	N	N	N	N	N	N
<i>Pinus elliottii</i> var. <i>densa</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Piriqueta caroliniiana</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Pityopsis graminifolia</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Pleopeltis polypodioides</i> var. <i>michaouxiana</i>								N			N
<i>Pluchea carolinensis</i>	N	N		N	N	N	N			N	N
<i>Pluchea rosea</i>		N		N				N	N	N	N
<i>Poinsettia cyathophora</i>		N	N		N	N	N		N	N	N
<i>Poinsettia heterophylla</i>											N
<i>Poinsettia pinetorum</i>	N	N	N	N	N	N		N	N	N	N
<i>Polygala grandiflora</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Polygala incarnata</i>									N		
<i>Polygala smallii</i>					N	N		N	N	N	N
<i>Polypteron procumbens</i>	N	N		N		N		N	N	N	N
<i>Portulaca oleracea</i>										N	N
<i>Psidium longipes</i>		N		N		N			N	N	N
<i>Psilotum nudum</i>		N						N	N	N	N
<i>Psychotria nervosa</i>	N										
<i>Psychotria sulzneri</i>	N										N
<i>Pteridium aquilinum</i> var. <i>caudatum</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Pteris bahamensis</i>	N	N		N	N	N	N		N	N	N
<i>Pteris vittata</i>		E	E	E	E	E		E	E	E	
<i>Pteris x delchampsii</i>			E	E	E			E	E		
<i>Pteroaulon pycnostachyum</i>	N	N			N	N	N	N	N	N	N
<i>Pteroglossaspis ecristata</i>	N									N	N
<i>Quercus minima</i>	N	N	N		N	N		N	N	N	N
<i>Quercus pumila</i>	N	N	N	N	N	N		N	N	N	N
<i>Quercus virginiana</i>	N	N	N	N	N		N	N	N	N	N
<i>Randia aculeata</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Rapanea punctata</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Rhus copallina</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Rhynchoselytrum repens</i>	E	E	E	E	E	E	E	E	E	E	E
<i>Rhynchosia cinerea</i>					N			N		N	N
<i>Rhynchosia minima</i>	N	N		N		N			N		N
<i>Rhynchosia reniformis</i>	N	N			N	N	N	N	N	N	N
<i>Rhynchospora colorata</i>	N								N	N	N
<i>Rhynchospora divergens</i>	N										N
<i>Rhynchospora floridensis</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Rhynchospora grayi</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Rhynchospora plumosa</i>					N				N		
<i>Richardia grandiflora</i>	E	E	E		E		E			E	E
<i>Ricinus communis</i>			E								

<u>Species</u>	FCI	ARMY	NIH	ROB	AIR	CG	CGH	CCE	GSA	NAV	UM
<i>Rivina humilis</i>			N								
<i>Ruellia ciliatiflora</i>	N	N	N	N	N	N					E
<i>Ruellia succulenta</i>				E							N
<i>Russelia equisetiformis</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Sabal palmetto</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Saccharum giganteum</i>				N					N		N
<i>Sachsia polycephala</i>	N								N		N
<i>Samolus ebracteatus</i>	N								N		N
<i>Schefflera actinophylla</i>	E	E	E			E			E	E	E
<i>Schinus terebinthifolius</i>	E	E	E	E	E	E	E	E	E	E	E
<i>Schizachyrium gracile</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Schizachyrium rhizomatum</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Schizachyrium sanguineum</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Schoenus nigricans</i>	N										
<i>Scleria ciliata</i> var. <i>ciliata</i>	N		N		N	N	N	N	N	N	N
<i>Scoparia dulcis</i>		N									
<i>Serenoa repens</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Setaria parviflora</i>	N	N	N	N			N	N	N	N	N
<i>Sida acuta</i>	N	N	N	N	N	N	N		N	N	N
<i>Sida ciliaris</i>					N						
<i>Sida ellottii</i>	N	N		N			N		N	N	
<i>Sida rhombifolia</i>	N			N							
<i>Sideroxylon reclinatum</i> ssp. <i>reclinatum</i>											N
<i>Sideroxylon salicifolium</i>					N				N	N	N
<i>Sisyrinchium nashii</i>	N		N	N	N	N	N	N	N	N	N
<i>Smilax auriculata</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Smilax bona-nox</i>	N			N							N
<i>Smilax havanensis</i>	N	N		N	N	N			N	N	N
<i>Solanum americanum</i>											N
<i>Solidago gigantea</i>	N	N	N		N	N	N	N	N	N	N
<i>Solidago odora</i> var. <i>chapmanii</i>	N	N	N	N	N	N		N	N	N	N
<i>Solidago stricta</i>	N	N					N	N	N	N	N
<i>Sorghastrum secundum</i>	N	N	N	E	E	N	N	N	N	N	N
<i>Spermacoce assurgens</i>									N	N	N
<i>Spermacoce prostrata</i>									N	N	N
<i>Spermacoce terminalis</i>	N	N	E	E	N		N	N	N	N	N
<i>Spermacoce verticillata</i>	E	E	E	E	E	E	E	E	E	E	E
<i>Spigelia anthelmia</i>	N								N	N	N
<i>Spiranthes torta</i>	N										
<i>Sporobolus indicus</i> var. <i>pyramidalis</i>	E	E	E						E	E	
<i>Sporobolus junceus</i>	N	N		N	N		N		N	N	N
<i>Stachytarpheta jamaicensis</i>	N	N	N	N	N	N			N	N	N
<i>Stenandrium dulce</i>	N								N	N	
<i>Stenotaphrum secundatum</i>			E	E	E	E	E		E	E	E
<i>Stillingia sylvatica</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Stylosanthes hamata</i>				N	N				N	N	N
<i>Swietenia mahagoni</i>				E		E			E	E	E
<i>Syngonium podophyllum</i>							E				
<i>Syzygium cumini</i>										E	
<i>Syzygium jambos</i>								E			
<i>Tabebuia heterophylla</i>	C						E				

<u>Species</u>	FCI	ARMY	NIH	ROB	AIR	CG	CGH	CCE	GSA	NAV	UM
<i>Tephrosia florida</i>	N	N	N		N	N	N	N	N	N	N
<i>Terminalia catappa</i>							E				
<i>Terminalia muelleri</i>											E
<i>Tetrazygia bicolor</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Teucrium canadense</i>							N	N			
<i>Thelypteris kunthii</i>	N	N			N	N			N	N	N
<i>Tillandsia balbisiana</i>					N						
<i>Toxicodendron radicans</i>	N	N	N		N	N			N	N	N
<i>Tradescantia pallida</i>									C		
<i>Tradescantia spathacea</i>						E				E	
<i>Tragia saxicola</i>	N	N		N	N	N	N		N	N	N
<i>Tragia urens</i>	N	N	N		N	N	N	N	N	N	N
<i>Trema micranthum</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Trichostema dichotomum</i>	N								N		
<i>Tridax procumbens</i>	E		E	E		E		E	E	E	
<i>Tripsacum floridanum</i>				N	N			N	N		
<i>Turnera ulmifolia</i>				E							
<i>Urena lobata</i>		E				E					N
<i>Vaccinium myrsinites</i>	N	N		N	N		N	N	N	N	N
<i>Vernonia blodgettii</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Vigna luteola</i>	N				N						
<i>Vitis cinerea</i> var. <i>floridana</i>						E					
<i>Vitis rotundifolia</i>	N	N		N		N		N	N	N	N
<i>Vitis shuttleworthii</i>	N				N			N	N	N	N
<i>Vittaria lineata</i>					N			N	N	N	N
<i>Waltheria indica</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Wedelia trilobata</i>	E				E	E			E	E	
<i>Yucca guatemalensis</i>								C			
<i>Zamia integrifolia</i>	N	N	N	N	N	N	N	N	N	N	N
<i>Zornia bracteata</i>					N			N	N	N	N
<i>Zoysia tenuifolia</i>				E						E	

*Table 25:*  
**Rare Plants of**  
**NON-COUNTY PROPERTIES AT THE**  
**RICHMOND PINE ROCKLANDS**

---

<b>Species</b>	<b>Federal</b>	<b>State</b>	<b>FNAI<sup>1</sup></b>	<b>IRC<sup>2</sup></b>
<i>Aeschynomene viscidula</i>				R2
<i>Andropogon tracyi</i>				R1
<i>Aristida condensata</i>				R2
<i>Arnoglossum ovatum</i>				R2
<i>Asclepias viridis</i>				R1
<i>Aster concolor</i>				R2
<i>Berlandiera subacaulis</i>				R1
<i>Bletia purpurea</i>	T			
<i>Brickellia mosieri</i>	E	S1		R1
<i>Byrsonima lucida</i>	T			
<i>Chamaesyce deltoidea</i> ssp. <i>deltoidea</i>	E	E	S1	R2
<i>Chamaesyce pergamena</i>		T		
<i>Chaptalia albicans</i>	T			
<i>Coccothrinax argentata</i>	T		S2?	
<i>Crossopetalum ilicifolium</i>	T		S2	
<i>Cynanchum blodgettii</i>	T			
<i>Cyperus filiculmis</i>				R2
<i>Desmodium lineatum</i>				R1
<i>Desmodium marilandicum</i>				R2
<i>Digitaria filiformis</i> var. <i>dolichophylla</i>	T			R2
<i>Digitaria pauciflora</i>	E	S1		R1
<i>Elytraria carolinensis</i> var. <i>angustifolia</i>			S2	
<i>Ernodea cokeri</i>	E			R1
<i>Eupatorium compositifolium</i>				R1
<i>Galactia pinetorum</i>		S2		R2
<i>Gymnopogon ambiguus</i>				R1
<i>Hypoxis sessilis</i>				R1
<i>Ipomoea microdactyla</i>	E	S1S2		R2
<i>Ipomoea tenuissima</i>	E	S1S2		R2
<i>Jacquemontia curtisii</i>	T	S2		
<i>Koanophyllum villosum</i>	E	S2		
<i>Lantana depressa</i> var. <i>depressa</i>	E	S1		
<i>Lechea sessiliflora</i>				R2
<i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>		S2		

<sup>1</sup> Florida Natural Areas Inventory, taxa listed as Critically Imperiled (S1) or Imperiled (S2) in Florida

<sup>2</sup> The Institute for Regional Conservation, taxa listed as Critically Imperiled (S1) or Imperiled (S2) in southern Florida

<b>Species</b>	<b>Federal</b>	<b>State</b>	<b>FNAI</b>	<b>IRC</b>
<i>Poinsettia pinetorum</i>		E	S2	
<i>Polygala smallii</i>	E	E	S1	R2
<i>Pteris bahamensis</i>		T		
<i>Pteroglossaspis ecristata</i>		T	S2	R2
<i>Rhynchospora floridensis</i>			S2	
<i>Sachsia polycephala</i>		E	S1	
<i>Smilax havanensis</i>		T		
<i>Spermacoce terminalis</i>		T		
<i>Spiranthes torta</i>		E	S1	R1
<i>Swietenia mahagoni</i>		E	S2	
<i>Tillandsia balbisiana</i>		T		
<i>Tragia saxicola</i>		T	S2	
<i>Tragia urens</i>				R2
<i>Tripsacum floridanum</i>		T	S2	
<i>Vernonia blodgettii</i>		E		
<i>Zornia bracteata</i>				R1

*Appendix A:*  
**Contact list for non-county owned properties at the**  
**RICHMOND PINE ROCKLANDS**

---

	<b>Contact Person/People</b>	<b>Contact Phone #'s</b>
<i>Federal Corrections Institution</i>	Chuck McDonald	(305) 259-2239
<i>Luis Martinez U.S. Army Reserve Center</i>	Alice Drewke	(305) 378-4828
<i>Robert Morgan Technical Institute</i>		(305) 253-9920
<i>U.S. Air Force Property</i>	Kathy Corley (GSA)	(404) 331-2363
<i>U.S. Air Force Property</i>	Steve Garcia (USAF)	(305) 252-4500
<i>U.S. Coast Guard Communications Station</i>	Collin Johnson	(305) 255-4167
<i>U.S. Coast Guard Housing</i>	Andre Jusiel	(305) 233-3240
<i>U.S. Coastal Civil Engineering</i>	Jon Mann	(305) 278-6708
<i>U.S. General Services Administration</i>	Kathy Corley	(404) 331-2363
<i>U.S. General Services Administration</i>	Steve Garcia	(305) 252-4500
<i>U.S. National Institute of Health, GSA</i>	Kathy Corley	(404) 331-2363
<i>U.S. Naval Observatory, GSA</i>	Kathy Corley	(404) 331-2363
<i>University of Miami South Campus</i>	Shelly Niceley-Groff	(305) 284-2700